

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	

Approved for healthy- and explosion prof cleaning

The IVB 7X M class is equipped with the unique EC drive motor system. This ensures long live time and enables use in ATEX zone 22 areas. The IVB 7X is approved according to ATEX directive 94/9/EC for the use in Zone 22.


The M class version is equipped with washable M-Class PET Fleece filter element - Easy and economical maintenance. The IVB 7 X offers features like 70 l. stainless steel container, tilt or lift off! And a robust steel frame. A filtration bag to be used for dust in class St1, St2, St3 in zone 22 A std. dust bag to be used for NON hazardous and NON ATEX dust.

- Safety vacuum cleaner for dustclass M ATEX Zone 22 approved
- single phase vacuum cleaner EC drive motor technology, long life / ATEX applications
- SoftStart: A gentle motor startup keeps the starting current low. For easy starting on limited electrical systems Auto On/Off. In combination with powered tools the machine starts and stops automatically when you start or stop the power tool Tilt or LiftOut container emptying.
- The 70 liter stainless steel container can be easily tilted in the frame or lifted off for emptying.



Picture shown may not represent model quoted

● Standard equipment

Included accessories		Ref. no.	Min. required	NILFISK IVB 7-M B1 230/1/50 EU	NILFISK IVB 7-M B1 110/1/50 GB
Filter					
	FILTER PET FLEECE M-CLASS D185X140	302000490	0	•	•
System TYPE 22 (ATEX) Hose Vacuum Cleaner					
	HOSE Ø36X4000MM W COUPLING TYPE 22	44193	0	•	•

Model	NILFISK IVB 7-M B1 230/1/50 EU	NILFISK IVB 7-M B1 110/1/50 GB
Ref. no.	302001895	302002305

PRODUCT FEATURES

Filter bag	•	•
Motor speed control	•	•
Automatic on/off - electric tools	•	•
ATEX hazardous TYPE 22 approval	•	•
Extra socket for tool	•	•





Approved for healthy- and explosion prof cleaning

Technical specifications









	NILFISK IVB 7-M B1 230/1/50 EU	NILFISK IVB 7-M B1 110/1/50 GB
Grounded	YES	YES
Voltage (V)	220-240	110-120
Frequency (Hz)	50-60	50-60
IP protection class	IP54	IP54
Dust class	M	M
Rated power (W)	1200	1200
Suction power end of tube (W)	270	270
Airflow without hose (l/sec.)	56	56
Vacuum (kPa)	25	25
Vacuum max (kPa)	25	25
Sound pressure level at 1.5 m (dB(A) ISO 3744)	53.5	53.5
Container capacity (l)	70	70
Dust bag capacity (l)	40	40
Main filter type	PET	PET
Main filter area (cm²)	3000	3000
Exhaust filter ULPA U15 (cm²)	-	-
Inlet (mm)	50 type 22	50 type 22
Length x width x height (mm)	580x605x970	580x605x970
Weight (kg)	27.2	27.2

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	NILFISK IVB 7-M B1 230/1/50 EU	NILFISK IVB 7-M B1 110/1/50 GB
System TYPE 22 (ATEX) Tube/Nozzle					
	BRUSH NOZZLE TYPE22 Ø36X230MM PE	44191	0	○	○
	COARSE DIRT NOZZLE TYPE22 Ø50X200MM ALU	42835	0	○	○
	CREVICE NOZZLE TYPE 22 Ø36 L290MM PLAST	44192	0	○	○
	CREVICE NOZZLE TYPE22 Ø50X350 PE	42837	0	○	○
	CURVED EXTENSION TUBE TYPE22 Ø50X1100 S	33609	0	○	○
	CURVED HAND TUBE TYPE22 Ø36MM SS	44188	0	○	○
	DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER	302000227	0	○	○
	DIAGONAL TUBE NOZZLE TYPE22 Ø50 RUBBER	42836	0	○	○



Approved for healthy- and explosion prof cleaning

Accessories		Ref. no.	Min. required	NILFISK IVB 7-M B1 230/1/50 EU	NILFISK IVB 7-M B1 110/1/50 GB
	EXTENSION TUBE TYPE22 Ø36X950MM SS	46982	0	○	○
	FLAT NOZZLE TYPE22 Ø50MM RUBBER	42839	0	○	○
	FLOOR NOZZLE TYPE22 Ø36X450MM	302000369	0	○	○
	FLOOR NOZZLE TYPE22 Ø 50X500MM	42834	0	○	○
System TYPE 22 (ATEX) Hose Vacuum Cleaner					
	HOSE Ø36X4000MM W COUPLING TYPE 22	44193	0	●	●
	HOSE Ø50X4000MM CHIP TYPE 22	42825	0	○	○
	HOSE Ø50X8000MM CHIP TYPE 22	63710	0	○	○
Vacuum Accessory Set					
	TYPE 22 VACUUM SET Ø36MM 6-PCS	48907	0	○	○
Filter					
	FILTER PET FLEECE M-CLASS D185X140	302000490	0	●	●
Disposal Bag					
	DISPOSAL BAG ATTIX 7 5 PCS	302001480	0	○	○
Filter Bag					
	FILTER BAG ATTIX 7 5 PCS	302001484	0	○	○
	FLEECE FILTER BAG PU 5 PCS	302002892	0	○	○
Bag					
	FILTER BAG IVB-7 5 PCS	302001909	0	○	○

A versatile, high-performance unit for demanding day-in/ day-out vacuumings

Whether it's a factory floor or warehouse loading dock, when spills happen they need to be cleaned quickly and effectively. Apart from the mess, unattended spills can create a hazard that can prove both dangerous and costly.





Similarly, for daily maintenance cleaning the vacuum must be one that you can rely on. The essential requirement is a unit that will go on cleaning powerfully and quickly, day-in and day-out. The IVB 961-01 is more than up to the task, for both spills and maintenance cleaning – even in the toughest conditions. Thanks to the 38 mm standard equipment the IVB 961-01 is a "Plug & Play" ready to use machine.

- Two motor industrial performance
- Washable PET Fleece, big surface filter for high efficiency and low maintenance costs
- Push & Clean filter cleaning system for high efficiency
- Stainless steel tiltable and removable 70 L container for easy handling and disposal
- Complete package with 38 mm accessories with stainless steel tubes and 400 mm wet&dry floor nozzle
- 10 meter cable for a large working radius
- Applicable for wet & dry pick up by reliable floating system
- Robust fleece filter bag standard




Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	IVB 961-0L 16A 230/1/50 EU
Filter				
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	1	•
System 38 Hose Vacuum Cleaner				
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	1	•
System 38 Tube				
	CURVED HAND TUBE D38 MM SS	302002889	1	•
	EXTENSION TUBES R38 2X500 KIT	107402474	0	•
System 38 Vac Floor Nozzle				
	FLOOR NOZZLE D38X400 WET AND DRY	302002798	1	•
System 38 Crevice/Cone Nozzle				



A versatile, high-performance unit for demanding day-in/ day-out vacuumings

Included accessories		Ref. no.	Min. required	IVB 961-0L 16A 230/1/50 EU
	CREVICE NOZZLE Ø38X300 MM PP	302002890	1	•

Model	IVB 961-0L 16A 230/1/50 EU
Ref. no.	302002914

PRODUCT FEATURES

Tube holder	•
Softstart	•
Tool tray	•
Tilting container	•
Anti-static system	•
Robust steel chassis	•
Wet & dry performance	•
Low working sound level	•
Stainless steel container	•
MultiFit accessory system	•
Genuine rubber mains cable	•
Washable PET fleece filter	•
Push&Clean filter cleaning	•
Big wheels and convenient grip	•
Storage of accessories	•
Cable storage	•
Fleece filter bag 1 pcs.	•

Technical specifications	IVB 961-0L 16A 230/1/50 EU
--------------------------	----------------------------

Grounded	YES
Voltage (V)	220-240
Frequency (Hz)	50-60
IP protection class	IPX4
Dust class	L
Rated power (W)	2x1200
Suction power end of tube (W)	270
Airflow without hose (l/sec.)	120
Vacuum (kPa)	23
Vacuum max (kPa)	23










A versatile, high-performance unit for demanding day-in/ day-out vacuumings

Technical specifications












IVB 961-0L 16A
230/1/50 EU

Sound pressure level at 1.5 m (dB(A) ISO 3744)	67
Container capacity (l)	70
Main filter type	PET
Main filter area (cm ²)	7800
Inlet (mm)	50 MultiFit
Length x width x height (mm)	580x600x970
Weight (kg)	30

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories		Ref. no.	Min. required	IVB 961-0L 16A 230/1/50 EU
System 50 Tube				
	CURVED ALU EXT.TUBE D50X1000	15335	1	○
	CURVED HAND TUBE Ø50-36MM	15341	1	○
	ELBOW 90 Ø 50MM	5089	1	○
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	1	○
System 50 Brush/Universal Nozzle				
	COARSE DIRT NOZZLE Ø50X175 PP	5153	1	○
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	1	○
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	1	○
System 38 Hose Vacuum Cleaner				

A versatile, high-performance unit for demanding day-in/ day-out vacuumings

Accessories		Ref. no.	Min. required	IVB 961-0L 16A 230/1/50 EU
	HOSE HEAT RES. 36X4000 FOR	6070	1	○
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	1	●
System 50 Vac Floor Nozzle				
	BRUSH STRIPS FOR 15343	15347	1	○
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	1	○
	FLOOR NOZZLE Ø50X350 PVC	6077	1	○
	NOZZLE ALU. 500XØ50MM WET	15344	1	○
	RUBBER STRIPS FOR 15344	15346	1	○
System 50 Crevice/Cone Nozzle				
	CREVICE NOZZLE Ø50X370 PE	7102	1	○
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	1	○
	FLAT NOZZLE RUBBER Ø50MM	31244	1	○
	ROUND NOZZLE Ø50MM RUBBER	19936	1	○
Vacuum Accessory Set				













A versatile, high-performance unit for demanding day-in/ day-out vacuumings









Accessories		Ref. no.	Min. required	IVB 961-0L 16A 230/1/50 EU
	BOILER SET Ø 36MM 4-PCS	60430	1	○
	CHIP SET D50MM	61681	1	○
	WATER VACUUM SET Ø36MM 3- PCS	7727	1	○
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	○
Vac Nozzle Fixed				
	BRUSH STRIP 1 PCS FOR FIXED NOZZLE	7993	0	○
System 38 Crevice/Cone Nozzle				
	CREVICE NOZZLE Ø38X300 MM PP	302002890	1	●
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	1	○
	TOOL ADAPTER 38/50 MM	302002884	1	○
System 50 Hose Vacuum Cleaner				
	AS HOSED50X4000MM	15815	1	○
	CHIPS HOSE Ø50X4000MM	15182	1	○
	HOSE HEAT RESIST. Ø 50X4000MM	11061	1	○



A versatile, high-performance unit for demanding day-in/ day-out vacuumings

Accessories		Ref. no.	Min. required	IVB 961-0L 16A 230/1/50 EU
	METAL HOSE Ø50X4000MM	15013	1	○
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	1	○
	UNIV HOSE Ø 50X1750MM	19930	1	○
System 38 Tube				
	CURVED HAND TUBE D38 MM SS	302002889	1	●
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	1	○
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	1	○
	EXTENSION TUBES R38 2X500 KIT	107402474	0	●
System 36 Tube				
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1	○
Other				
	SPARK EXTINGUISHER Ø50	34591	1	○
System 38 Vac Floor Nozzle				
	FLOOR NOZZLE D38X400 WET AND DRY	302002798	1	●
	FLOOR NOZZLE Ø38X450 WET AND DRY ADJ	302002799	1	○

A versatile, high-performance unit for demanding day-in/ day-out vacuumings

Accessories		Ref. no.	Min. required	IVB 961-0L 16A 230/1/50 EU
	OVEN NOZZLE 400X Ø38MM	63380	1	○
	SCRAPER FOR 63380	64930	1	○
Accessory Kit				
	ANTISTAT KIT 38MM	80601000	1	○
	MAC/FLOOR KIT 38MM POLYUR. MUL	80601200	1	○
	MAC/FLOOR KIT 38MM RUBBER MULT	80601300	1	○
	MACH. KIT 38MM POLYURETHANE MU	80601100	1	○
Filter				
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	1	●
Filter Bag				
	FLEECE FILTER BAG PU 5 PCS	302002892	1	○
Sack Filter				
	CLOTH FILTER INSERT	302002894	1	○
Exhaust Air Collector				
	EXHAUST FITTING KIT D50 ATTIX 9	107409036	0	○

For heavy-duty industrial cleaning and hazardous dust collection





The tougher the cleaning, the better the vacuum cleaner needs to be. This is why so much thought has gone into the design of the IVB 965-21 SD. With 7200 ltr. per minute of air flow, and 3000 W of maximum power, it is capable of fast, productive cleaning of dirt, metal chips and liquid spills. At the same time, it can be fitted with H-Class filtering for use where the dust may be potentially hazardous. But the real edge over the competition can be seen in the practical 'sit-down' system for emptying the container, and in the special design features that make the work just that much easier. A range of 38 mm and 50 mm accessories are available and makes it possible to handle all kind of jobs.

- Two motor industrial performance
- XtremeClean fully automatic filter cleaning system for high efficiency also in H class
- Big surface filter for high efficiency and low maintenance costs
- Stainless steel sit down container for easy handling and disposal
- 10 meter cable for a large working radius
- Disposal bag standard
- Socket for automatic on/off (only -2H/M model)



Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	IVB 965-0L SD XC 230/1/50 EU	IVB 965-2H/M SD XC 230/1/50 EU
Filter					
	FILTER ELEMENT D275X187 H-CLASS	107400564	1		•
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	1	•	
Disposal Bag					
	DISPOSAL BAG ATTIX 7 5 PCS	302001480	1	•	•
Safety Filter Bag					
	SAFETY FILTER BAG H ATTIX 9. 5 PCS	302003473	1		•

For heavy-duty industrial cleaning and hazardous dust collection

Model	IVB 965-0L SD XC 230/1/50 EU	IVB 965-2H/M SD XC 230/1/50 EU
Ref. no.	302002916	302002917

PRODUCT FEATURES

Tube holder	•	•
Softstart	•	•
Tool tray	•	•
Anti-static system	•	•
Motor speed control	•	•
Robust steel chassis	•	•
Low working sound level	•	•
Stainless steel container	•	•
MultiFit accessory system	•	•
Genuine rubber mains cable	•	•
Washable PET fleece filter	•	
Automatic on/off - electric tools		•
Big wheels and convenient grip	•	•
H-class hazardous dust approval		•
XtremeClean filter cleaning	•	•
Storage of accessories	•	•
Cable storage	•	•
Disposal bag 1 pcs	•	•

Technical specifications	IVB 965-0L SD XC 230/1/50 EU	IVB 965-2H/M SD XC 230/1/50 EU
Grounded	YES	YES
Voltage (V)	220-240	220-240
Frequency (Hz)	50-60	50-60
IP protection class	IPX4	IPX4
Dust class	L	H/M
Rated power (W)	2x1200	2x1200
Suction power end of tube (W)	270	270
Airflow without hose (l/sec.)	120	120
Vacuum (kPa)	23	23
Vacuum max (kPa)	23	23
Sound pressure level at 1.5 m (dB(A) ISO 3744)	67	67
Container capacity (l)	50	50
Main filter type	PET Nano	Paper/Glass Fibre
Main filter area (cm²)	7800	7800












For heavy-duty industrial cleaning and hazardous dust collection

Technical specifications












	IVB 965-0L SD XC 230/1/50 EU	IVB 965-2H/M SD XC 230/1/50 EU
Inlet (mm)	50 MultiFit	50 MultiFit
Length x width x height (mm)	615x690x990	615x690x990
Weight (kg)	45	45

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment











Accessories	Ref. no.	Min. required	IVB 965-0L SD XC 230/1/50 EU	IVB 965-2H/M SD XC 230/1/50 EU
System 50 Tube				
 ADAPTER Ø50-36MMX125	40452	1	○	○
 CURVED ALU EXT.TUBE D50X1000	15335	1	○	○
 CURVED HAND TUBE Ø50-36MM	15341	1	○	○
 ELBOW 90° Ø 50MM	5089	1	○	○
 SUCTION TUBE 2PCS Ø50 525MM PVC	5152	1	○	○
System 50 Brush/Universal Nozzle				
 COARSE DIRT NOZZLE Ø50X175 PP	5153	1	○	○
 COARSE DIRT NOZZLE Ø50X200MM ALU	41100	1	○	○
 ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	1	○	○
System 50 Vac Floor Nozzle				
 BRUSH STRIPS FOR 15343	15347	1	○	○













For heavy-duty industrial cleaning and hazardous dust collection

Accessories		Ref. no.	Min. required	IVB 965-0L SD XC 230/1/50 EU	IVB 965-2H/M SD XC 230/1/50 EU
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	1	○	○
	FLOOR NOZZLE Ø50X350 PVC	6077	1	○	○
	NOZZLE ALU. 500XØ50MM WET	15344	1	○	○
	RUBBER STRIPS FOR 15344	15346	1	○	○
System 50 Crevice/Cone Nozzle					
	CREVICE NOZZLE Ø50X370 PE	7102	1	○	○
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	1	○	○
	FLAT NOZZLE RUBBER Ø50MM	31244	1	○	○
	ROUND NOZZLE Ø50MM RUBBER	19936	1	○	○
Vac Nozzle Fixed					
	BRUSH STRIP 1 PCS FOR FIXED NOZZLE	7993	1	○	○
System 38 Crevice/Cone Nozzle					
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	1	○	○
	TOOL ADAPTER 38/50 MM	302002884	1	○	○







For heavy-duty industrial cleaning and hazardous dust collection

Accessories		Ref. no.	Min. required	IVB 965-0L SD XC 230/1/50 EU	IVB 965-2H/M SD XC 230/1/50 EU
System 50 Hose Vacuum Cleaner					
	AS HOSED50X4000MM	15815	1	○	○
	CHIPS HOSE Ø50X4000MM	15182	1	○	○
	HOSE HEAT RESIST. Ø 50X4000MM	11061	1	○	○
	METAL HOSE Ø50X4000MM	15013	1	○	○
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	1	○	○
System 38 Tube					
	CURVED HAND TUBE D38 MM SS	302002889	1	○	○
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	1	○	○
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	1	○	○
System 36 Tube					
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1	○	○
Other					
	CHIP COLLECTION BASKET Ø392X390 SS	302001612	1	○	○

For heavy-duty industrial cleaning and hazardous dust collection

Accessories		Ref. no.	Min. required	IVB 965-0L SD XC 230/1/50 EU	IVB 965-2H/M SD XC 230/1/50 EU
	SPARK EXTINGUISHER Ø50	34591	1	○	○
Vacuum Accessory Set					
	CHIP SET D50MM	61681	1	○	○
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	1	○	○
	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	1	○	○
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	○	○
System 38 Vac Floor Nozzle					
	OVEN NOZZLE 400X Ø38MM	63380	1	○	○
	SCRAPER FOR 63380	64930	1	○	○
Accessory Kit					
	ANTISTAT KIT 38MM	80601000	1	○	○
	MAC/FLOOR KIT 38MM POLYUR. MUL	80601200	1	○	○
	MAC/FLOOR KIT 38MM RUBBER MULT	80601300	1	○	○
	MACH. KIT 38MM POLYURETHANE MU	80601100	1	○	○
Filter					

For heavy-duty industrial cleaning and hazardous dust collection

Accessories		Ref. no.	Min. required	IVB 965-0L SD XC 230/1/50 EU	IVB 965-2H/M SD XC 230/1/50 EU
	FILTER ELEMENT D275X187 H-CLASS	107400564	1		•
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	1	•	
Disposal Bag					
	DISPOSAL BAG ATTIX 7 5 PCS	302001480	1	•	•
System 38 Hose Vacuum Cleaner					
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	1	○	○
Sack Filter					
	CLOTH FILTER INSERT	302002894	1	○	○
Safety Filter Bag					
	SAFETY FILTER BAG H ATTIX 9. 5 PCS	302003473	1		•
Exhaust Air Collector					
	EXHAUST FITTING KIT D50 ATTIX 9	107409036	0	○	○

Health&Safety Wet&Dry vacuum cleaners for ATEX Zone 22 explosive dust

The IVB 995-0H/M SD XC TYPE 22 is the most powerful two-motorvacuum cleanerthat is approved to be used for both Mand H-Class dust in Zone 22 environments. Featuring XtremeClean filter cleaning and a Stainless Steel SitDown container. The perfect concept for Industrial use where safety is a must.


Legislation (EN 60335-2-69) has placed some very tight restrictions on handling hazardous dust. The IVB 995 model will fulfill all demands at the highest level of safety to ensure maximum health protection. The IVB 995-0H/M SD XC TYPE 22 containsM and H-Class, as well as Explosive dust ATEX Zone 22 approvals. The use of EC technology meaning 2 single phase brushless motors and the complete conductivity makes this machine applicable in Zone 22 environments. The perfect disposal concept for industrial use and health endangerous and carcinogenic dusts. By choosing the correct AntiStatic container inlet in combination with the approved Type 22 accessories thevacuum cleanerallows you to work with a safe and spark free solution. The Stainless Steel SitDown container ensures durability and long life, andmakes it possible to drive out without removing the motorhead. The standard Disposal bag (M-Class) or the included Safety filter bag enables safe dust free working and disposal. On top of the motor head you will find a big tool deposit and room to store your accessories. Equipped with the optional accessory basket you have all the equipment you need on hand. The AntiStatic Type 22 container inlet gives access to the entire range of approved Type 22 accessories to customize thevacuum cleanerto your specific safety needs.



Picture shown may not represent model quoted

- Industrial specifications, robust construction, and powerful... the definition of IVB 9
- Approved for ATEX Zone 22,M andH Class
- 2 Brushless EC (Electronic Controlled) motors
- Two motor Industrial performance
- XtremeClean fully automatic filter cleaning system for high efficiency in H and M Class
- Big surface H Class filter for high efficiency and low maintenance costs
- Stainless Steel SitDown container for perfect handling and disposal
- 10 meter cable for a large working radius
- Disposal and Safety filter bag standard

• Standard equipment

Included accessories		Ref. no.	Min. required	IVB 995-0H/M SD XC TYPE 22 EU
Filter				
	FILTER ELEMENT D275X187 H-CLASS	107400564	0	•
Special Filter				
	MOTOR COOLING AIR FILTER ATTIX9/IVB9	107400041	0	•



Health&Safety Wet&Dry vacuum cleaners for ATEX Zone 22 explosive dust

Model	IVB 995-0H/M SD XC TYPE 22 EU
Ref. no.	302002919

PRODUCT FEATURES









Tube holder	•
Cable holder	•
Single-phase	•
Softstart	•
Tool tray	•
Anti-static system	•
Robust steel chassis	•
Low working sound level	•
Stainless steel container	•
Big wheels and convenient grip	•
M-class hazardous dust approval	•
H-class hazardous dust approval	•
ATEX hazardous TYPE 22 approval	•
XtremeClean filter cleaning	•

Technical specifications	IVB 995-0H/M SD XC TYPE 22 EU
Grounded	YES
Voltage (V)	220-240
Frequency (Hz)	50-60
IP protection class	IP54
Dust class	H/M
Rated power (W)	2x1100
Suction power end of tube (W)	270
Airflow without hose (l/sec.)	120
Vacuum (kPa)	23
Vacuum max (kPa)	23
Sound pressure level at 1.5 m (dB(A) ISO 3744)	67
Container capacity (l)	50
Main filter type	Paper/Glass Fibre
Main filter area (cm²)	10000
Inlet (mm)	50 Type 22
Length x width x height (mm)	615x690x990
Weight (kg)	45








Health&Safety Wet&Dry vacuum cleaners for ATEX Zone 22 explosive dust

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	IVB 995-0H/M SD XC TYPE 22 EU
Vac Nozzle Fixed				
	BRUSH STRIP 1 PCS FOR FIXED NOZZLE	7993	0	○
Disposal Bag				
	DISPOSAL BAG ATTIX 7 5 PCS	302001480	0	○
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○
System TYPE 22 (ATEX) Tube/Nozzle				
	BRUSH NOZZLE TYPE22 Ø36X230MM PE	44191	0	○
	COARSE DIRT NOZZLE TYPE22 Ø50X200MM ALU	42835	0	○
	CREVICE NOZZLE TYPE 22 Ø36 L290MM PLAST	44192	0	○
	CREVICE NOZZLE TYPE22 Ø50X350 PE	42837	0	○
	CURVED EXTENSION TUBE TYPE22 Ø50X1100 S	33609	0	○
	CURVED HAND TUBE TYPE22 Ø36MM SS	44188	0	○
	DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER	302000227	0	○
	DIAGONAL TUBE NOZZLE TYPE22 Ø50 RUBBER	42836	0	○
	EXTENSION TUBE TYPE22 Ø36X950MM SS	46982	0	○
	FLAT NOZZLE TYPE22 Ø50MM RUBBER	42839	0	○
	FLOOR NOZZLE TYPE22 Ø36X450MM	302000369	0	○

Health&Safety Wet&Dry vacuum cleaners for ATEX Zone 22 explosive dust

Accessories		Ref. no.	Min. required	IVB 995-0H/M SD XC TYPE 22 EU
	PIPE CLEAN NOZZLE TYPE22 Ø36 R70-120MM	48066	0	○
	PIPE CLEAN NOZZLE TYPE22 Ø36 R120-200MM	48067	0	○
	ROUND BRUSH NOZZLE TYPE22 Ø 50MM	42831	0	○
System TYPE 22 (ATEX) Hose Vacuum Cleaner				
	HOSE Ø36X4000MM W COUPLING TYPE 22	44193	0	○
	HOSE Ø50X4000MM CHIP TYPE 22	42825	0	○
	HOSE Ø50X4000MM CONDUCTIVE TYPE 22	43245	0	○
43245	HOSE Ø50X8000MM CHIP TYPE 22	63710	0	○
Vacuum Accessory Set				
	TYPE 22 VACUUM SET Ø36MM 6-PCS	48907	0	○
Special Filter				
	MOTOR COOLING AIR FILTER ATTIX9/IVB9	107400041	0	●
Filter				
	FILTER ELEMENT D275X187 H-CLASS	107400564	0	●
Safety Filter Bag				
	SAFETY FILTER BAG H ATTIX 9. 5 PCS	302003473	0	○
Exhaust Air Collector				
	EXHAUST FITTING KIT D50 ATTIX 9	107409036	0	○

When you don't want to compromise your working safety

If working in applications with H-Class hazardous dust or asbestos, safe dust handling is a key parameter. Our series of certified H-class vacuum cleaners offers a convenient and easy-to-use solution with features which enhance safe working.

Choose from different container sizes and features like safety filter bag system, automatic start/stop for power tools and AntiStatic hose system. The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that it does go below the minimum 20 m/s. A safe and easy-to-use solution for demanding applications.

ATTIX 30 and ATTIX 50 are mid-size safety vacuum cleaners with reliable performance and high mobility. Semi-automatic Push&Cleanfilter system keeps the filter clean to increase efficiency and reduce downtime. AntiStatic hose system and Automatic Start/Stop is the perfect feature for Tradesmen who work with power tools.





In all models, your operating costs are minimized and user-friendliness reaches an all-time high with the low working sound level which lets you work when others are nearby without disturbing them. All Health & Safety Vacuums fulfill the legal requirements as described in the IEC/EN 60335-2-69 standard.



Picture shown may not represent model quoted








- Approved for work with H-Class hazardous dust and asbestos
- Certified H-Class filter with 99.995 - 99.999% filtration efficiency
- Low working sound level - SilentPower - high performance that is seen, but not heard
- MultiFit accessory system for the ultimate in task flexibility
- Accessory storage and tool deposit

● Standard equipment



Included accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
Filter						
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	0	•	•	•
	FLAT FILTER H-CLASS SET 2 PCS	107400449	0			
System 36 Hose Vacuum Cleaner						
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	0			
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	0	•	•	•
System 36 Tube						



When you don't want to compromise your working safety


Included accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
	CURVED HAND TUBE D36MM ST/CR	302000528	0	•	•	•
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	0	•	•	
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0			
System 36 Brush/Universal Nozzle						
	BRUSH NOZZLE Ø36X230 PP/PA	6086	0			
System 36 Vac Floor Nozzle						
	FLOOR NOZZLE D36X400MM W/D	302003666	0	•	•	
System 36 Crevice/Cone Nozzle						
	CREVICE NOZZLE Ø36X300 PP	6084	0			
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	0	•	•	•

• Standard equipment

Included accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
Filter						
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	0	•	•	•
	FLAT FILTER H-CLASS SET 2 PCS	107400449	0			
System 36 Hose Vacuum Cleaner						



When you don't want to compromise your working safety

Included accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	0			
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	0	•		•
System 36 Tube						
	CURVED HAND TUBE D36MM ST/CR	302000528	0	•		•
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	0			•
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0			
System 36 Brush/Universal Nozzle						
	BRUSH NOZZLE Ø36X230 PP/PA	6086	0		•	
System 36 Vac Floor Nozzle						
	FLOOR NOZZLE D36X400MM W/D	302003666	0			•
System 36 Crevice/Cone Nozzle						
	CREVICE NOZZLE Ø36X300 PP	6084	0		•	
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	0			•

When you don't want to compromise your working safety

Model	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
Ref. no.	107400405	107400407	107400417

PRODUCT FEATURES

Softstart	•	•	•
Airflow sensor	•	•	•
Anti-static system	•	•	•
Motor speed control			
Automatic on/off - electric tools			
H-class hazardous dust approval	•	•	•
Fleece filter bag 1 pcs.			•
Safety filter bag 1 pcs	•	•	

Model	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
Ref. no.	107400418	107407546	107419377

PRODUCT FEATURES

Softstart	•	•	•
Airflow sensor	•	•	•
Anti-static system	•		•
Motor speed control			
Automatic on/off - electric tools			
H-class hazardous dust approval	•	•	•
Fleece filter bag 1 pcs.	•	•	
Safety filter bag 1 pcs			•






Technical specifications	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
Power Pmax (W)	1500	1500	1150
Power Piec (W)	1200	1200	1000
Mains connection (V/~ /Hz/A)	230/1/50-60/16	230/1/50-60/16	110/1/50/16
Airflow rate (l/min.)	3700	3700	3200
Vacuum (mbar/kPa)	250/25	250/25	230/23
Working sound level (dB(A))	59	59	59
EI cable (m)	7.5	7.5	10
Container volume (l-max)	30	47	30
Filter cleaning system	Push&Clean	Push&Clean	Push&Clean
Main filter type	H-class	H-class	H-class
Length x width x height (mm)	450x380x595	450x380x750	450x380x595
Weight (kg)	10	11	10



When you don't want to compromise your working safety

Technical specifications	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
Power Pmax (W)	1500	1300	1500
Power Piec (W)	1200	1000	1200
Mains connection (V/~Hz/A)	230/1/50-60/13	230/1/50-60/16	230/1/50-60/16
Airflow rate (l/min.)	3700	3200	3700
Vacuum (mbar/kPa)	250/25	230/23	250/25
Working sound level (dB(A))	59	59	59
EI cable (m)	10	7.5	7.5
Container volume (l-max)	30	30	30
Filter cleaning system	Push&Clean		Push&Clean
Main filter type	H-class	H-class	H-class
Length x width x height (mm)	450x380x595	450x380x595	450x380x595
Weight (kg)	10	10	10












● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
System 36 Crevice/Cone Nozzle					
	CREVICE NOZZLE D36X200	29541	○	○	○
	CREVICE NOZZLE Ø36X300 PP	6084	○	○	○
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	○	○	○
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	●	●	●
	FLAT NOZZLE Ø36MM RUBBER	40456	○	○	○
System 50 Tube					
	ADAPTER Ø50-36MMX125	40452			
	CURVED ALU EXT.TUBE D50X1000	15335			

When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
	CURVED HAND TUBE Ø50-36MM	15341	0			
	ELBOW 90 Ø 50MM	5089	0	○	○	○
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	0			
System 36 Brush/Universal Nozzle						
	BRUSH NOZZLE Ø36X70	5146	0	○	○	○
	BRUSH NOZZLE Ø36X230 PP/PA	6086	0	○	○	○
	OVAL BRUSH NOZZLE Ø36MM	40455	0	○	○	○
	RADIATOR BRUSH NOZZLE Ø36X420	5144	0	○	○	○
	SUCTION BRUSH D36 BLACK	302002509	0	○	○	
	UNIV NOZZLE Ø36X150 ALU	5145	0	○	○	○
	UNIVERSAL NOZZLE D36X115	14295	0	○	○	○
System 36 Vac Floor Nozzle						
	COMBI NOZZLE Ø36X260MM	302002365	0	○	○	○
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0	○	○	○

When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
	FLOOR NOZZLE D36X300MM W/D KIT	107402706	0	○	○	○
	FLOOR NOZZLE D36X400MM W/D	302003666	0	●	●	○
	FLOOR NOZZLE Ø36X300MM	302002331	0	○	○	○
	FLOOR NOZZLE Ø36X330 ALU	5147	0	○	○	○
	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	0	○	○	○
	NOZZLE ALU. 450XØ36MM DRY	15348	0	○	○	○
	NOZZLE ALU. 450XØ36MM WET	15349	0	○	○	○
	WATER SUCTION NOZZLE Ø36X300	7270	0	○	○	○
System 50 Brush/Universal Nozzle						
	COARSE DIRT NOZZLE Ø50X175 PP	5153	0			
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	0			
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	0			
System 38 Hose Vacuum Cleaner						
	HOSE D38X5000 AS	107401368	0	○	○	○











When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
	HOSE HEAT RES. 36X4000 FOR	6070	0	○	○	○
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	0	○	○	○
	UNIV HOSE Ø36-38X4000MM EVA	15365	0	○	○	○
System 50 Vac Floor Nozzle						
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	0			
	FLOOR NOZZLE Ø50X350 PVC	6077	0			
	NOZZLE ALU. 500XØ50MM WET	15344	0			
Vacuum Accessory Set						
	ANIMAL CARE SET Ø27MM 4-PCS	6095	0	○	○	○
	BOILER SET Ø 36MM 4-PCS	60430	0	○	○	○
	BUS SET Ø 50MM 6-PCS	63217	0			
	CAR SET Ø36MM 3 PCS	63211	0	○	○	○
	CHIP SET D50MM	61681	0			











When you don't want to compromise your working safety

	Accessories	Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
	HOME & OFFICE SET Ø36MM 5-PCS	63212	0	○	○	○
	HOSE SET Ø36MM 3 PCS	63210	0	○	○	○
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	0	○	○	○
	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	0			
	INDUSTRIAL SET 38	302002881	0	○	○	○
	PIPE CLEANING SET Ø 38MM 4-PCS	63215	0	○	○	○
	STANDARD VAC SET Ø50MM 3-PCS	6085	0			
	TRADE AND IND. SET Ø36MM 5-PCS	63213	0	○	○	○
	WATER VACUUM SET Ø36MM 3- PCS	7727	0	○	○	○
	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	○	○	○
	WORKSHOP HOSE KIT SYSTEM 36 5-PCS	107413545	0	○	○	○
	WORKSHOP KIT BASIC D36MM 4PCS	107401367	0	○	○	○











When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
	WORKSHOP SET Ø36MM 6-PCS	302000927	0	○	○	○
System 27 Brush/Universal Nozzle						
	BRUSH CURRY COMB Ø 27MM	6093	0	○	○	○
	CURRY COMB Ø27MM	6092	0	○	○	○
	SPIKED CURRY COMB Ø 27MM	6094	0	○	○	○
System 50 Hose Vacuum Cleaner						
	AS HOSED50X4000MM	15815	0			
	CHIPS HOSE Ø50X4000MM	15182	0			
	HOSE HEAT RESIST. Ø 50X4000MM	11061	0			
	HOSE OIL RESISTANT D50X40	6468	0			
	METAL HOSE Ø50X4000MM	15013	0			
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	0			
	UNIV HOSE Ø 50X1750MM	19930	0			
System 50 Crevice/Cone Nozzle						

When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
	CREVICE NOZZLE Ø50X370 PE	7102	0			
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	0			
	FLAT NOZZLE RUBBER Ø50MM	31244	0			
	ROUND NOZZLE Ø50MM RUBBER	19936	0			
System 38 Crevice/Cone Nozzle						
	CREVICE NOZZLE Ø38X300 MM PP	302002890	0	○	○	○
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	0	○	○	○
	TOOL ADAPTER 38/50 MM	302002884	0	○	○	○
System 27 Hose Vacuum Cleaner						
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	0	○	○	○
	TOOL ADAPTER D27/36-24 AS	107404520	0	○	○	○
	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	0	○	○	○
System 36 Hose Vacuum Cleaner						
	HOSE AS D36X4000MM	15311	0	○	○	○
	HOSE Ø36X4000 AS EVA	63209	0	○	○	○
	HOSE Ø36X4000 MM AS RED	107413544	0	○	○	○

When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	0	○	○	○
	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	0	○	○	○
	UNI. HOSE Ø36X3000MM EVA	15805	0	○	○	○
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	0	●	●	●
	UNI. HOSE Ø36X4000MM EVA	25537	0	○	○	○
	UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	0	○	○	○
System 38 Tube						
	CURVED HAND TUBE D38 MM SS	302002889	0	○	○	○
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	0	○	○	○
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	0	○	○	○
	EXTENSION TUBES R38 2X500 KIT	107402474	0	○	○	○
System 36 Tube						
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	0	○	○	○
	CURVED HAND TUBE D36MM ST/CR	302000528	0	●	●	●
	CURVED HAND TUBE Ø36MM SS	46691	0	○	○	○



When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
	EXTENSION TUBE D36 2X500MM ALU	107400032	0	○	○	○
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	0	●	●	○
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	0	○	○	○
	EXTENSION TUBE D36 3X350 MM SS	107416995	0	○	○	○
	EXTENSION TUBE Ø36 2X505MM SS	107408074	0	○	○	○
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	0	○	○	○
	TELESCOPIC TUBE Ø36X550-970 SS	47109	0	○	○	○
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0	○	○	○
	TOOL ADAPTER D27/35/38	60916	0	○	○	○
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	0	○	○	○
Disposal Bag						
	DISPOSAL BAG ATTIX 3/30/40 5 PCS	302000804	0	○		○
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○	○	○
System 32 Hose Vacuum Cleaner						
	AS HOSED32X4000MM WITH TOOL	30657	0	○	○	○
	COAXIAL SUCTION HOSE Ø32 SET	107400841	0			








When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230/1/50 EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
	HOSE Ø32X4000MM AS RED	107413543	0	○	○	○
Other						
	AIRBOX 230V 50 HZ EU	107400079	0			
	SPARK EXTINGUISHER Ø50	34591	0	○	○	○
System 38 Vac Floor Nozzle						
	FLOOR NOZZLE D38X400 WET AND DRY	302002798	0	○	○	○
	FLOOR NOZZLE Ø38X450 WET AND DRY ADJ	302002799	0	○	○	○
	OVEN NOZZLE 400X Ø38MM	63380	0	○	○	○
Safety Filter Bag						
	SAFETY FILTER BAG H ATTIX 30. 5 PCS	107400233	0	○		○
	SAFETY FILTER BAG H ATTIX 40/50. 5 PCS	107400236	0		○	
Filter						
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	0	●	●	●
	FLAT FILTER H-CLASS SET 2 PCS	107400449	0			
Special Filter						
	FILTER FOR MOTOR COOLING 30/40/50	107400453	0	○	○	○

When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ EU	ATTIX 50-0H PC 230V 50HZ EU	ATTIX 30-0H PC 110V 50HZ GB
	MOTOR COOLING FILTER KIT	302003721	0	○	○	○
Exhaust Air Collector						
	EXHAUST AIR COLLECTOR	302003717	0	○	○	○








● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
System 36 Crevice/Cone Nozzle						
	CREVICE NOZZLE D36X200	29541	0	○	○	○
	CREVICE NOZZLE Ø36X300 PP	6084	0	○	●	○
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	0	○	○	○
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	0	○	○	●
	FLAT NOZZLE Ø36MM RUBBER	40456	0	○	○	○
System 50 Tube						
	ADAPTER Ø50-36MMX125	40452	0			
	CURVED ALU EXT.TUBE D50X1000	15335	0			
	CURVED HAND TUBE Ø50-36MM	15341	0			
	ELBOW 90 Ø 50MM	5089	0	○	○	○

When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	0			
System 36 Brush/Universal Nozzle						
	BRUSH NOZZLE Ø36X70	5146	0	○	○	○
	BRUSH NOZZLE Ø36X230 PP/PA	6086	0	○	●	○
	OVAL BRUSH NOZZLE Ø36MM	40455	0	○	○	○
	RADIATOR BRUSH NOZZLE Ø36X420	5144	0	○	○	○
	SUCTION BRUSH D36 BLACK	302002509	0		○	○
	UNIV NOZZLE Ø36X150 ALU	5145	0	○	○	○
	UNIVERSAL NOZZLE D36X115	14295	0	○	○	○
System 36 Vac Floor Nozzle						
	COMBI NOZZLE Ø36X260MM	302002365	0	○	○	○
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0	○	○	○
	FLOOR NOZZLE D36X300MM W/D KIT	107402706	0	○	○	○
	FLOOR NOZZLE D36X400MM W/D	302003666	0	○	○	●

When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
	FLOOR NOZZLE Ø36X300MM	302002331	0	○	○	○
	FLOOR NOZZLE Ø36X330 ALU	5147	0	○	○	○
	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	0	○	○	○
	NOZZLE ALU. 450XØ36MM DRY	15348	0	○	○	○
	NOZZLE ALU. 450XØ36MM WET	15349	0	○	○	○
	WATER SUCTION NOZZLE Ø36X300	7270	0	○	○	○
System 50 Brush/Universal Nozzle						
	COARSE DIRT NOZZLE Ø50X175 PP	5153	0			
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	0			
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	0			
System 38 Hose Vacuum Cleaner						
	HOSE D38X5000 AS	107401368	0	○	○	○
	HOSE HEAT RES. 36X4000 FOR	6070	0	○	○	○
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	0	○	○	○













When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
	UNIV HOSE Ø36-38X4000MM EVA	15365	0	○	○	○
System 50 Vac Floor Nozzle						
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	0			
	FLOOR NOZZLE Ø50X350 PVC	6077	0			
	NOZZLE ALU. 500XØ50MM WET	15344	0			
Vacuum Accessory Set						
	ANIMAL CARE SET Ø27MM 4-PCS	6095	0	○	○	○
	BOILER SET Ø 36MM 4-PCS	60430	0	○	○	○
	BUS SET Ø 50MM 6-PCS	63217	0			
	CAR SET Ø36MM 3 PCS	63211	0	○	○	○
	CHIP SET D50MM	61681	0			
	HOME & OFFICE SET Ø36MM 5-PCS	63212	0	○	○	○
	HOSE SET Ø36MM 3 PCS	63210	0	○	○	○










When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	0	○	○	○
	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	0			
	INDUSTRIAL SET 38	302002881	0	○	○	○
	PIPE CLEANING SET Ø 38MM 4-PCS	63215	0	○	○	○
	STANDARD VAC SET Ø50MM 3-PCS	6085	0			
	TRADE AND IND. SET Ø36MM 5-PCS	63213	0	○	○	○
	WATER VACUUM SET Ø36MM 3- PCS	7727	0	○	○	○
	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	○	○	○
	WORKSHOP HOSE KIT SYSTEM 36 5-PCS	107413545	0	○	○	○
	WORKSHOP KIT BASIC D36MM 4PCS	107401367	0	○	○	○
	WORKSHOP SET Ø36MM 6-PCS	302000927	0	○	○	○
System 27 Brush/Universal Nozzle						












When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
	BRUSH CURRY COMB Ø 27MM	6093	0	○	○	○
	CURRY COMB Ø27MM	6092	0	○	○	○
	SPIKED CURRY COMB Ø 27MM	6094	0	○	○	○
System 50 Hose Vacuum Cleaner						
	AS HOSED50X4000MM	15815	0			
	CHIPS HOSE Ø50X4000MM	15182	0			
	HOSE HEAT RESIST. Ø 50X4000MM	11061	0			
	HOSE OIL RESISTANT D50X40	6468	0			
	METAL HOSE Ø50X4000MM	15013	0			
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	0			
	UNIV HOSE Ø 50X1750MM	19930	0			
System 50 Crevice/Cone Nozzle						
	CREVICE NOZZLE Ø50X370 PE	7102	0			
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	0			










When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
	FLAT NOZZLE RUBBER Ø50MM	31244	0			
	ROUND NOZZLE Ø50MM RUBBER	19936	0			
System 38 Crevice/Cone Nozzle						
	CREVICE NOZZLE Ø38X300 MM PP	302002890	0	○	○	○
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	0	○	○	○
	TOOL ADAPTER 38/50 MM	302002884	0	○	○	○
System 27 Hose Vacuum Cleaner						
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	0	○	○	○
	TOOL ADAPTER D27/36-24 AS	107404520	0	○	○	○
	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	0	○	○	○
System 36 Hose Vacuum Cleaner						
	HOSE AS D36X4000MM	15311	0	○	○	○
	HOSE Ø36X4000 AS EVA	63209	0	○	○	○
	HOSE Ø36X4000 MM AS RED	107413544	0	○	○	○
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	0	○	○	○
	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	0	○	○	○
	UNI. HOSE Ø36X3000MM EVA	15805	0	○	○	○

When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	0	●	○	●
	UNI. HOSE Ø36X4000MM EVA	25537	0	○	○	○
	UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	0	○	○	○
System 38 Tube						
	CURVED HAND TUBE D38 MM SS	302002889	0	○	○	○
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	0	○	○	○
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	0	○	○	○
	EXTENSION TUBES R38 2X500 KIT	107402474	0	○	○	○
System 36 Tube						
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	0	○	○	○
	CURVED HAND TUBE D36MM ST/CR	302000528	0	●	○	●
	CURVED HAND TUBE Ø36MM SS	46691	0	○	○	○
	EXTENSION TUBE D36 2X500MM ALU	107400032	0	○	○	○
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	0	○	○	●

When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	0	○	○	○
	EXTENSION TUBE D36 3X350 MM SS	107416995	0	○	○	○
	EXTENSION TUBE Ø36 2X505MM SS	107408074	0	○	○	○
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	0	○	○	○
	TELESCOPIC TUBE Ø36X550-970 SS	47109	0	○	○	○
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0	○	○	○
	TOOL ADAPTER D27/35/38	60916	0	○	○	○
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	0	○	○	○
Disposal Bag						
	DISPOSAL BAG ATTIX 3/30/40 5 PCS	302000804	0	○	○	○
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○	○	○
System 32 Hose Vacuum Cleaner						
	AS HOSED32X4000MM WITH TOOL	30657	0	○	○	○
	COAXIAL SUCTION HOSE Ø32 SET	107400841	0			
	HOSE Ø32X4000MM AS RED	107413543	0	○	○	○
Other						
	AIRBOX 230V 50 HZ EU	107400079	0			

When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 30-0H PC 230V 50HZ GB	ATTIX 30-0H 230V 50HZ EU	ATTIX 30-0H PC 220-240V 50/60HZ CH
	SPARK EXTINGUISHER Ø50	34591	0	○	○	○
System 38 Vac Floor Nozzle						
	FLOOR NOZZLE D38X400 WET AND DRY	302002798	0	○	○	○
	FLOOR NOZZLE Ø38X450 WET AND DRY ADJ	302002799	0	○	○	○
	OVEN NOZZLE 400X Ø38MM	63380	0	○	○	○
Safety Filter Bag						
	SAFETY FILTER BAG H ATTIX 30. 5 PCS	107400233	0	○	○	○
	SAFETY FILTER BAG H ATTIX 40/50. 5 PCS	107400236	0			
Filter						
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	0	●	●	●
	FLAT FILTER H-CLASS SET 2 PCS	107400449	0			
Special Filter						
	FILTER FOR MOTOR COOLING 30/40/50	107400453	0	○	○	○
	MOTOR COOLING FILTER KIT	302003721	0	○	○	○
Exhaust Air Collector						
	EXHAUST AIR COLLECTOR	302003717	0	○	○	○

Build to pick-up combustible/flammable dust in ATEX Zone 22

The ATTIX 40 TYPE 22 machine is a powerful vacuum cleaner with stainless steel containers approved to be used for both M-class dust and ATEX Zone 22 environments. The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that it does go below the minimum 20 m/s. The perfect concept for Industrial use where safety is a must.

Legislation (IEC/EN 60335-2-69) has placed some very tight restrictions on handling hazardous dust. The TYPE 22 vacuum cleaners fulfill all demands at the highest level of safety to ensure maximum health protection. The use of EC technology meaning single-phase brushless motor makes the machine applicable in ATEX Zone 22 environments. With the electrically conductive and grounded container inlet in combination with the TYPE 22 accessories the vacuum cleaner allows you to work with a safe and spark free solution.

ATTIX 40-0M TYPE 22 is a mid-size vacuum cleaner featuring Push&Clean filter cleaning system to increase efficiency and reduce downtime.




In all models, your operating costs are minimized with the washable PET fleece filter elements, and user-friendliness reaches an all-time high with the low working sound level, which lets you work when others are nearby without disturbing them.



Picture shown may not represent model quoted

- Approved for cleaning and dust extraction in ATEX Zone 22 environments with explosive dust
- Brushless long life EC motors for ignition source-free performance
- High quality stainless steel container
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- A full range of TYPE 22 accessories is available to tailor your machine to your application

● Standard equipment

Included accessories		Ref. no.	Min. required	ATTIX 40-0M PC TYPE22
Filter				
	FILTER ELEMENT FOR TURBO D	41164	1	
	FILTER ELEMENT Ø328X300 TI70	34931	1	
	FILTER PET FLEECE M-CLASS D185X140	302000490	1	●
Special Filter				
	MOTOR COOLING AIR FILTER	302000491	1	
	MOTOR COOLING FILTER KIT	302003721	1	●
System TYPE 22 (ATEX) Hose Vacuum Cleaner				
	HOSE 27X3500 CONDUCTIVE TYPE22	107404779	1	
	HOSE Ø36X4000MM W COUPLING TYPE 22	44193	1	●



Build to pick-up combustible/flammable dust in ATEX Zone 22

Included accessories	Ref. no.	Min. required	ATTIX 40-0M PC TYPE22
TOOL ADAPTER D27/36-24 TYPE 22	107404521	1	
System TYPE 22 (ATEX) Tube/Nozzle			
CURVED HAND TUBE TYPE22 Ø36MM SS	44188	1	•
DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER	302000227	1	•
Bag			
FILTER BAG SQ8 5 PCS	61603	0	
SAFETY FILTER BAG SET5 TURBO D	33209	0	

Model	ATTIX 40-0M PC TYPE22
Ref. no.	107400410

PRODUCT FEATURES

Softstart	•
Airflow sensor	•
Anti-static system	•
Motor speed control	
Side-channel turbine	
Robust steel chassis	
Automatic on/off - electric tools	
Brushless longlife 1-ph. motor	•
M-class hazardous dust approval	•
ATEX hazardous TYPE 22 approval	•
Extra socket for tool	
Fleece filter bag 1 pcs.	•








Technical specifications	ATTIX 40-0M PC TYPE22
--------------------------	-----------------------

Power Pmax (W)	1400
Power Piec (W)	1100
Mains connection (V/~ /Hz/A)	230/1/50-60/16
Airflow rate (l/min.)	3200
Vacuum (mbar/kPa)	230/23
Working sound level (dB(A))	60
EI cable (m)	7.5
Container volume (l-max)	37
Filter cleaning system	Push&Clean
Main filter type	PET
Length x width x height (mm)	450x440x750
Weight (kg)	13










Build to pick-up combustible/flammable dust in ATEX Zone 22

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment





Accessories		Ref. no.	Min. required	ATTIX 40-0M PC TYPE22
System 50 Hose Vacuum Cleaner				
	REDUCER 70/50MM	29726	0	
Disposal Bag				
	DISPOSAL BAG ATTIX 3/30/40 5 PCS	302000804	1	○
	DISPOSAL BAG ATTIX 7 5 PCS	302001480	1	
	DISPOSAL BAG FOR FILTER ELEMENT	30082	1	○
Bag				
	FILTER BAG SQ8 5 PCS	61603	0	
	SAFETY FILTER BAG SET5 TURBO D	33209	0	
System TYPE 22 (ATEX) Tube/Nozzle				
	BRUSH NOZZLE TYPE22 Ø36X230MM PE	44191	1	○
	COARSE DIRT NOZZLE TYPE22 Ø50X200MM ALU	42835	1	○
	CREVICE NOZZLE TYPE 22 Ø36 L290MM PLAST	44192	1	○
	CREVICE NOZZLE TYPE22 Ø50X350 PE	42837	1	○
	CURVED EXTENSION TUBE TYPE22 Ø50X1100 S	33609	1	○
	CURVED HAND TUBE TYPE22 Ø36MM SS	44188	1	●
	DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER	302000227	1	●
	DIAGONAL TUBE NOZZLE TYPE22 Ø50 RUBBER	42836	1	○
	EXTENSION TUBE TYPE22 Ø36X950MM SS	46982	1	○
	FLAT NOZZLE TYPE22 Ø50MM RUBBER	42839	1	○
	FLOOR NOZZLE TYPE22 Ø36X450MM	302000369	1	○
	FLOOR NOZZLE TYPE22 Ø 50X500MM	42834	1	○



Build to pick-up combustible/flammable dust in ATEX Zone 22

Accessories		Ref. no.	Min. required	ATTIX 40-0M PC TYPE22
	PIPE CLEAN NOZZLE TYPE22 Ø36 R70-120MM	48066	1	○
	PIPE CLEAN NOZZLE TYPE22 Ø36 R120-200MM	48067	1	○
	ROUND BRUSH NOZZLE TYPE22 Ø 50MM	42831	1	○
Filter				
	FILTER ELEMENT FOR TURBO D	41164	1	
	FILTER ELEMENT Ø328X300 TI70	34931	1	
	FILTER PET FLEECE M-CLASS D185X140	302000490	1	●
System TYPE 22 (ATEX) Hose Vacuum Cleaner				
	HOSE 27X3500 CONDUCTIVE TYPE22	107404779	1	○
	HOSE Ø36X4000MM W COUPLING TYPE 22	44193	1	●
	HOSE Ø50X4000MM CHIP TYPE 22	42825	1	○
 43245	HOSE Ø50X4000MM CONDUCTIVE TYPE 22	43245	1	○
	HOSE Ø50X8000MM CHIP TYPE 22	63710	1	○
	TOOL ADAPTER D27/36-24 TYPE 22	107404521	1	○
Vacuum Accessory Set				
	TYPE 22 VACUUM SET Ø36MM 6-PCS	48907	1	○
Safety Filter Bag				
	SAFETY FILTER BAG H ATTIX 40/50. 5 PCS	107400236	1	○
	SAFETY FILTER BAG M ATTIX/IVB 7. 5 PCS	302001486	1	
Special Filter				
	FILTER FOR MOTOR COOLING 30/40/50	107400453	1	○
	MOTOR COOLING AIR FILTER	302000491	1	

Build to pick-up combustible/flammable dust in ATEX Zone 22

Accessories		Ref. no.	Min. required	ATTIX 40-0M PC TYPE22
	MOTOR COOLING FILTER KIT	302003721	1	•
Other				
	AIRBOX 230/1/50 EU	302001192	1	
Filter Bag				
	FILTER BAG ATTIX 7 5 PCS	302001484	1	
	FLEECE FILTER BAG PU 5 PCS	302002892	1	
Exhaust Air Collector				
	EXHAUST AIR COLLECTOR	302003717	1	○

Build to pick up combustible/flammable dust in ATEX Zone 22

The ATTIX 791-2M/B1 TYPE 22 machine is a powerful vacuum cleaner with stainless steel containers approved to be used for both M-class dust and ATEX Zone 22 environments. The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that it does go below the minimum 20 m/s. The perfect concept for Industrial use where safety is a must.

Legislation (IEC/EN 60335-2-69) has placed some very tight restrictions on handling hazardous dust. The TYPE 22 vacuum cleaners fulfill all demands at the highest level of safety to ensure maximum health protection. The use of EC technology meaning single-phase brushless motor makes the machine applicable in ATEX Zone 22 environments. With the electrically conductive and grounded container inlet in combination with the TYPE 22 accessories the vacuum cleaner allows you to work with a safe and spark free solution.

ATTIX 791-2M/B1 TYPE 22 is a mid-size vacuum cleaner featuring Motor speed control and Auto ON/OFF for electrical tools.



In all models, your operating costs are minimized with the washable PET fleece filter elements, and user-friendliness reaches an all-time high with the low working sound level, which lets you work when others are nearby without disturbing them.



Picture shown may not represent model quoted

- Approved for cleaning and dust extraction in ATEX Zone 22 environments with explosive dust
- Brushless long life EC motors for ignition source-free performance
- High quality stainless steel container
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- A full range of TYPE 22 accessories is available to tailor your machine to your application

• Standard equipment

Included accessories		Ref. no.	Min. required	ATTIX 791-2M/B1 230/1/50 EU	ATTIX 791-2M/B1 230/1/50 GB	ATTIX 791-2M/B1 110/1/50 GB
Filter						
	FILTER PET FLEECE M-CLASS D185X140	302000490	0	•	•	•
Special Filter						
	MOTOR COOLING AIR FILTER	302000491	0	•	•	•
System TYPE 22 (ATEX) Hose Vacuum Cleaner						
	HOSE 27X3500 CONDUCTIVE TYPE22	107404779	0	•	•	•
	TOOL ADAPTER D27/36-24 TYPE 22	107404521	0	•	•	•



Build to pick up combustible/flammable dust in ATEX Zone 22

Model	ATTIX 791-2M/B1 230/1/50 EU	ATTIX 791-2M/B1 230/1/50 GB	ATTIX 791-2M/B1 110/1/50 GB
Ref. no.	302001537	302001538	302001539

PRODUCT FEATURES

Softstart	•	•	•
Airflow sensor	•	•	•
Anti-static system	•	•	•
Motor speed control	•	•	•
Robust steel chassis	•	•	•
Automatic on/off - electric tools	•	•	•
Brushless longlife 1-ph. motor	•	•	•
M-class hazardous dust approval	•	•	•
ATEX hazardous TYPE 22 approval	•	•	•
Extra socket for tool	•	•	•
Fleece filter bag 1 pcs.	•	•	•









Technical specifications	ATTIX 791-2M/B1 230/1/50 EU	ATTIX 791-2M/B1 230/1/50 GB	ATTIX 791-2M/B1 110/1/50 GB
Power Pmax (W)	1500	1500	1200
Power Piec (W)	1200	1200	1000
Mains connection (V/~/Hz/A)	230/1/50-60/16	230/1/50-60/13	110/1/50-60/25
Airflow rate (l/min.)	3800	3800	3600
Vacuum (mbar/kPa)	250/25	250/25	250/25
Working sound level (dB(A))	59	59	59
EI cable (m)	7.5	7.5	7.5
Container volume (l-max)	70	70	70
Filter cleaning system			
Main filter type	PET	PET	PET
Length x width x height (mm)	605x580x970	605x580x970	605x580x970
Weight (kg)	25	25	25

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Accessories	Ref. no.	Min. required	ATTIX 791-2M/B1 230/1/50 EU	ATTIX 791-2M/B1 230/1/50 GB	ATTIX 791-2M/B1 110/1/50 GB
Disposal Bag					
 DISPOSAL BAG ATTIX 7 5 PCS	302001480	0	○	○	○



Build to pick up combustible/flammable dust in ATEX Zone 22

Accessories		Ref. no.	Min. required	ATTIX 791-2M/B1 230/1/50 EU	ATTIX 791-2M/B1 230/1/50 GB	ATTIX 791-2M/B1 110/1/50 GB
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○	○	○
System TYPE 22 (ATEX) Tube/Nozzle						
	BRUSH NOZZLE TYPE22 Ø36X230MM PE	44191	0	○	○	○
	COARSE DIRT NOZZLE TYPE22 Ø50X200MM ALU	42835	0	○	○	○
	CREVICE NOZZLE TYPE 22 Ø36 L290MM PLAST	44192	0	○	○	○
	CREVICE NOZZLE TYPE22 Ø50X350 PE	42837	0	○	○	○
	CURVED EXTENSION TUBE TYPE22 Ø50X1100 S	33609	0	○	○	○
	CURVED HAND TUBE TYPE22 Ø36MM SS	44188	0	○	○	○
	DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER	302000227	0	○	○	○
	DIAGONAL TUBE NOZZLE TYPE22 Ø50 RUBBER	42836	0	○	○	○
	EXTENSION TUBE TYPE22 Ø36X950MM SS	46982	0	○	○	○
	FLAT NOZZLE TYPE22 Ø50MM RUBBER	42839	0	○	○	○
	FLOOR NOZZLE TYPE22 Ø36X450MM	302000369	0	○	○	○
	FLOOR NOZZLE TYPE22 Ø 50X500MM	42834	0	○	○	○
	PIPE CLEAN NOZZLE TYPE22 Ø36 R70-120MM	48066	0	○	○	○
	PIPE CLEAN NOZZLE TYPE22 Ø36 R120-200MM	48067	0	○	○	○
	ROUND BRUSH NOZZLE TYPE22 Ø 50MM	42831	0	○	○	○
System TYPE 22 (ATEX) Hose Vacuum Cleaner						
	HOSE 27X3500 CONDUCTIVE TYPE22	107404779	0	●	●	●
	HOSE Ø36X4000MM W COUPLING TYPE 22	44193	0	○	○	○

Build to pick up combustible/flammable dust in ATEX Zone 22

Accessories		Ref. no.	Min. required	ATTIX 791-2M/B1 230/1/50 EU	ATTIX 791-2M/B1 230/1/50 GB	ATTIX 791-2M/B1 110/1/50 GB
	HOSE Ø50X4000MM CHIP TYPE 22	42825	0	○	○	○
	HOSE Ø50X4000MM CONDUCTIVE TYPE 22	43245	0	○	○	○
	HOSE Ø50X8000MM CHIP TYPE 22	63710	0	○	○	○
	TOOL ADAPTER D27/36-24 TYPE 22	107404521	0	●	●	●
Vacuum Accessory Set						
	TYPE 22 VACUUM SET Ø36MM 6-PCS	48907	0	○	○	○
Filter						
	FILTER PET FLEECE M-CLASS D185X140	302000490	0	●	●	●
Special Filter						
	MOTOR COOLING AIR FILTER	302000491	0	●	●	●
Other						
	AIRBOX 230/1/50 EU	302001192	0	○		
Filter Bag						
	FILTER BAG ATTIX 7 5 PCS	302001484	0	○	○	○
	FLEECE FILTER BAG PU 5 PCS	302002892	0	○	○	○
Safety Filter Bag						
	SAFETY FILTER BAG M ATTIX/IVB 7. 5 PCS	302001486	0	○	○	○

When you don't want to compromise your working safety

If working in applications with H-Class hazardous dust or asbestos, safe dust handling is a key parameter. Our series of certified H-class vacuum cleaners offers a convenient and easy-to-use solution with features which enhance safe working.

The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that it does go below the minimum 20 m/s.

A safe and easy-to-use solution for demanding applications.

ATTIX 7 is a mid-size safety vacuum cleaner with high performance and reliability. AntiStatic hose system is the perfect feature for general cleaning in environments with hazardous dusts. ATTIX 7 features a 70 liter stainless steel container, which can be emptied by tilting or lifting off of the robust steel frame. Truly an Industrial Class performer.





In all models, your operating costs are minimized and user-friendliness reaches an all-time high with the low working sound level which lets you work when others are nearby without disturbing them. All Health & Safety Vacuums fulfill the legal requirements as described in the IEC/EN 60335-2-69 standard.



Picture shown may not represent model quoted





- Approved for work with H-Class hazardous dust and asbestos
- Certified H-Class filter with 99.995 - 99.999% filtration efficiency
- Low working sound level - SilentPower - high performance that is seen, but not heard
- MultiFit accessory system for the ultimate in task flexibility
- Accessory storage and tool deposit

• Standard equipment

Included accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
Filter				
	FILTER ELEMENT D275X187 H-CLASS	107400564	0	
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	0	•
System 36 Hose Vacuum Cleaner				
	HOSE Ø36X4000 AS EVA	63209	0	
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	0	•
System 36 Tube				
	CURVED HAND TUBE Ø36MM SS	46691	0	•
System 36 Brush/Universal Nozzle				



When you don't want to compromise your working safety

Included accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
	SUCTION BRUSH D36 BLACK	302002509	0	•
System 36 Crevice/Cone Nozzle				
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	0	•
Bag				
	SAFETY FILTER BAG M ATTIX 560. 5 PCS	302001143	0	
Disposal Bag				
	DISPOSAL BAG ATTIX 5/50 5 PCS	302000728	0	
Safety Filter Bag				
	SAFETY FILTER BAG M ATTIX 550. 5 PCS	302001141	0	
	SAFETY FILTER BAG M ATTIX/IVB 7. 5 PCS	302001486	0	

Model	ATTIX 751-0H 230/1/50 EU
Ref. no.	302001519

PRODUCT FEATURES

Softstart	•
Airflow sensor	•
Anti-static system	•
Motor speed control	
Stainless steel container	•
Automatic on/off - electric tools	
H-class hazardous dust approval	•
Safety filter bag 1 pcs	•









When you don't want to compromise your working safety

Technical specifications

ATTIX 751-0H
230/1/50 EU












Power Pmax (W)	1500
Power Piec (W)	1200
Mains connection (V/~/Hz/A)	230/1/50-60/16
Airflow rate (l/min.)	3600
Vacuum (mbar/kPa)	230/23
Working sound level (dB(A))	57
El cable (m)	7.5
Container volume (l-max)	70
Filter cleaning system	
Main filter type	H-class
Length x width x height (mm)	605x580x970
Weight (kg)	25

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
System 36 Crevice/Cone Nozzle				
	CREVICE NOZZLE D36X200	29541	0	○
	CREVICE NOZZLE Ø36X300 PP	6084	0	○
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	0	○
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	0	●
	FLAT NOZZLE Ø36MM RUBBER	40456	0	○
System 50 Tube				
	ADAPTER Ø50-36MMX125	40452	0	○
	CURVED ALU EXT.TUBE D50X1000	15335	0	○
	CURVED HAND TUBE Ø50-36MM	15341	0	○














When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
	ELBOW 90 Ø 50MM	5089	0	○
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	0	○
System 36 Brush/Universal Nozzle				
	BRUSH NOZZLE Ø36X70	5146	0	○
	BRUSH NOZZLE Ø36X230 PP/PA	6086	0	○
	OVAL BRUSH NOZZLE Ø36MM	40455	0	○
	RADIATOR BRUSH NOZZLE Ø36X420	5144	0	○
	SUCTION BRUSH D36 BLACK	302002509	0	●
	UNIV NOZZLE Ø36X150 ALU	5145	0	○
	UNIVERSAL NOZZLE D36X115	14295	0	○
System 36 Vac Floor Nozzle				
	COMBI NOZZLE Ø36X260MM	302002365	0	○
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0	○
	FLOOR NOZZLE D36X300MM W/D KIT	107402706	0	○
	FLOOR NOZZLE D36X400MM W/D	302003666	0	○













When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
	FLOOR NOZZLE Ø36X300MM	302002331	0	○
	FLOOR NOZZLE Ø36X330 ALU	5147	0	○
	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	0	○
	NOZZLE ALU. 450XØ36MM DRY	15348	0	○
	NOZZLE ALU. 450XØ36MM WET	15349	0	○
	WATER SUCTION NOZZLE Ø36X300	7270	0	○
System 50 Brush/Universal Nozzle				
	COARSE DIRT NOZZLE Ø50X175 PP	5153	0	○
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	0	○
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	0	○
System 38 Hose Vacuum Cleaner				
	HOSE D38X5000 AS	107401368	0	○
	HOSE HEAT RES. 36X4000 FOR	6070	0	○
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	0	○

When you don't want to compromise your working safety












Accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
	UNIV HOSE Ø36-38X4000MM EVA	15365	0	○
System 50 Vac Floor Nozzle				
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	0	○
	FLOOR NOZZLE Ø50X350 PVC	6077	0	○
	NOZZLE ALU. 500XØ50MM WET	15344	0	○
Vacuum Accessory Set				
	ANIMAL CARE SET Ø27MM 4-PCS	6095	0	○
	BOILER SET Ø 36MM 4-PCS	60430	0	○
	BUS SET Ø 50MM 6-PCS	63217	0	○
	CAR SET Ø36MM 3 PCS	63211	0	○
	CHIP SET D50MM	61681	0	○
	HOME & OFFICE SET Ø36MM 5-PCS	63212	0	○
	HOSE SET Ø36MM 3 PCS	63210	0	○

When you don't want to compromise your working safety










Accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	0	○
	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	0	○
	INDUSTRIAL SET 38	302002881	0	○
	PIPE CLEANING SET Ø 38MM 4-PCS	63215	0	○
	STANDARD VAC SET Ø50MM 3-PCS	6085	0	○
	TRADE AND IND. SET Ø36MM 5-PCS	63213	0	○
	WATER VACUUM SET Ø36MM 3- PCS	7727	0	○
	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	○
	WORKSHOP HOSE KIT SYSTEM 36 5-PCS	107413545	0	○
	WORKSHOP KIT BASIC D36MM 4PCS	107401367	0	○
	WORKSHOP SET Ø36MM 6-PCS	302000927	0	○
System 27 Brush/Universal Nozzle				
	BRUSH CURRY COMB Ø 27MM	6093	0	○














When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
	CURRY COMB Ø27MM	6092	0	○
	SPIKED CURRY COMB Ø 27MM	6094	0	○
System 50 Hose Vacuum Cleaner				
	AS HOSED50X4000MM	15815	0	○
	CHIPS HOSE Ø50X4000MM	15182	0	○
	HOSE HEAT RESIST. Ø 50X4000MM	11061	0	○
	HOSE OIL RESISTANT D50X40	6468	0	○
	METAL HOSE Ø50X4000MM	15013	0	○
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	0	○
	UNIV HOSE Ø 50X1750MM	19930	0	○
System 50 Crevice/Cone Nozzle				
	CREVICE NOZZLE Ø50X370 PE	7102	0	○
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	0	○
	FLAT NOZZLE RUBBER Ø50MM	31244	0	○

When you don't want to compromise your working safety











Accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
	ROUND NOZZLE Ø50MM RUBBER	19936	0	○
System 38 Crevice/Cone Nozzle				
	CREVICE NOZZLE Ø38X300 MM PP	302002890	0	○
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	0	○
	TOOL ADAPTER 38/50 MM	302002884	0	○
System 27 Hose Vacuum Cleaner				
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	0	○
	TOOL ADAPTER D27/36-24 AS	107404520	0	○
	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	0	○
System 36 Hose Vacuum Cleaner				
	HOSE AS D36X4000MM	15311	0	○
	HOSE Ø36X4000 AS EVA	63209	0	○
	HOSE Ø36X4000 MM AS RED	107413544	0	○
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	0	○
	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	0	○
	UNI. HOSE Ø36X3000MM EVA	15805	0	○
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	0	●

When you don't want to compromise your working safety









Accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
	UNI. HOSE Ø36X4000MM EVA	25537	0	○
	UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	0	○
System 38 Tube				
	CURVED HAND TUBE D38 MM SS	302002889	0	○
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	0	○
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	0	○
	EXTENSION TUBES R38 2X500 KIT	107402474	0	○
System 36 Tube				
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	0	○
	CURVED HAND TUBE D36MM ST/CR	302000528	0	○
	CURVED HAND TUBE Ø36MM SS	46691	0	●
	EXTENSION TUBE D36 2X500MM ALU	107400032	0	○
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	0	○
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	0	○
	EXTENSION TUBE D36 3X350 MM SS	107416995	0	○



When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
	EXTENSION TUBE Ø36 2X505MM SS	107408074	0	○
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	0	○
	TELESCOPIC TUBE Ø36X550-970 SS	47109	0	○
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0	○
	TOOL ADAPTER D27/35/38	60916	0	○
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	0	○
Disposal Bag				
	DISPOSAL BAG ATTIX 5/50 5 PCS	302000728	0	
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○
System 32 Hose Vacuum Cleaner				
	AS HOSED32X4000MM WITH TOOL	30657	0	○
	COAXIAL SUCTION HOSE Ø32 SET	107400841	0	
	HOSE Ø32X4000MM AS RED	107413543	0	○
Other				
	AIRBOX 230/1/50 EU	302001192	0	
	HOSE HOLDER	65081	0	○
	SPARK EXTINGUISHER Ø50	34591	0	○

When you don't want to compromise your working safety

Accessories		Ref. no.	Min. required	ATTIX 751-0H 230/1/50 EU
System 38 Vac Floor Nozzle				
	FLOOR NOZZLE D38X400 WET AND DRY	302002798	0	○
	FLOOR NOZZLE Ø38X450 WET AND DRY ADJ	302002799	0	○
	OVEN NOZZLE 400X Ø38MM	63380	0	○
Filter				
	FILTER ELEMENT D275X187 H-CLASS	107400564	0	
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	0	●
Special Filter				
	FILTER FOR COOLING AIR 0.7X150X100 5 PCS	302001871	0	○
	MOTOR COOLING AIR FILTER	302000491	0	○
Exhaust Air Collector				
	EXHAUST AIR COLLECTOR ATTIX 5/7	302000522	0	○
Safety Filter Bag				
	SAFETY FILTER BAG M ATTIX 550. 5 PCS	302001141	0	
	SAFETY FILTER BAG M ATTIX/IVB 7. 5 PCS	302001486	0	○
Bag				
	SAFETY FILTER BAG M ATTIX 560. 5 PCS	302001143	0	

For the professionals that demand low noise, ergonomics, long-life and reliable performance

If working in applications with M-Class hazardous dust, our series of M-class certified vacuum cleaners are the perfect solution. Choose from different container sizes and other features which enhance your working efficiency like filter cleaning system, automatic start/stop for power tools and AntiStatic hose system. The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that it does go below the minimum 20 m/s. A safe and easy-to-use solution for demanding applications.

ATTIX 761 is a mid-size safety vacuum cleaner with high performance and high mobility. Automatic XtremeClean filter system keeps the filter clean to increase efficiency and reduce downtime. AntiStatic hose system and Automatic Start/Stop is the perfect feature for Tradesmen who work with power tools. It features a 70 liter stainless steel container, which can be emptied by tilting or lifting off of the robust steel frame. Truly an Industrial Class performer.





In all models, your operating costs are minimized with the washable PET fleece filter elements, and user-friendliness reaches an all-time high with the low working sound level, which lets you work when others are nearby without disturbing them. If working with M-Class hazardous dust, our series of M-Class certified vacuum cleaners is the perfect Wet&Dry solution.



Picture shown may not represent model quoted










- Approved for work with M-Class hazardous dust
- Low working sound level - SilentPower - high performance that is seen, but not heard
- MultiFit accessory system for the ultimate in task flexibility
- Washable PET fleece filter with Minimum 99.9% filtration efficiency
- Accessory storage and tool deposit

• Standard equipment

Included accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
Filter				
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	1	•
	FILTER PET FLEECE M-CLASS D185X140	302000490	1	
	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1	
System 27 Hose Vacuum Cleaner				
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	1	•
	TOOL ADAPTER D27/36-24 AS	107404520	1	•
System 36 Hose Vacuum Cleaner				



For the professionals that demand low noise, ergonomics, long-life and reliable performance

Included accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1	
System 36 Tube				
	CURVED HAND TUBE D36MM ST/CR	302000528	1	
	CURVED HAND TUBE Ø36MM SS	46691	1	
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1	
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1	
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1	
System 36 Brush/Universal Nozzle				
	SUCTION BRUSH D36 BLACK	302002509	0	•
System 36 Vac Floor Nozzle				
	FLOOR NOZZLE D36X400MM W/D	302003666	1	
Disposal Bag				
	DISPOSAL BAG ATTIX 5/50 5 PCS	302000728	1	

For the professionals that demand low noise, ergonomics, long-life and reliable performance



Model	ATTIX 761-2M XC 230/50 EU
Ref. no.	302001535

PRODUCT FEATURES

Softstart	•
Airflow sensor	•
Anti-static system	•
Motor speed control	•
Stainless steel container	•
Automatic on/off - electric tools	•
M-class hazardous dust approval	•
Disposal bag 1 pcs	•
Fleece filter bag 1 pcs.	•












Technical specifications	ATTIX 761-2M XC 230/50 EU
Power Pmax (W)	1500
Power Piec (W)	1200
Mains connection (V/~ /Hz/A)	230/1/50-60/16
Airflow rate (l/min.)	3600
Vacuum (mbar/kPa)	230/23
Working sound level (dB(A))	57
El cable (m)	7.5
Container volume (l-max)	70
Filter cleaning system	XtremeClean
Main filter type	PET Nano M-class
Length x width x height (mm)	605x580x970
Weight (kg)	27

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
System 36 Crevice/Cone Nozzle				
	CREVICE NOZZLE D36X200	29541	1	○
	CREVICE NOZZLE Ø36X300 PP	6084	1	○
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	1	○



For the professionals that demand low noise, ergonomics, long-life and reliable performance












Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	1	○
	FLAT NOZZLE Ø36MM RUBBER	40456	1	○
System 50 Tube				
	ADAPTER Ø50-36MMX125	40452	1	○
	CURVED ALU EXT.TUBE D50X1000	15335	1	○
	CURVED HAND TUBE Ø50-36MM	15341	1	○
	ELBOW 90 Ø 50MM	5089	1	○
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	1	○
System 36 Brush/Universal Nozzle				
	BRUSH NOZZLE Ø36X70	5146	1	○
	BRUSH NOZZLE Ø36X230 PP/PA	6086	1	○
	OVAL BRUSH NOZZLE Ø36MM	40455	1	○
	RADIATOR BRUSH NOZZLE Ø36X420	5144	1	○
	SUCTION BRUSH D36 BLACK	302002509	0	●
	UNIV NOZZLE Ø36X150 ALU	5145	1	○

For the professionals that demand low noise, ergonomics, long-life and reliable performance













Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
	UNIVERSAL NOZZLE D36X115	14295	1	○
System 36 Vac Floor Nozzle				
	COMBI NOZZLE Ø36X260MM	302002365	1	○
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0	○
	FLOOR NOZZLE D36X300MM W/D KIT	107402706	1	○
	FLOOR NOZZLE D36X400MM W/D	302003666	1	○
	FLOOR NOZZLE Ø36X300MM	302002331	1	○
	FLOOR NOZZLE Ø36X330 ALU	5147	1	○
	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	1	○
	NOZZLE ALU. 450XØ36MM DRY	15348	1	○
	NOZZLE ALU. 450XØ36MM WET	15349	1	○
	WATER SUCTION NOZZLE Ø36X300	7270	1	○
System 50 Brush/Universal Nozzle				
	COARSE DIRT NOZZLE Ø50X175 PP	5153	1	○
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	1	○














For the professionals that demand low noise, ergonomics, long-life and reliable performance

Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	1	○
System 38 Hose Vacuum Cleaner				
	HOSE D38X5000 AS	107401368	1	○
	HOSE HEAT RES. 36X4000 FOR	6070	1	○
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	1	○
	UNIV HOSE Ø36-38X4000MM EVA	15365	1	○
System 50 Vac Floor Nozzle				
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	1	○
	FLOOR NOZZLE Ø50X350 PVC	6077	1	○
	NOZZLE ALU. 500XØ50MM WET	15344	1	○
Vacuum Accessory Set				
	ANIMAL CARE SET Ø27MM 4-PCS	6095	1	○
	BOILER SET Ø 36MM 4-PCS	60430	1	○
	BUS SET Ø 50MM 6-PCS	63217	1	○











For the professionals that demand low noise, ergonomics, long-life and reliable performance

Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
	CAR SET Ø36MM 3 PCS	63211	1	○
	CHIP SET D50MM	61681	1	○
	HOME & OFFICE SET Ø36MM 5-PCS	63212	1	○
	HOSE SET Ø36MM 3 PCS	63210	1	○
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	1	○
	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	1	○
	INDUSTRIAL SET 38	302002881	1	○
	PIPE CLEANING SET Ø 38MM 4-PCS	63215	1	○
	STANDARD VAC SET Ø50MM 3-PCS	6085	1	○
	TRADE AND IND. SET Ø36MM 5-PCS	63213	1	○
	WATER VACUUM SET Ø36MM 3- PCS	7727	1	○
	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	○










For the professionals that demand low noise, ergonomics, long-life and reliable performance

Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
	WORKSHOP HOSE KIT SYSTEM 36 5-PCS	107413545	0	○
	WORKSHOP KIT BASIC D36MM 4PCS	107401367	1	○
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	○
System 27 Brush/Universal Nozzle				
	BRUSH CURRY COMB Ø 27MM	6093	1	○
	CURRY COMB Ø27MM	6092	1	○
	SPIKED CURRY COMB Ø 27MM	6094	1	○
System 50 Hose Vacuum Cleaner				
	AS HOSED50X4000MM	15815	1	○
	CHIPS HOSE Ø50X4000MM	15182	1	○
	HOSE HEAT RESIST. Ø 50X4000MM	11061	1	○
	HOSE OIL RESISTANT D50X40	6468	1	○
	METAL HOSE Ø50X4000MM	15013	1	○
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	1	○












For the professionals that demand low noise, ergonomics, long-life and reliable performance

Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
	UNIV HOSE Ø 50X1750MM	19930	1	○
System 50 Crevice/Cone Nozzle				
	CREVICE NOZZLE Ø50X370 PE	7102	1	○
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	1	○
	FLAT NOZZLE RUBBER Ø50MM	31244	1	○
	ROUND NOZZLE Ø50MM RUBBER	19936	1	○
System 38 Crevice/Cone Nozzle				
	CREVICE NOZZLE Ø38X300 MM PP	302002890	1	○
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	1	○
	TOOL ADAPTER 38/50 MM	302002884	1	○
Special Filter				
	FILTER FOR COOLING AIR 0.7X150X100 5 PCS	302001871	1	○
	FILTER FOR MOTOR COOLING 30/40/50	107400453	1	
	FILTER PROTECTIVE COVER Ø185X200	11801	1	
	MOTOR COOLING AIR FILTER	302000491	1	○











For the professionals that demand low noise, ergonomics, long-life and reliable performance

Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
	MOTOR COOLING FILTER KIT	302003721	1	
System 27 Hose Vacuum Cleaner				
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	1	•
	TOOL ADAPTER D27/36-24 AS	107404520	1	•
	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	1	○
System 36 Hose Vacuum Cleaner				
	HOSE AS D36X4000MM	15311	1	○
	HOSE Ø36X4000 AS EVA	63209	1	○
	HOSE Ø36X4000 MM AS RED	107413544	0	○
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1	○
	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	1	○
	UNI. HOSE Ø36X3000MM EVA	15805	1	○
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1	○
	UNI. HOSE Ø36X4000MM EVA	25537	1	○
	UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	1	○
System 38 Tube				
	CURVED HAND TUBE D38 MM SS	302002889	1	○











For the professionals that demand low noise, ergonomics, long-life and reliable performance

Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	1	○
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	1	○
	EXTENSION TUBES R38 2X500 KIT	107402474	1	○
System 36 Tube				
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1	○
	CURVED HAND TUBE D36MM ST/CR	302000528	1	○
	CURVED HAND TUBE Ø36MM SS	46691	1	○
	EXTENSION TUBE D36 2X500MM ALU	107400032	1	○
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1	○
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	1	○
	EXTENSION TUBE D36 3X350 MM SS	107416995	0	○
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1	○
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	1	○
	TELESCOPIC TUBE Ø36X550-970 SS	47109	1	○
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1	○











For the professionals that demand low noise, ergonomics, long-life and reliable performance

Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
	TOOL ADAPTER D27/35/38	60916	1	○
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	1	○
Disposal Bag				
	DISPOSAL BAG ATTIX 3/30/40 5 PCS	302000804	1	
	DISPOSAL BAG ATTIX 5/50 5 PCS	302000728	1	
	DISPOSAL BAG ATTIX 7 5 PCS	302001480	1	○
	DISPOSAL BAG FOR FILTER ELEMENT	30082	1	
System 32 Hose Vacuum Cleaner				
	AS HOSED32X4000MM WITH TOOL	30657	1	○
	COAXIAL SUCTION HOSE Ø32 SET	107400841	1	○
	HOSE Ø32X4000MM AS RED	107413543	0	○
Other				
	AIRBOX 230/1/50 EU	302001192	1	○
	AIRBOX 230V 50 HZ EU	107400079	1	
	CHIP COLLECTION BASKET Ø392X390 SS	302001612	1	○
	HOSE HOLDER	65081	1	○
	SPARK EXTINGUISHER Ø50	34591	1	○

For the professionals that demand low noise, ergonomics, long-life and reliable performance

Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
System 38 Vac Floor Nozzle				
	FLOOR NOZZLE D38X400 WET AND DRY	302002798	1	○
	FLOOR NOZZLE Ø38X450 WET AND DRY ADJ	302002799	1	○
	OVEN NOZZLE 400X Ø38MM	63380	1	○
Safety Filter Bag				
	SAFETY FILTER BAG H ATTIX 30. 5 PCS	107400233	1	
	SAFETY FILTER BAG H ATTIX 40/50. 5 PCS	107400236	1	
	SAFETY FILTER BAG M ATTIX 550. 5 PCS	302001141	1	
	SAFETY FILTER BAG M ATTIX/IVB 7. 5 PCS	302001486	1	○
Filter				
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	1	●
	FILTER ELEMENT Ø275X185 PET M-CLASS	302000751	1	○
	FILTER PET FLEECE M-CLASS D185X140	302000490	1	
	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1	
Filter Bag				

For the professionals that demand low noise, ergonomics, long-life and reliable performance

Accessories		Ref. no.	Min. required	ATTIX 761-2M XC 230/50 EU
	FILTER BAG ATTIX 5 5 PCS	302000527	1	
	FILTER BAG ATTIX 7 5 PCS	302001484	1	○
	FILTER BAG SUPPORT SQ6	302000200	1	○
	FILTERSACK VPE 5	302001138	1	
	FLEECE FILTER BAG PU 5 PCS	302002892	1	○
Bag				
	FILTER BAG ATTIX 3 5 PCS	302000449	1	
	SAFETY FILTER BAG M ATTIX 3. 5 PCS	302001040	1	
	SAFETY FILTER BAG M ATTIX 560. 5 PCS	302001143	1	
Exhaust Air Collector				
	EXHAUST AIR COLLECTOR	302003717	1	
	EXHAUST AIR COLLECTOR ATTIX 5/7	302000522	1	○
Sack Filter				
	CLOTH FILTER ATTIX 5/7 POLY NEEDLE FELT	302000525	1	○
	SPECIAL CLOTH FILTER NEEDLE FELT	302000606	1	

The most powerful vacuum for both M and H-Class hazardous dust

The ATTIX 965 H/M is a powerful two-motor vacuum cleaner, which is approved to be used for both M- and H-Class. Featuring XtremeClean automatic filter cleaning and stainless steel SitDown container - the perfect disposal concept for industrial use and health endangerous and carcinogenic dust.The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that is does go below the minimum 20 m/s. A safe and easy-to-use solution for demanding applications.




By choosing the correct container inlet the vacuum cleaner allows you to dispose the debris with a dustfree and therefore safe solution. The stainless steel container ensures durability and long life. The standard disposal bag (M-Class) or the included safety filterbag enables safe dustfree working. The SitDown container makes it possible to drive out without removing the motorhead. On top of the motor head you find a big tool deposit and room to store your accessories. Equipped with the optional accessory basket you have all the equipment you need on hand. The MultiFit container inlet gives access to the entire range of accessories to customize the vacuum cleaner to your specific needs.



Picture shown may not represent model quoted

- Approved for both M- and H-Class hazardous dust.
- Dual motor industrial performance
- High quality stainless steel container with steel chassis
- MultiFit accessory system for the ultimate in task flexibility
- Big surface H-Class filter for high efficiency and low maintenance costs
- Accessory storage and tool deposit

● Standard equipment

Included accessories		Ref. no.	Min. required	ATTIX 965-0H/ M SD XC 230/1/50 EU
Filter				
	FILTER ELEMENT D275X187 H-CLASS	107400564	1	●
Disposal Bag				
	DISPOSAL BAG ATTIX 7 5 PCS	302001480	1	
Safety Filter Bag				
	SAFETY FILTER BAG H ATTIX 9. 5 PCS	302003473	1	



The most powerful vacuum for both M and H-Class hazardous dust


Model	ATTIX 965-0H/M SD XC 230/1/50 EU
Ref. no.	302002903

PRODUCT FEATURES

Softstart	•
Airflow sensor	•
Anti-static system	•
Robust steel chassis	•
Stainless steel container	•
Automatic on/off - electric tools	
M-class hazardous dust approval	•
H-class hazardous dust approval	•
Release container system	•
Disposal bag 1 pcs	•
Safety filter bag 1 pcs	•









Technical specifications	ATTIX 965-0H/M SD XC 230/1/50 EU
Power Pmax (W)	2 x 1500
Power Piec (W)	2 x 1200
Mains connection (V/~/Hz/A)	230/1/50/16
Airflow rate (l/min.)	2 x 3600
Vacuum (mbar/kPa)	250/25
Working sound level (dB(A))	67
EI cable (m)	10
Container volume (l-max)	50
Filter cleaning system	XtremeClean
Main filter type	H-class
Length x width x height (mm)	615x690x990
Weight (kg)	45

• Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories		Ref. no.	Min. required	ATTIX 965-0H/ M SD XC 230/1/50 EU
System 36 Crevice/Cone Nozzle				
	CREVICE NOZZLE D36X200	29541	1	○



The most powerful vacuum for both M and H-Class hazardous dust











Accessories		Ref. no.	Min. required	ATTIX 965-0H/ M SD XC 230/1/50 EU
	CREVICE NOZZLE Ø36X300 PP	6084	1	○
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	1	○
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	1	○
	FLAT NOZZLE Ø36MM RUBBER	40456	1	○
System 50 Tube				
	ADAPTER Ø50-36MMX125	40452	1	○
	CURVED ALU EXT.TUBE D50X1000	15335	1	○
	CURVED HAND TUBE Ø50-36MM	15341	1	○
	ELBOW 90 Ø 50MM	5089	1	○
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	1	○
System 36 Brush/Universal Nozzle				
	BRUSH NOZZLE Ø36X70	5146	1	○
	BRUSH NOZZLE Ø36X230 PP/PA	6086	1	○
	OVAL BRUSH NOZZLE Ø36MM	40455	1	○
	RADIATOR BRUSH NOZZLE Ø36X420	5144	1	○

The most powerful vacuum for both M and H-Class hazardous dust













Accessories		Ref. no.	Min. required	ATTIX 965-0H/ M SD XC 230/1/50 EU
	SUCTION BRUSH D36 BLACK	302002509	0	○
	UNIV NOZZLE Ø36X150 ALU	5145	1	○
	UNIVERSAL NOZZLE D36X115	14295	1	○
System 36 Vac Floor Nozzle				
	COMBI NOZZLE Ø36X260MM	302002365	1	○
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0	○
	FLOOR NOZZLE D36X300MM W/D KIT	107402706	1	○
	FLOOR NOZZLE D36X400MM W/D	302003666	0	○
	FLOOR NOZZLE Ø36X300MM	302002331	1	○
	FLOOR NOZZLE Ø36X330 ALU	5147	1	○
	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	1	○
	NOZZLE ALU. 450XØ36MM DRY	15348	1	○
	NOZZLE ALU. 450XØ36MM WET	15349	1	○
	WATER SUCTION NOZZLE Ø36X300	7270	1	○



The most powerful vacuum for both M and H-Class hazardous dust












Accessories		Ref. no.	Min. required	ATTIX 965-0H/ M SD XC 230/1/50 EU
System 50 Brush/Universal Nozzle				
	COARSE DIRT NOZZLE Ø50X175 PP	5153	1	○
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	1	○
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	1	○
System 38 Hose Vacuum Cleaner				
	HOSE D38X5000 AS	107401368	1	○
	HOSE HEAT RES. 36X4000 FOR	6070	1	○
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	1	○
	UNIV HOSE Ø36-38X4000MM EVA	15365	1	○
System 50 Vac Floor Nozzle				
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	1	○
	FLOOR NOZZLE Ø50X350 PVC	6077	1	○
	NOZZLE ALU. 500XØ50MM WET	15344	1	○
Vacuum Accessory Set				

The most powerful vacuum for both M and H-Class hazardous dust











Accessories		Ref. no.	Min. required	ATTIX 965-0H/ M SD XC 230/1/50 EU
	BOILER SET Ø 36MM 4-PCS	60430	1	○
	CAR SET Ø36MM 3 PCS	63211	1	○
	CHIP SET D50MM	61681	1	○
	HOME & OFFICE SET Ø36MM 5-PCS	63212	1	○
	HOSE SET Ø36MM 3 PCS	63210	1	○
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	1	○
	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	1	○
	INDUSTRIAL SET 38	302002881	1	○
	PIPE CLEANING SET Ø 38MM 4-PCS	63215	1	○
	STANDARD VAC SET Ø50MM 3-PCS	6085	1	○
	TRADE AND IND. SET Ø36MM 5-PCS	63213	1	○
	WATER VACUUM SET Ø36MM 3- PCS	7727	1	○













The most powerful vacuum for both M and H-Class hazardous dust

Accessories		Ref. no.	Min. required	ATTIX 965-0H/ M SD XC 230/1/50 EU
	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	○
	WORKSHOP HOSE KIT SYSTEM 36 5-PCS	107413545	0	○
	WORKSHOP KIT BASIC D36MM 4PCS	107401367	1	○
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	○
System 50 Hose Vacuum Cleaner				
	AS HOSED50X4000MM	15815	1	○
	CHIPS HOSE Ø50X4000MM	15182	1	○
	HOSE HEAT RESIST. Ø 50X4000MM	11061	1	○
	HOSE OIL RESISTANT D50X40	6468	1	○
	METAL HOSE Ø50X4000MM	15013	1	○
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	1	○
	UNIV HOSE Ø 50X1750MM	19930	1	○
System 50 Crevice/Cone Nozzle				
	CREVICE NOZZLE Ø50X370 PE	7102	1	○










The most powerful vacuum for both M and H-Class hazardous dust

Accessories		Ref. no.	Min. required	ATTIX 965-0H/ M SD XC 230/1/50 EU
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	1	○
	FLAT NOZZLE RUBBER Ø50MM	31244	1	○
	ROUND NOZZLE Ø50MM RUBBER	19936	1	○
System 38 Crevice/Cone Nozzle				
	CREVICE NOZZLE Ø38X300 MM PP	302002890	1	○
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	1	○
	TOOL ADAPTER 38/50 MM	302002884	1	○
System 36 Hose Vacuum Cleaner				
	HOSE AS D36X4000MM	15311	1	○
	HOSE Ø36X4000 AS EVA	63209	1	○
	HOSE Ø36X4000 MM AS RED	107413544	0	○
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1	○
	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	1	○
	UNI. HOSE Ø36X3000MM EVA	15805	1	○
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1	○
	UNI. HOSE Ø36X4000MM EVA	25537	1	○



The most powerful vacuum for both M and H-Class hazardous dust

Accessories		Ref. no.	Min. required	ATTIX 965-0H/ M SD XC 230/1/50 EU
System 38 Tube				
	CURVED HAND TUBE D38 MM SS	302002889	1	○
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	1	○
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	1	○
	EXTENSION TUBES R38 2X500 KIT	107402474	1	○
System 36 Tube				
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1	○
	CURVED HAND TUBE D36MM ST/CR	302000528	1	○
	CURVED HAND TUBE Ø36MM SS	46691	1	○
	EXTENSION TUBE D36 2X500MM ALU	107400032	1	○
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1	○
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	1	○
	EXTENSION TUBE D36 3X350 MM SS	107416995	0	○
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1	○
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	1	○

The most powerful vacuum for both M and H-Class hazardous dust

Accessories		Ref. no.	Min. required	ATTIX 965-0H/ M SD XC 230/1/50 EU
	TELESCOPIC TUBE Ø36X550-970 SS	47109	1	○
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1	○
System 38 Vac Floor Nozzle				
	FLOOR NOZZLE D38X400 WET AND DRY	302002798	1	○
	FLOOR NOZZLE Ø38X450 WET AND DRY ADJ	302002799	1	○
	OVEN NOZZLE 400X Ø38MM	63380	1	○
Special Filter				
	MOTOR COOLING AIR FILTER ATTIX9/IVB9	107400041	1	○
Filter				
	FILTER ELEMENT D275X187 H-CLASS	107400564	1	●
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	1	○
Disposal Bag				
	DISPOSAL BAG ATTIX 7 5 PCS	302001480	1	○
Other				
	CHIP COLLECTION BASKET Ø392X390 SS	302001612	1	○
Safety Filter Bag				

The most powerful vacuum for both M and H-Class hazardous dust

Accessories		Ref. no.	Min. required	ATTIX 965-0H/ M SD XC 230/1/50 EU
	SAFETY FILTER BAG H ATTIX 9. 5 PCS	302003473	1	○
System 32 Hose Vacuum Cleaner				
	HOSE Ø32X4000MM AS RED	107413543	0	○



Build to pick-up combustible/flammable dust in ATEX Zone 22

The ATTIX 995 H/M TYPE 22 is a powerful two-motor vacuum cleaner approved to be used for both M- and H-Class dust and ATEX Zone 22 environments. Featuring XtremeClean automatic filter cleaning and a stainless steel SitDown container. The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that is does go below the minimum 20 m/s. The perfect concept for Industrial use where safety is a must.

Legislation (IEC/EN 60335-2-69) has placed some very tight restrictions on handling hazardous dust. The ATTIX 995 H/M TYPE 22 vacuum cleaner fullfils all demands at the highest level of safety to ensure maximum health protection. The wet&dry vacuum cleaner controls H-, M-Class, as well as explosive dust. The use of EC technology meaning 2 single-phase brushless motors and the complete conductivity makes this machine applicable in ATEX Zone 22 environments. By choosing the correct electrically conductive and grounded inlet in combination with the Type 22 accessories the vacuum cleaner allows you to work with a safe and spark free solution.


The stainless steel SitDown container is robust and makes disposal possible without removing the motorhead, and the included disposal bag and safety filterbag enables safe dustfree working and disposal. On top of the motorhead you will find a big tool deposit and room to store your accessories. The perfect industrial solution for health endangerous, carcinogenic and combustable/flammable dusts.



Picture shown may not represent model quoted

- Approved for cleaning and dust extraction in ATEX Zone 22 enviroments with explosive dust
- Dual brushless long life EC motors for ignition-source-free performance
- High quality stainless steel container with steel chassis
- Big surface H-Class filter for high efficiency and low maintenance costs
- A full range of Type 22 accessories is available to tailor your machine to your application

● Standard equipment

Included accessories		Ref. no.	Min. required	ATTIX 995-0H/ M SD XC TYPE 22 230/1/50 EU
Filter				
	FILTER ELEMENT D275X187 H-CLASS	107400564	0	●
Special Filter				
	MOTOR COOLING AIR FILTER ATTIX9/IVB9	107400041	0	●

Model	ATTIX 995-0H/M SD XC TYPE 22 230/1/50 EU
Ref. no.	302002904

PRODUCT FEATURES

Softstart	●
Airflow sensor	●
Anti-static system	●
Robust steel chassis	●



Build to pick-up combustible/flammable dust in ATEX Zone 22



Model	ATTIX 995-0H/M SD XC TYPE 22 230/1/50 EU
Ref. no.	302002904

PRODUCT FEATURES

Brushless longlife 1-ph. motor	•
M-class hazardous dust approval	•
H-class hazardous dust approval	•
ATEX hazardous TYPE 22 approval	•
Release container system	•
Disposal bag 1 pcs	•
Safety filter bag 1 pcs	•








Technical specifications	ATTIX 995-0H/M SD XC TYPE 22 230/1/50 EU
Power Pmax (W)	2 x 1400
Power Piec (W)	2 x 1100
Mains connection (V/~ /Hz/A)	230/1/50-60/16
Airflow rate (l/min.)	2 x 3200
Vacuum (mbar/kPa)	230/23
Working sound level (dB(A))	67
El cable (m)	10
Container volume (l-max)	50
Filter cleaning system	XtremeClean
Main filter type	H-class
Length x width x height (mm)	615x690x990
Weight (kg)	45

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	ATTIX 995-0H/ M SD XC TYPE 22 230/1/50 EU
System TYPE 22 (ATEX) Tube/Nozzle				
	BRUSH NOZZLE TYPE22 Ø36X230MM PE	44191	0	○
	COARSE DIRT NOZZLE TYPE22 Ø50X200MM ALU	42835	0	○
	CREVICE NOZZLE TYPE 22 Ø36 L290MM PLAST	44192	0	○
	CREVICE NOZZLE TYPE22 Ø50X350 PE	42837	0	○





Build to pick-up combustible/flammable dust in ATEX Zone 22

Accessories		Ref. no.	Min. required	ATTIX 995-0H/ M SD XC TYPE 22 230/1/50 EU
	CURVED EXTENSION TUBE TYPE22 Ø50X1100 S	33609	0	○
	CURVED HAND TUBE TYPE22 Ø36MM SS	44188	0	○
	DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER	302000227	0	○
	DIAGONAL TUBE NOZZLE TYPE22 Ø50 RUBBER	42836	0	○
	EXTENSION TUBE TYPE22 Ø36X950MM SS	46982	0	○
	FLAT NOZZLE TYPE22 Ø50MM RUBBER	42839	0	○
	FLOOR NOZZLE TYPE22 Ø36X450MM	302000369	0	○
	FLOOR NOZZLE TYPE22 Ø 50X500MM	42834	0	○
	PIPE CLEAN NOZZLE TYPE22 Ø36 R70-120MM	48066	0	○
	PIPE CLEAN NOZZLE TYPE22 Ø36 R120-200MM	48067	0	○
	ROUND BRUSH NOZZLE TYPE22 Ø 50MM	42831	0	○
System TYPE 22 (ATEX) Hose Vacuum Cleaner				
	HOSE Ø36X4000MM W COUPLING TYPE 22	44193	0	○
	HOSE Ø50X4000MM CHIP TYPE 22	42825	0	○
 43245	HOSE Ø50X4000MM CONDUCTIVE TYPE 22	43245	0	○
	HOSE Ø50X8000MM CHIP TYPE 22	63710	0	○
Vacuum Accessory Set				
	TYPE 22 VACUUM SET Ø36MM 6-PCS	48907	0	○
Special Filter				
	MOTOR COOLING AIR FILTER ATTIX9/IVB9	107400041	0	●
Filter				
	FILTER ELEMENT D275X187 H-CLASS	107400564	0	●



Build to pick-up combustible/flammable dust in ATEX Zone 22

Accessories		Ref. no.	Min. required	ATTIX 995-0H/ M SD XC TYPE 22 230/1/50 EU
Disposal Bag				
	DISPOSAL BAG ATTIX 7 5 PCS	302001480	0	○
Safety Filter Bag				
	SAFETY FILTER BAG H ATTIX 9. 5 PCS	302003473	0	○
Exhaust Air Collector				
	EXHAUST FITTING KIT D50 ATTIX 9	107409036	0	○

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	