() Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Волгоград (844)278-03-48 Волоград (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46

Россия (495)268-04-70

Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Липецк (4742)52-20-81 Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12

Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Симферополь (3652)67-13-56

Казахстан (7172)727-132

Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Тверь (4822)63-31-35 Томск (3822)98-41-53 Тула (4872)74-02-29 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Ярославль (4852)69-52-93

nsf@nt-rt.ru || https://nilfisk.nt-rt.ru/

Nilfisk Performer 150, High Performance, wireless technology

- Convenient, plug the hose into the wall inlet and start.
- Good indoor climate, the exhaust air is lead outside the house.
- Low noise, only from the air through the nozzle.
- Easy to install.
- High suction power
- Good looking design and high quality

High performance in houses up tp 150 sqm.

This machine gives you the performance you need in houses up to 150 sqm, or a pipe line on maximum 30 meters.

All Nilfisk central vacuum cleaners have wireless technology, so that they can be fittet with the hose of your choice.

This produkt is only a machine. If you need a complete installation kit look for All-in-1 Supreme 100, or buy pipes, fitting and hosekit seperately.

Central vacuum cleaners Performer

Imagine a vacuum cleaner that is easy to use, highly efficient and almost silent; one that you don't have to carry upstairs; won't bump into the furniture or walls, get stuck in corners and that expels it's exhaust air outdoors.

It does exist - the Nilfisk central vacuum cleaner.

Picture shown may not represent model quoted

The concept is simple: Plug the flexible hose into the wall inlet, start vacuuming and focus on the cleaning task, not balancing and weight lifting. The dust is brought through the pipes to a bag or container in the central vacuum cleaner, located in the garage, basement or attic. The exhaust air is lead outside the house.

Choose from different hose:

Manual handle

The vacuum cleaner starts and stops automatically when the hose is connected to an inlet. No control features available. *Wireless+ handle*

The handle with LED display is provides information by flashing when something is wrong or needs to be done - such as: empty dust bag, clean filter, airflow blocked, overload, service needed, etc. The different flashing signals are coded messages that are explained in the user manual.

Deluxe handle

The LCD handel is equipped with a display, providing direct information about various situations: when it is time to empty the dust bag or clean the filter, when the airflow is blocked or service is needed, in case of overheating or out-of-range; plus it has a 5-speed suction power level. The Deluxe hose also has a battery level indicator.

- · Amazing cleaning performance improves the indoor climate
- Works very quietly with out cutting you off from the life around you
- · Lightweight and easy to handle for improved working conditions
- · Powerful and extremely efficient suction attacks pet hair effectively
- A clever precaution against asthma, eczema, and other allergies
- Manges stairs without any inconveniense for you

Model	NILFISK PERFORMER150 EU 50-60HZ 220-230V
Ref. no.	107404974
PRODUCT FEATURES	
Cyclone system	•
Softstart	•





Nilfisk Performer 150, High Performance, wireless technology

Model	NILFISK PERFORMER150 EU 50-60HZ 220-230V
Ref. no.	107404974
PRODUCT FEATURES	
Low working sound level	•
Self-cleaning filter	•
Use with or without bag	•
On/off on machine	•
Technical specifications	NILFISK PERFORMER150 EU 50-60HZ 220-230V
Rated power (W)	1350
Suction power motor (W)	641
Airflow (l/sec.)	57
Vacuum (kPa)	30
Sound level	66
Container capacity (I)	25
Dust bag capacity (I)	20
Width (cm)	37
Height (cm)	80
Weight (kg)	6,5
Depth w./ bracket (cm)	40
Fuse circuit (A)	10
Max. house size (m ²)	150
Longest pipe line (m)	30

• Standard equipment, ^O Supplementary accessories, ^D Mountable equipment

	Accessories		Min. required	NILFISK PERFORMER- 150 EU 50-60HZ 220-230V
Accessory Kit	i de la constante de			
	1 INLET FITTINGS AND PIPES KIT	42000200	0	0
	3 INLET FITTINGS AND PIPES KIT	42000202	0	0



Nilfisk Performer 150, High Performance, wireless technology

	Accessories	Ref. no.	Min. required	NILFISK PERFORMER- 150 EU 50-60HZ 220-230V
	3 INLET FITTINGS KIT	42000205	0	0
Hose and Cor	nnection			
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0	0
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0	0
, to	NILFISK CV HOSEKIT MANUAL 9M	107405104	0	0
	NILFISK CV HOSEKIT MANUAL 12M	107405107	0	0
	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	0
Dust Bag and	Dust Bag and Filter			
000	DUST BAGS FOR CV LARGE	107401157	0	0



Nilfisk performer 250, Nilfisk central vacs. For houses up to 250 sqm

- Convenient, plug the hose into the wall inlet and start.
- Good indoor climate, the exhaust air is lead outside the house.
- Low noise, only from the air through the nozzle.
- Easy to install.
- High suction power
- Good looking design and high quality

High performance in houses up tp 250 sqm.

This machine gives you the performance you need in houses up to 250 sqm, or a pipe line on maximum 50 meters.

All Nilfisk central vacuum cleaners have wireless technology, so that they can be fittet with the hose of your choice.

This produkt is only a machine. If you need a complete installation kit look for All-in-1 Performer 250, or buy pipes, fitting and hosekit seperately.

Central vacuum cleaners Performer

Imagine a vacuum cleaner that is easy to use, highly efficient and almost silent; one that you don't have to carry upstairs; won't bump into the furniture or walls, get stuck in corners and that expels it's exhaust air outdoors.

It does exist - the Nilfisk central vacuum cleaner.

Picture shown may not represent model quoted

The concept is simple: Plug the flexible hose into the wall inlet, start vacuuming and focus on the cleaning task, not balancing and weight lifting. The dust is brought through the pipes to a bag or container in the central vacuum cleaner, located in the garage, basement or attic. The exhaust air is lead outside the house.

Choose from different hose:

Manual handle

The vacuum cleaner starts and stops automatically when the hose is connected to an inlet. No control features available. *Wireless+ handle*

The handle with LED display is provides information by flashing when something is wrong or needs to be done - such as: empty dust bag, clean filter, airflow blocked, overload, service needed, etc. The different flashing signals are coded messages that are explained in the user manual.

Deluxe handle

The LCD handel is equipped with a display, providing direct information about various situations: when it is time to empty the dust bag or clean the filter, when the airflow is blocked or service is needed, in case of overheating or out-of-range; plus it has a 5-speed suction power level. The Deluxe hose also has a battery level indicator.

- · Amazing cleaning performance improves the indoor climate
- Works very quietly with out cutting you off from the life around you
- · Lightweight and easy to handle for improved working conditions
- · Powerful and extremely efficient suction attacks pet hair effectively
- A clever precaution against asthma, eczema, and other allergies
- Manges stairs without any inconveniense for you

Model	NILFISK PERFORMER250 EU 50-60HZ 220-230V
Ref. no.	107404975
PRODUCT FEATURES	
Cyclone system	•
Softstart	•





Nilfisk performer 250, Nilfisk central vacs. For houses up to 250 sqm

Model	NILFISK PERFORMER250 EU 50-60HZ 220-230V
Ref. no.	107404975
PRODUCT FEATURES	
Low working sound level	•
Self-cleaning filter	•
Use with or without bag	•
On/off on machine	•
Technical specifications	NILFISK PERFORMER250 EU 50-60HZ 220-230V
Rated power (W)	1700
Suction power motor (W)	712
Airflow (I/sec.)	58
Vacuum (kPa)	32
Sound level	66
Container capacity (I)	25
Dust bag capacity (I)	20
Width (cm)	37
Height (cm)	80
Weight (kg)	6,5
Depth w./ bracket (cm)	40
Fuse circuit (A)	10
Max. house size (m²)	250
Longest pipe line (m)	50

• Standard equipment, ^O Supplementary accessories, ^D Mountable equipment

	Accessories	Ref. no.	Min. required	NILFISK PERFORMER- 250 EU 50-60HZ 220-230V
Accessory Kit				
	1 INLET FITTINGS AND PIPES KIT	42000200	0	0
	3 INLET FITTINGS AND PIPES KIT	42000202	0	0



Nilfisk performer 250, Nilfisk central vacs. For houses up to 250 sqm

	Accessories	Ref. no.	Min. required	NILFISK PERFORMER- 250 EU 50-60HZ 220-230V	
	3 INLET FITTINGS KIT	42000205	0	0	
Dust Bag and	Filter				
000	DUST BAGS FOR CV LARGE 107401157 0				
Hose and Cor	nnection				
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0	0	
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0	0	
, i S	NILFISK CV HOSEKIT MANUAL 9M	107405104	0	0	
	NILFISK CV HOSEKIT MANUAL 12M	107405107	0	0	
	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	0	



Vacuum cleaning the easy way

A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes.

If you need a machine that takes up little space, this is the one to choose. It offers you the performance needed in houses up to 100 sqm,or a pipe line of maximum 30 meters.

All Nilfisk central vacuum cleaners have wireless technology, so that they can be equipped with your choice of hose.

This product is only a machine, if needed, remember to buy fitting and hose kit separately

- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound

- The central unit is equipped with start/stop function
- Build in soft start system
- · The build in sack filter is self-cleaning through the movement when the central units starts / stops



Picture shown may not represent model quoted

	Included accessories	Ref. no.	Min. required	NILFISK SUPREME 100 CA 50-60HZ 110-120V
Dust Bag and	d Filter			
photo coming soon	BAG FILTER	140 8514 500	0	
Model				ISK SUPREME 0 CA 50-60HZ 110-120V
Ref. no.				107404977
PRODUCT F	EATURES			
Softstart				•
Low working	sound level			•
On/off on ma	achine			•



Technical specifications	NILFISK SUPREME 100 CA 50-60HZ 110-120V
Rated power (W)	1350
Suction power motor (W)	650
Airflow (measured at central unit) (I/sec.)	57
Vacuum (kPa)	30
Sound level	66
Container capacity (I)	-
Dust bag capacity (I)	10
Width with handle (cm)	36
Height (cm)	42,7
Weight (kg)	5,5
Depth w./ bracket (cm)	40
Fuse circuit (A)	10
Max. house size (m ²)	100
Longest pipe line (m)	30

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	NILFISK SUPREME 100 CA 50-60HZ 110-120V
Hose and Co	nnection			
9	HOSE FLEXIBLE 1 TO 6 M	42000122	0	
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0	0
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0	0
	NILFISK CV HOSEKIT MANUAL 9M	107405104	0	0
	NILFISK CV HOSEKIT MANUAL 12M	107405107	0	0



	Accessories	Ref. no.	Min. required	NILFISK SUPREME 100 CA 50-60HZ 110-120V
S)	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	0
<u>e</u>	NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ	107405108	0	O
	NILFISK NEW TELESCOPIC TUBE	107408043	0	o
Accessory Kit				
	1 INLET FITTINGS AND PIPES KIT	42000200	0	o
	3 INLET FITTINGS AND PIPES KIT	42000202	0	0
	3 INLET FITTINGS KIT	42000205	0	0
3	INSTALLATION KIT FOR VACPAN	42000484	0	0
Accessory				
0	ADAPTER FLOOR INLET	42000244	0	0
¢	FLOOR INLET CHROME	42000243	0	o
· · · · · · · · · · · · · · · · · · ·	VACPAN ALU	42000237	0	
	VACPAN ALU WITH BEND AND TEE IN BAG	42000238	0	



	Accessories	Ref. no.	Min. required	NILFISK SUPREME 100 CA 50-60HZ 110-120V
	VACPAN BLACK	42000235	0	
	VACPAN WHITE	42000233	0	
	VACPAN WHITE WITH BEND AND TEE IN BAG	42000234	0	
S	VACSOC HOSECOVER	42000303	0	
Dust Bag and	Filter			
photo coming soon	BAG FILTER	140 8514 500	0	0
000	DUST BAGS FOR CV LARGE	107401157	0	0
000	DUST BAGS SMALL CV	107401158	0	0
Nozzle - Vacu	lum			
	CREVICE NOZZLE	107408039	0	0
	NILFISK NEW BRUSH NOZZLE	107408040	0	0
the second	NILFISK NEW COMBI NOZZLE	107408042	0	0
s	NILFISK NEW UPHOLSTERY NOZZLE	107408041	0	0



Vacuum cleaning the easy way

A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around, when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes.

The Supreme 150 central power unit gives you performance you need in a house up to 150 sqm or a pipe line of maximum 30 meters.

All Nilfisk central vacuum cleaners have wireless technology, so that they can be equipped with your choice of hose.

This product is only a machine, if needed, remember to buy fitting and hose kit separately

- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound

- The central unit is equipped with start/stop function
- · Build in soft start system
- · The build in sack filter is self-cleaning through the movement, when the central units starts / stops



Picture shown may not represent model quoted

Included accessories	Ref. no.	Min. required	NILFISK SUPREME 150 EU 50-60HZ 220-230V	NILFISK SUPREME 150 CA 50-60HZ 110-120V
Dust Bag and Filter				
BAG FILTER	140 8514 500	0	•	
Model		150 EU		FISK SUPREME 0 CA 50-60HZ 110-120V
Ref. no.		10740	04970	107404978
PRODUCT FEATURES				
Cyclone system			•	•
Softstart			•	•
Low working sound level			•	•
Self-cleaning filter		•	•	•
Use with or without bag		•	•	•
On/off on machine			•	•



Technical specifications	NILFISK SUPREME 150 EU 50-60HZ 220-230V	NILFISK SUPREME 150 CA 50-60HZ 110-120V
Rated power (W)	1350	1350
Suction power motor (W)	641	641
Airflow (measured at central unit) (l/sec.)	57	57
Vacuum (kPa)	30	30
Sound level	66	66
Container capacity (I)	25	25
Dust bag capacity (I)	20	20
Width with handle (cm)	37	37
Height (cm)	80	80
Weight (kg)	6,5	6,5
Depth w./ bracket (cm)	40	40
Fuse circuit (A)	10	10
Max. house size (m ²)	150	150
Longest pipe line (m)	30	30

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	NILFISK SUPREME 150 EU 50-60HZ 220-230V	NILFISK SUPREME 150 CA 50-60HZ 110-120V
Hose and Co	nnection				
9	HOSE FLEXIBLE 1 TO 6 M	42000122	0	0	0
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0	0	0
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0	0	0
	NILFISK CV HOSEKIT MANUAL 9M	107405104	0	0	0
Ş	NILFISK CV HOSEKIT MANUAL 12M	107405107	0	0	0



	Accessories	Ref. no.	Min. required	NILFISK SUPREME 150 EU 50-60HZ 220-230V	NILFISK SUPREME 150 CA 50-60HZ 110-120V
	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	0	0
<u>e</u> r	NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ	107405108	0	0	0
	NILFISK NEW TELESCOPIC TUBE	107408043	0	0	0
Accessory Kit					
	1 INLET FITTINGS AND PIPES KIT	42000200	0	0	O
	3 INLET FITTINGS AND PIPES KIT	42000202	0	0	0
	3 INLET FITTINGS KIT	42000205	0	0	0
3	INSTALLATION KIT FOR VACPAN	42000484	0	0	0
Accessory					
0	ADAPTER FLOOR INLET	42000244	0	0	0
	FLOOR INLET CHROME	42000243	0	0	0
· ·	VACPAN ALU	42000237	0	0	0
	VACPAN ALU WITH BEND AND TEE IN BAG	42000238	0	0	O



	Accessories	Ref. no.	Min. required	NILFISK SUPREME 150 EU 50-60HZ 220-230V	NILFISK SUPREME 150 CA 50-60HZ 110-120V
	VACPAN BLACK	42000235	0	0	0
	VACPAN WHITE	42000233	0	0	0
	VACPAN WHITE WITH BEND AND TEE IN BAG	42000234	0	0	0
	VACSOC HOSECOVER	42000303	0	0	0
Dust Bag and	Filter	1	1	1	
photo coming soon	BAG FILTER	140 8514 500	0	•	0
000	DUST BAGS FOR CV LARGE	107401157	0	0	0
0 0 0	DUST BAGS SMALL CV	107401158	0	0	0
Nozzle - Vacu	Jum				
	CREVICE NOZZLE	107408039	0	0	0
	NILFISK NEW BRUSH NOZZLE	107408040	0	0	0
200	NILFISK NEW COMBI NOZZLE	107408042	0	0	0
	NILFISK NEW UPHOLSTERY NOZZLE	107408041	0	0	0



Vacuum cleaning the easy way

A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around, when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes.

The Supreme 250 central power unit gives you performance you need in a house up to 250 sqm or a pipe line of maximum 50 meters. All Nilfisk central vacuum cleaners have wireless technology, so that they can be equipped with your choice of hose.

This product is only a machine, if needed, remember to buy fitting and hose kit separately

- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound
- The central unit is equipped with start/stop function
- Build in soft start system
- · The build in sack filter is self-cleaning through the movement, when the central units starts / stops

• Standard equipment	t .				
Included accessories Ref. no.		Min. required	NILFISK SUPREME 250 EU 50-60HZ 220-230V	NILFISK SUPREME 250 CA 50-60HZ 110-120V	
Dust Bag and	I Filter				
photo coming soon	BAG FILTER	140 8514 500	0	•	
Model			250 EU		FISK SUPREME 0 CA 50-60HZ 110-120V
Ref. no.			1074	04971	107404979
PRODUCT F	EATURES				
Softstart				•	•
Low working	sound level			•	•
On/off on ma	chine			•	•





Picture shown may not represent model quoted

Technical specifications	NILFISK SUPREME 250 EU 50-60HZ 220-230V	NILFISK SUPREME 250 CA 50-60HZ 110-120V
Rated power (W)	1700	1700
Suction power motor (W)	712	712
Airflow (measured at central unit) (I/sec.)	58	58
Vacuum (kPa)	30	30
Sound level	66	66
Container capacity (I)	25	25
Dust bag capacity (I)	20	20
Width with handle (cm)	37	37
Height (cm)	80	80
Weight (kg)	6,5	6,5
Depth w./ bracket (cm)	40	40
Fuse circuit (A)	10	10
Max. house size (m ²)	250	250
Longest pipe line (m)	50	50

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\Box}$ Mountable equipment

	Accessories	Ref. no.	Min. required	NILFISK SUPREME 250 EU 50-60HZ 220-230V	NILFISK SUPREME 250 CA 50-60HZ 110-120V
Hose and Cor	nnection				
9	HOSE FLEXIBLE 1 TO 6 M	42000122	0	0	
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0	0	0
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0	0	0
	NILFISK CV HOSEKIT MANUAL 9M	107405104	0	0	0
S	NILFISK CV HOSEKIT MANUAL 12M	107405107	0	0	0



	Accessories	Ref. no.	Min. required	NILFISK SUPREME 250 EU 50-60HZ 220-230V	NILFISK SUPREME 250 CA 50-60HZ 110-120V
	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	0	0
<u>e</u> t	NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ	107405108	0	0	0
	NILFISK NEW TELESCOPIC TUBE	107408043	0	0	0
Accessory Kit					
	1 INLET FITTINGS AND PIPES KIT	42000200	0	0	0
	3 INLET FITTINGS AND PIPES KIT	42000202	0	0	0
	3 INLET FITTINGS KIT	42000205	0	0	0
3	INSTALLATION KIT FOR VACPAN	42000484	0	0	0
Accessory					
0	ADAPTER FLOOR INLET	42000244	0	0	0
Ċ	FLOOR INLET CHROME	42000243	0	0	0
· ·	VACPAN ALU	42000237	0	0	
	VACPAN ALU WITH BEND AND TEE IN BAG	42000238	0	0	



	Accessories	Ref. no.	Min. required	NILFISK SUPREME 250 EU 50-60HZ 220-230V	NILFISK SUPREME 250 CA 50-60HZ 110-120V
	VACPAN BLACK	42000235	0	0	
	VACPAN WHITE	42000233	0	0	
	VACPAN WHITE WITH BEND AND TEE IN BAG	42000234	0	0	
	VACSOC HOSECOVER	42000303	0	0	
Dust Bag and	Filter				
photo coming soon	BAG FILTER	140 8514 500	0	•	0
000	DUST BAGS FOR CV LARGE	107401157	0	0	0
0 0	DUST BAGS SMALL CV	107401158	0	0	0
Nozzle - Vacu	num				
	CREVICE NOZZLE	107408039	0	0	0
	NILFISK NEW BRUSH NOZZLE	107408040	0	0	0
	NILFISK NEW COMBI NOZZLE	107408042	0		
	NILFISK NEW UPHOLSTERY NOZZLE	107408041	0	0	0



Vacuum cleaning the easy way A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes.

The 'All-in-1' boxes from Nilfisk contain everything you need for installation of a central vacuum cleaner in old houses as in new-build.

With a convenient number of wall inlet valves installed throughout your home you can move the hose from inlet to inlet so as to cover the entire area of your home. The inlet valves as connected to the power unit through tubing. The tubes transport the dirt to the central dust container, and you never have to deal with it except once or twice a year when the container needs emptying. It is an extremely convenient, hygienic and flexible system that is adaptable o homes of all sizes, houses and apartments alike.

Choose from different models of Nilfisk Supreme All-in-1: For houses up to 150 sqm.

- Nilfisk Supreme 150 All-in-1 Manual handle
- Nilfisk Supreme 150 All-in-1 Wireless+ handle
- Nilfisk Supreme 150 All-in-1 Deluxe handle

For houses up to 250 sqm.

- Nilfisk Supreme 250 All-in-1 Manual handle
- Nilfisk Supreme 250 All-in-1 Wireless+ handle
- Nilfisk Supreme 250 All-in-1 Deluxe handle

For houses up to 500 sqm.

- Nilfisk Supreme LCD All-in-1 Wireless+ handle
- Nilfisk Supreme LCD All-in-1 Deluxe handle
- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound
- · The build in sack filter is self-cleaning through the movement when the central units starts / stops
- The central unit is equipped with start stop function
- · Build in soft start system
- · Soft grib on bend end for user convenience
- Manual hose kit (depending on model): The central unit starts with the hose is connected to wall inlet and stops when removed.
- Wireless+ hose kit (depending on model) Wireless operation of central unit: Start/stop at handle, regulation through 5-speed / suction power levels, LED display returns with information on a) Empty dust bag, b) Blocked airflow c) Other issues that needs service
- Deluxe wireless hose kit (depending on model) wireless operation of central unit: Start/stop at handle, regulation through 5-speed / suction power levels, LCD info display with information on a a) Empty dust bag, b) Blocked airflow c) Issues that needs service d) Overheat indicator symbols if the power has become overheated. E) Signal indicator. Flashes if the bend end is our reach from the central unit f) Battery level of bend end.





Picture shown may not represent model quoted

 Standard equipment 						
	Included accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 DELUXE EU
Hose and Co	nnection		1		1	
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0			•
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0			
, i D	NILFISK CV HOSEKIT MANUAL 9M	107405104	0			
S)	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	•	•	
Ø	NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ	107405108	0			
	NILFISK NEW TELESCOPIC TUBE	107408043	0	•	•	•
Nozzle - Vacu	lum					
	CREVICE NOZZLE	107408039	0	•	•	•
	NILFISK NEW BRUSH NOZZLE	107408040	0	•	•	•
	NILFISK NEW COMBI NOZZLE	107408042	0	•	•	•
>	NILFISK NEW UPHOLSTERY NOZZLE	107408041	0	•	•	•
Dust Bag and	Filter					
photo coming soon	BAG FILTER	140 8514 500	0	•	•	•



	Included accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 DELUXE EU
000	DUST BAGS SMALL CV	107401158	0	•	•	•
Accessory Kit	1					
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•	•

Standard equipment								
	Included accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME LCD WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU		
Hose and Cor	nnection		-					
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0		•			
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0					
	NILFISK CV HOSEKIT MANUAL 9M	107405104	0					
<u>s</u>	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	•				
<u>e</u> r	NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ	107405108	0			•		
	NILFISK NEW TELESCOPIC TUBE	107408043	0	•	•	•		
Nozzle - Vacu	um							
	CREVICE NOZZLE	107408039	0	•	•	•		



	Included accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME LCD WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU
	NILFISK NEW BRUSH NOZZLE	107408040	0	•	•	•
	NILFISK NEW COMBI NOZZLE	107408042	0	•	•	•
	NILFISK NEW UPHOLSTERY NOZZLE	107408041	0	•	•	•
Dust Bag and	Filter			·	·	
photo coming soon	BAG FILTER	140 8514 500	0	•	•	•
0	DUST BAGS SMALL CV	107401158	0	•	•	•
Accessory Kit						
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•	•

	Included accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU
Hose and Cor	nnection				
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0		
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0		•
	NILFISK CV HOSEKIT MANUAL 9M	107405104	0		



	Included accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU
S)	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	•	
<u>e</u> r	NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ	107405108	0		
	NILFISK NEW TELESCOPIC TUBE	107408043	0	•	•
Nozzle - Vacu	um	1	1		
	CREVICE NOZZLE	107408039	0	•	•
	NILFISK NEW BRUSH NOZZLE	107408040	0	•	•
	NILFISK NEW COMBI NOZZLE	107408042	0	•	•
	NILFISK NEW UPHOLSTERY NOZZLE	107408041	0	•	•
Dust Bag and	Filter	1			
photo coming soon	BAG FILTER	140 8514 500	0	•	•
0 0	DUST BAGS SMALL CV	107401158	0	•	•
Accessory Kit					
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•



Model	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 DELUXE EU
Ref. no.	42000501	42000504	42000505
PRODUCT FEATURES			
Bag-full indicator	•	•	•
Airflow sensor			•
Variable speed control	•	•	•
Filter Clean Indicator			•
Speed indicator	•	•	•
Handle w. wireless infocenter			•
Wireless on/off on handle	•	•	•
Wireless remote control	•	•	•
Model	NILFISK ALL-IN-1 SUPREME LCD WIRELESS+EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU
Ref. no.	42000506	42000507	42000514
PRODUCT FEATURES			
Bag-full indicator	•	•	•
Airflow sensor		•	
Variable speed control	•	•	•
Filter Clean Indicator		•	
Speed indicator	•	•	•
Handle w. wireless infocenter		•	
Wireless on/off on handle	•	•	•
Wireless remote control	•	•	•
Model		NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU
Ref. no.		42000515	42000516
PRODUCT FEATURES			
Bag-full indicator		•	•
Airflow sensor			•
Variable speed control		•	•
Filter Clean Indicator			•
Speed indicator		•	•
Handle w. wireless infocenter			•
Wireless on/off on handle		•	•
Wireless remote control		•	•



Technical specifications	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 DELUXE EU
Rated power (W)	1350	1700	1700
Suction power motor (W)	650	712	712
Airflow (measured at central unit) (l/sec.)	57	58	58
Vacuum (kPa)	30	32	32
Sound level	66	66	66
Container capacity (I)	25	25	25
Dust bag capacity (I)	20	20	20
Width with handle (cm)	37	37	37
Height (cm)	80	80	80
Weight (kg)	6,5	6,5	6,5
Depth w./ bracket (cm)	40	40	40
Fuse circuit (A)	10	10	10
Max. house size (m²)	150	250	250
Longest pipe line (m)	30	50	50
Technical specifications	NILFISK ALL-IN-1 SUPREME LCD WIRELESS+EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU
Technical specifications Rated power (W)	SUPREME LCD	SUPREME LCD	SUPREME 150
	SUPREME LCD WIRELESS+EU	SUPREME LCD DELUXE EU	SUPREME 150 WIRELESS+EU
Rated power (W)	SUPREME LCD WIRELESS+EU 1700	SUPREME LCD DELUXE EU 1700	SUPREME 150 WIRELESS+EU 1350
Rated power (W) Suction power motor (W)	SUPREME LCD WIRELESS+EU 1700 727	SUPREME LCD DELUXE EU 1700 727	SUPREME 150 WIRELESS+EU 1350 650
Rated power (W) Suction power motor (W) Airflow (measured at central unit) (I/sec.)	SUPREME LCD WIRELESS+EU 1700 727 60	SUPREME LCD DELUXE EU 1700 727 60	SUPREME 150 WIRELESS+EU 1350 650 57
Rated power (W) Suction power motor (W) Airflow (measured at central unit) (I/sec.) Vacuum (kPa)	SUPREME LCD WIRELESS+EU 1700 727 60 33	SUPREME LCD DELUXE EU 1700 727 60 33	SUPREME 150 WIRELESS+EU 1350 650 57 30
Rated power (W) Suction power motor (W) Airflow (measured at central unit) (I/sec.) Vacuum (kPa) Sound level	SUPREME LCD WIRELESS+EU 1700 727 60 33 66	SUPREME LCD DELUXE EU 1700 727 60 33 66	SUPREME 150 WIRELESS+EU 1350 650 57 30 66
Rated power (W) Suction power motor (W) Airflow (measured at central unit) (l/sec.) Vacuum (kPa) Sound level Container capacity (I)	SUPREME LCD WIRELESS+EU 1700 727 60 33 66 25	SUPREME LCD DELUXE EU 1700 727 60 33 66 25	SUPREME 150 WIRELESS+EU 1350 650 57 30 66 25
Rated power (W) Suction power motor (W) Airflow (measured at central unit) (I/sec.) Vacuum (kPa) Sound level Container capacity (I) Dust bag capacity (I)	SUPREME LCD WIRELESS+EU 1700 727 60 33 66 25 20	SUPREME LCD DELUXE EU 1700 727 60 33 66 25 20	SUPREME 150 WIRELESS+EU 1350 650 57 30 66 25 20
Rated power (W) Suction power motor (W) Airflow (measured at central unit) (I/sec.) Vacuum (kPa) Sound level Container capacity (I) Dust bag capacity (I) Width with handle (cm)	SUPREME LCD WIRELESS+EU 1700 727 60 33 66 25 20 37	SUPREME LCD DELUXE EU 1700 727 60 33 66 25 20 37	SUPREME 150 WIRELESS+EU 1350 650 57 30 66 25 20 37
Rated power (W) Suction power motor (W) Airflow (measured at central unit) (l/sec.) Vacuum (kPa) Sound level Container capacity (l) Dust bag capacity (l) Width with handle (cm) Height (cm)	SUPREME LCD WIRELESS+EU 1700 727 60 33 66 25 20 37 80	SUPREME LCD DELUXE EU 1700 727 60 33 66 25 20 37 80	SUPREME 150 WIRELESS+EU 1350 650 57 30 66 25 20 37 80
Rated power (W) Suction power motor (W) Airflow (measured at central unit) (I/sec.) Vacuum (kPa) Sound level Container capacity (I) Dust bag capacity (I) Dust bag capacity (I) Height (cm) Weight (kg)	SUPREME LCD WIRELESS+EU 1700 727 60 33 66 25 20 37 80 6,5	SUPREME LCD DELUXE EU 1700 727 60 33 66 25 20 37 80 6,5	SUPREME 150 WIRELESS+EU 1350 650 57 30 66 25 20 37 80 6,5
Rated power (W) Suction power motor (W) Airflow (measured at central unit) (I/sec.) Vacuum (kPa) Sound level Container capacity (I) Dust bag capacity (I) Uith with handle (cm) Height (cm) Weight (kg) Depth w./ bracket (cm)	SUPREME LCD WIRELESS+EU 1700 727 60 33 66 25 20 37 80 6,5 40	SUPREME LCD DELUXE EU 1700 727 60 33 66 25 20 37 80 6,5 40	SUPREME 150 WIRELESS+EU 1350 650 57 30 66 25 20 37 80 6,5 40
Rated power (W) Suction power motor (W) Airflow (measured at central unit) (I/sec.) Vacuum (kPa) Sound level Container capacity (I) Dust bag capacity (I) Uidth with handle (cm) Height (cm) Weight (kg) Depth w./ bracket (cm) Fuse circuit (A)	SUPREME LCD 1700 727 60 33 66 25 20 37 80 6,5 40 10	SUPREME LCD 1700 727 60 33 66 25 20 37 80 6,5 40 10	SUPREME 150 WIRELESS+EU 1350 650 57 30 66 25 20 37 80 6,5 40 10



Technical specifications	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU
Rated power (W)	1700	1700
Suction power motor (W)	712	727
Airflow (measured at central unit) (l/sec.)	58	60
Vacuum (kPa)	32	33
Sound level	66	66
Container capacity (I)	25	25
Dust bag capacity (I)	20	20
Width with handle (cm)	37	37
Height (cm)	80	80
Weight (kg)	6,5	6,5
Depth w./ bracket (cm)	40	40
Fuse circuit (A)	10	10
Max. house size (m ²)	500	500
Longest pipe line (m)	50	70

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 DELUXE EU
Hose and Co	nnection		1			
9	HOSE FLEXIBLE 1 TO 6 M	42000122	0	0	0	0
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0	0	0	•
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0	0	0	0
	NILFISK CV HOSEKIT MANUAL 9M	107405104	0	0	0	0
S	NILFISK CV HOSEKIT MANUAL 12M	107405107	0	0	0	0



	Accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 DELUXE EU
S)	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	•	•	0
<u>e</u> r	NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ	107405108	0	0	0	0
	NILFISK NEW TELESCOPIC TUBE	107408043	0	•	•	•
Accessory Kit						
	1 INLET FITTINGS AND PIPES KIT	42000200	0	0	0	0
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•	•
	3 INLET FITTINGS KIT	42000205	0	0	0	0
3	INSTALLATION KIT FOR VACPAN	42000484	0	0	0	0
Accessory						
0	ADAPTER FLOOR INLET	42000244	0	0	0	0
¢ •	FLOOR INLET CHROME	42000243	0	0	0	0
· ,	VACPAN ALU	42000237	0	0	0	0
	VACPAN ALU WITH BEND AND TEE IN BAG	42000238	0	0	0	0



All information provided in this document is subject to change without prior notice

	Accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 DELUXE EU
	VACPAN BLACK	42000235	0	0	0	0
	VACPAN WHITE	42000233	0	0	0	0
	VACPAN WHITE WITH BEND AND TEE IN BAG	42000234	0	0	0	0
	VACSOC HOSECOVER	42000303	0	0	0	0
Dust Bag and	Filter					
photo coming soon	BAG FILTER	140 8514 500	0	•	•	•
000	DUST BAGS FOR CV LARGE	107401157	0	0	0	0
0 0	DUST BAGS SMALL CV	107401158	0	•	•	•
Nozzle - Vacu	Jum					
	CREVICE NOZZLE	107408039	0	•	•	•
	NILFISK NEW BRUSH NOZZLE	107408040	0	•	•	•
200	NILFISK NEW COMBI NOZZLE	107408042	0	•	•	•
	NILFISK NEW UPHOLSTERY NOZZLE	107408041	0	•	•	•



ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME LCD WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU
Hose and Cor	nnection					
9	HOSE FLEXIBLE 1 TO 6 M	42000122	0	0	0	0
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0	0	•	0
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0	0	0	0
	NILFISK CV HOSEKIT MANUAL 9M	107405104	0	0	0	0
Ş	NILFISK CV HOSEKIT MANUAL 12M	107405107	0	0	0	0
	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	•	0	0
Ø	NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ	107405108	0	0	0	•
	NILFISK NEW TELESCOPIC TUBE	107408043	0	•	•	•
Accessory Kit						
	1 INLET FITTINGS AND PIPES KIT	42000200	0	0	0	0
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•	•



	Accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME LCD WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU
	3 INLET FITTINGS KIT	42000205	0	0	0	0
3	INSTALLATION KIT FOR VACPAN	42000484	0	0	0	0
Accessory		1				
0	ADAPTER FLOOR INLET	42000244	0	0	0	0
٢	FLOOR INLET CHROME	42000243	0	0	0	0
·	VACPAN ALU	42000237	0	0	O	0
	VACPAN ALU WITH BEND AND TEE IN BAG	42000238	0	0	0	0
	VACPAN BLACK	42000235	0	0	0	0
	VACPAN WHITE	42000233	0	0	0	0
	VACPAN WHITE WITH BEND AND TEE IN BAG	42000234	0	0	0	0
S	VACSOC HOSECOVER	42000303	0	0	0	O
Dust Bag and	Filter					
photo coming soon	BAG FILTER	140 8514 500	0	•	•	•



All information provided in this document is subject to change without prior notice

	Accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME LCD WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU
000	DUST BAGS FOR CV LARGE	107401157	0	0	0	0
000	DUST BAGS SMALL CV	107401158	0	•	•	•
Nozzle - Vacu	Jum					
	CREVICE NOZZLE	107408039	0	•	•	•
	NILFISK NEW BRUSH NOZZLE	107408040	0	•	•	•
	NILFISK NEW COMBI NOZZLE	107408042	0	•	•	•
	NILFISK NEW UPHOLSTERY NOZZLE	107408041	0	•	●	•

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\Box}$ Mountable equipment

Accessories		Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU
Hose and Co	nnection				
9	HOSE FLEXIBLE 1 TO 6 M	42000122	0	0	0
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0	0	0
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0	0	•
	NILFISK CV HOSEKIT MANUAL 9M	107405104	0	0	0



	Accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU
	NILFISK CV HOSEKIT MANUAL 12M	107405107	0	0	0
	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	•	0
<u>e</u>	NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ	107405108	0	0	0
	NILFISK NEW TELESCOPIC TUBE	107408043	0	•	•
Accessory Kit					
	1 INLET FITTINGS AND PIPES KIT	42000200	0	0	0
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•
	3 INLET FITTINGS KIT	42000205	0	0	0
3	INSTALLATION KIT FOR VACPAN	42000484	0	0	0
Accessory					
0	ADAPTER FLOOR INLET	42000244	0	0	0
¢	FLOOR INLET CHROME	42000243	0	0	0
· ·	VACPAN ALU	42000237	0	0	0



	Accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU
	VACPAN ALU WITH BEND AND TEE IN BAG	42000238	0	0	0
	VACPAN BLACK	42000235	0	0	0
	VACPAN WHITE	42000233	0	0	0
	VACPAN WHITE WITH BEND AND TEE IN BAG	42000234	0	0	0
3	VACSOC HOSECOVER	42000303	0	0	0
Dust Bag and	Filter				
photo coming soon	BAG FILTER	140 8514 500	0	•	•
000	DUST BAGS FOR CV LARGE	107401157	0	0	0
000	DUST BAGS SMALL CV	107401158	0	•	٠
Nozzle - Vacu	um				
	CREVICE NOZZLE	107408039	0	•	•
	NILFISK NEW BRUSH NOZZLE	107408040	0	•	•
	NILFISK NEW COMBI NOZZLE	107408042	0	•	•



Accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU
NILFISK NEW UPHOLSTERY NOZZLE	107408041	0	•	•



Vacuum cleaning the easy way

A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes.

High performance in houses up to 500 sqm

Nilfisk Supreme LCD is a central power unit with a LCD info center display, where information on status of the machine performance is displayed.

All Nilfisk central vacuum cleaners have wireless technology, so that they can be equipped with your choice of hose.

This product is only a machine, if needed, remember to buy fitting and hose kit separately

- LCD info center on the machine, where information on:
 - Indicator for dust bag / filter change,
 - suction level,
 - indicator for service needed,
 - indicator for overheated product,
 - indicator for reduced airflow,
- indicator for handle is out of reach
- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound
- The central unit is equipped with start stop function
- · Build in soft start system
- · The build in sack filter is self-cleaning through the movement, when the central units starts / stops

Standard equipment

	Included accessories	Ref. no.	Min. required	NILFISK SUPREME LCD EU 50-60HZ 220-230V		
Dust Bag and	Dust Bag and Filter					
photo coming soon	BAG FILTER	140 8514 500	0	•		
Model				FISK SUPREME D EU 50-60HZ 220-230V		
Ref. no.				107404972		

PRODUCT FEATURES

Softstart	•
Low working sound level	•





Picture shown may not represent model quoted

Model	NILFISK SUPREME LCD EU 50-60HZ 220-230V
Ref. no.	107404972
PRODUCT FEATURES	
Display on machine	•
On/off on machine	•
Technical specifications	NILFISK SUPREME LCD EU 50-60HZ 220-230V
Rated power (W)	1700
Suction power motor (W)	727
Airflow (measured at central unit) (I/sec.)	60
Vacuum (kPa)	30
Sound level	66
Container capacity (I)	25
Dust bag capacity (I)	20
Width with handle (cm)	37
Height (cm)	80
Weight (kg)	6,5
Depth w./ bracket (cm)	40
Fuse circuit (A)	10
Max. house size (m ²)	500
Longest pipe line (m)	70

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	NILFISK SUPREME LCD EU 50-60HZ 220-230V
Hose and Co	nnection			
9	HOSE FLEXIBLE 1 TO 6 M	42000122	0	0
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0	0
	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0	0



	Accessories	Ref. no.	Min. required	NILFISK SUPREME LCD EU 50-60HZ 220-230V	
, i S	NILFISK CV HOSEKIT MANUAL 9M	107405104	0	0	
	NILFISK CV HOSEKIT MANUAL 12M	107405107	0	0	
	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	o	
<u>e</u> r	NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ	107405108	0	0	
	NILFISK NEW TELESCOPIC TUBE	107408043	0	o	
Accessory Kit					
	1 INLET FITTINGS AND PIPES KIT	42000200	0	o	
	3 INLET FITTINGS AND PIPES KIT	42000202	0	O	
	3 INLET FITTINGS KIT	42000205	0	0	
3	INSTALLATION KIT FOR VACPAN	42000484	0	O	
Accessory					
0	ADAPTER FLOOR INLET	42000244	0	O	
٢	FLOOR INLET CHROME	42000243	0	o	



	Accessories	Ref. no.	Min. required	NILFISK SUPREME LCD EU 50-60HZ 220-230V		
·,	VACPAN ALU	42000237	0	0		
	VACPAN ALU WITH BEND AND TEE IN BAG	42000238	0	0		
	VACPAN BLACK	42000235	0	0		
	VACPAN WHITE	42000233	0	0		
	VACPAN WHITE WITH BEND AND TEE IN BAG	42000234	0	0		
	VACSOC HOSECOVER	42000303	0	0		
Dust Bag and	Filter					
photo coming soon	BAG FILTER	140 8514 500	0	•		
000	DUST BAGS FOR CV LARGE	107401157	0	0		
	DUST BAGS SMALL CV	107401158	0	o		
Nozzle - Vacu	Nozzle - Vacuum					
	CREVICE NOZZLE	107408039	0	0		
	NILFISK NEW BRUSH NOZZLE	107408040	0	0		



	Accessories	Ref. no.	Min. required	NILFISK SUPREME LCD EU 50-60HZ 220-230V
-	NILFISK NEW COMBI NOZZLE	107408042	0	0
	NILFISK NEW UPHOLSTERY NOZZLE	107408041	0	0



Vacuum cleaning the easy way A central vacuum cleaner does just that. It is extremely quiet, odour free, lightweight and handy, turning a repetitive domestic chore into an agreeable easy-to-do job. With the central power unit (combined motor and dust container) stowed away on the loft, in the basement, or in some remote location where it bothers no one, it is out of the way, and the only thing you need to carry around when vacuuming is the hose itself. A clever precaution against asthma, eczema and other allergies as all dust pick up is directed out of the rooms through the sealed tubes.

To make the installation more convenient, kits are designed to fulfill what is needed for a normal house.

Do-It-Yourself (DIY) 'All-in-1' boxes from Nilfisk contain everything you need for installation in most houses. But naturally, you can also purchase pipes, elbows and inlets separately. Installation can be done in only one weekend.

Nilfisk Performer DIY All-in-1 is a practical solution and is suitable for most homes. The hose is 9 meters and covers approx. 90 spm. You can choose between a Manual, Wireless + or Deluxe hose. The new and powerfull Nilfisk Performer gives you constant suction, and with the inovative Deluxe model the control of vacuum leaning are rigt at the fingertips. For further detail and overview of features see table below.

Choose from different models of Nilfisk Performer DIY All-in-1:

For houses up to 150 sqm.

Nilfisk Supreme 150 All-in-1 Manual handle Nilfisk Supreme 150 All-in-1 Wireless+ handle

Nilfisk Supreme 150 All-in-1 Deluxe handle

For houses up to 250 sqm.

Nilfisk Supreme 250 All-in-1 Manual handle Nilfisk Supreme 250 All-in-1 Wireless+ handle

Nilfisk Supreme 250 All-in-1 Deluxe handle

For houses up to 500 sqm.

Nilfisk Supreme LCD All-in-1 Wireless+ handle Nilfisk Supreme LCD All-in-1 Deluxe handle

The 'All-in-1' boxes from Nilfisk contain everything you need for installation of a central vacuum cleaner in old houses as in new-build.

- Can be used with or without a bag
- Dust container with cyclone system
- Low working sound
- · The build in sack filter is self-cleaning through the movement when the central units starts / stops
- The central unit is equipped with start stop function
- Soft grib on bend end for user convenience
- · Manual hose kit (depending on model): The central unit starts with the hose is connected to wall inlet and stops when removed.
- Wireless+ hose kit (depending on model) Wireless operation of central unit: Start/stop at handle, regulation through 5-speed / suction power levels, LED display returns with information on a) Empty dust bag, b) Blocked airflow c) Other issues that needs service
- Deluxe wireless hose kit (depending on model) wireless operation of central unit: Start/stop at handle, regulation through 5-speed / suction power levels, LCD info display with information on a a) Empty dust bag, b) Blocked airflow c) Issues that needs service d) Overheat indicator symbols if the power has become overheated. E) Signal indicator. Flashes if the bend end is our reach from the central unit f) Battery level of bend end.





Picture shown may not represent model quoted

 Standard equipment 						
	Included accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 PERFORMER 150 WIRELESS+	NILFISK ALL- IN-1 PERFORMER 250 WIRELESS+	NILFISK ALL- IN-1 PERFORMER 250 DELUXE EU
Hose and Cor	nection		1			
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0			•
	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	•	•	
Accessory Kit				-		
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•	•
Model		PEI	.FISK ALL-I RFORMER WIRELESS	150 PERFOR	MER 250 PEI	FISK ALL-IN-1 RFORMER 250 DELUXE EU
Ref. no.			42000509	4200	0512	42000513
PRODUCT FE	EATURES					
Bag-full indica	itor					•
Cyclone system						
Service indica	tor		•	•	•	•
Softstart			•	•	•	•
Low working sound level			•	•	•	•
Battery level in	ndicator					•
Variable spee	d control		•	•	•	•
Soft grip •					•	
Filter Clean Indicator •						•
Self-cleaning filter						
Use with or wi			٠			•
Speed indicate						•
Overheat indic					•	
	reach indicator					•
Handle w. wire					•	
Wireless on/of			•			•
On/off on mac			•			•
Wireless remo			•			•



Technical specifications	NILFISK ALL-IN-1 PERFORMER 150 WIRELESS+	NILFISK ALL-IN-1 PERFORMER 250 WIRELESS+	NILFISK ALL-IN-1 PERFORMER 250 DELUXE EU
Rated power (W)	1350	1700	1700
Suction power motor (W)	650	712	712
Airflow (measured at central unit) (I/sec.)	53	53	53
Vacuum (kPa)	30	30	30
Sound level	66	66	66
Container capacity (I)	25	25	25
Dust bag capacity (I)	20	20	20
Width with handle (cm)	37	37	37
Height (cm)	80	80	80
Weight (kg)	6,5	6,5	6,5
Depth w./ bracket (cm)	40	40	40
Fuse circuit (A)	10	10	10
Max. house size (m ²)	150	250	250
Longest pipe line (m)	30	50	50

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

Accessories		Ref. no.	Min. required	NILFISK ALL- IN-1 PERFORMER 150 WIRELESS+	NILFISK ALL- IN-1 PERFORMER 250 WIRELESS+	NILFISK ALL- IN-1 PERFORMER 250 DELUXE EU
Accessory Kit	Accessory Kit					
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•	•
Dust Bag and	Filter					
000	DUST BAGS FOR CV LARGE	107401157	0	0	0	0
Hose and Connection						
	NILFISK CV HOSEKIT DELUXE 9M EU 433MHZ	107405106	0	0	0	•
Ø	NILFISK CV HOSEKIT DELUXE 12M EU 433MHZ	107405109	0	0	0	0
	NILFISK CV HOSEKIT MANUAL 9M	107405104	0	0	0	0



	Accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 PERFORMER 150 WIRELESS+	NILFISK ALL- IN-1 PERFORMER 250 WIRELESS+	NILFISK ALL- IN-1 PERFORMER 250 DELUXE EU
S	NILFISK CV HOSEKIT MANUAL 12M	107405107	0	0	0	0
	NILFISK CV HOSEKIT WIRELESS 9M EU 433MHZ	107405105	0	•	•	O
<u>e</u> t	NILFISK CV HOSEKIT WIRELESS 12M EU433MHZ	107405108	0	0	0	0



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46

Россия (495)268-04-70

Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Липецк (4742)52-20-81 Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12

Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Симферополь (3652)67-13-56

Казахстан (7172)727-132

Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Тверь (4822)63-31-35 Томск (3822)98-41-53 Тула (4872)74-02-29 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Ярославль (4852)69-52-93

nsf@nt-rt.ru || https://nilfisk.nt-rt.ru/