

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Active Stone Cleaner is a powerful water-based detergent that ensures extra thorough cleaning. Removes dirt, lichen and other coatings from exterior pavers. It may be advantageous to give a finishing treatment with Nilfisk Stone Sealer to preserve the clean tiles for up to 2 years.

Application with a Nilfisk Foam Sprayer.

Coverage: Approx 125 m2 per 2½ litres

Active Stone Cleaner is an efficient detergent to remove any unwanted dirt and lichens from the exterior pavers.

Always test on a small area to make sure the surface tolerates the cleaning detergent.

Packaging may be recycled in accordance with local regulations.

Readily biodegradable surfactants in accordance with EU legislation. Store in frost-free place.

Dosage:

- For use with HPW: 2-5%
- Manual use: 1-2 dl. to 5 ltr. litres of tap water.

Application:

- High-pressure washer
- Foam sprayer (item no. 128500077)
- Super Foam Sprayer (item no. 128500938)

Fill detergent into the cleaning tank/Foam Sprayer. Apply detergent on subjects to be cleaned. Wait 15-20 minutes. After cleaning, rinse with tap water. Avoid spraying plants and painted surfaces, or else flush with clean water. This detergent can also be used in combination with the Nilfisk Patio Cleaner.

- Standard equipment

Model	ACTIVE STONE CLEANER 2.5 L
Ref. no.	125300425
Technical specifications	
Packaging	1x2,5 L
Ph value	9,8 (1% solution)

- Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Picture shown may not represent model quoted



Bike & Motorcycle is a water-based cleaning agent for cycles, mountain bikes and motorcycles.

Bike & Motorcycle Cleaner is a gentle - but a very efficient detergent to remove dirt, oil and grease.

Always test on a small area to make sure the surface tolerates the cleaning detergent.

Packaging may be recycled in accordance with local regulations.

Readily biodegradable surfactants in accordance with EU legislation. Store in frost-free place.

Dosage:

- For use with HPW: 2-5%
- Manual use: 200-300 ml. to 5 ltr. litres of tap water.

Application:

- High-pressure washer
- Foam sprayer (item no. 128500077)
- Super Foam Sprayer (item no. 128500938)

Fill detergent into the cleaning tank/Foam Sprayer. Apply detergent on subjects to be cleaned. Wait 2-5 minutes, but without the cleaning agent to dry out. After cleaning, rinse with tap water. After cleaning, rinse with clean water and dry off with a leather. Must not be used on hot surfaces or in direct sunlight.

- Standard equipment

Model	BIKE & MOTORCYCLE CLEANER 2.5 L
Ref. no.	125300392
Technical specifications	
Packaging	1x2,5 L
Ph value	9,3 (1% solution)

- Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Picture shown may not represent model quoted



Boat Cleaner is a water-based cleaning agent for cleaning boats and caravans.

Boat Cleaner is a very efficient detergent to remove dirt.

Always test on a small area to make sure the surface tolerates the cleaning detergent.

Packaging may be recycled in accordance with local regulations.

Readily biodegradable surfactants in accordance with EU legislation. Store in frost-free place.

Dosage:

- For use with HPW: 2-5%
- Manual use: 200-300 ml. to 5 ltr. litres of tap water.

Application:

- High-pressure washer
- Foam sprayer (item no. 128500077)
- Super Foam Sprayer (item no. 128500938)

Fill detergent into the cleaning tank/Foam Sprayer. Apply detergent on subjects to be cleaned. Wait 2-5 minutes, but without the cleaning agent to dry out. After cleaning, rinse with tap water.



Picture shown may not represent model quoted

● Standard equipment

Model	BOAT CLEANER 2.5 L
Ref. no.	125300391
Technical specifications	
Packaging	1x2,5 L
Ph value	9,3 (1% solution)

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Car Combi Cleaner is a water-based cleaning detergent with "Wax & Shine" effect for vehicles – clean, wax and shine in one operation.

Car Combi is also an excellent detergent for washing motorcycles, bikes, MTB and caravans.

Car Combi is a gentle - but very efficient detergent to remove dirt, oil and grease. In addition, the Car Combi detergent gives a water-repellent surface and also gives the lacquer a great depth and shine.

Always test on a small area to make sure the surface tolerates the cleaning detergent.

Packaging may be recycled in accordance with local regulations. Readily biodegradable surfactants in accordance with EU legislation. Store in frost-free place.

Dosage:

- For use with HPW: 2-5%
- Manual use: 200-300 ml. to 5 ltr. litres of tap water.

Application:

- High-pressure washer
- Foam sprayer (item no. 128500077)
- Super Foam Sprayer (item no. 128500938)

Fill detergent into the cleaning tank/Foam Sprayer. Apply detergent on subjects to be cleaned. Wait 2-5 minutes, but without the cleaning agent to dry out. After cleaning, rinse with clean water and dry off with a leather. Must not be used on hot surfaces or in direct sunlight

- Standard equipment

Model	CAR COMBI CLEANER 2.5 L
Ref. no.	125300390
Technical specifications	
Packaging	1x2,5 L
Ph value	8,0 (1% solution)

- Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Picture shown may not represent model quoted





Picture shown may not represent model quoted

- Standard equipment
- Standard equipment, ○ Supplementary accessories, □ Mountable equipment





Picture shown may not represent model quoted

- Standard equipment
- Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Grill & Metal Cleaner is a water-based cleaning detergent for barbecues and metal items.

Grill & Metal Cleaner can also be used for rims on cars, metal garden tools (wheel barrow, lawn mower etc.)

Grill & Metal Cleaner is a very efficient detergent to remove dirt, oil and grease.

Always test on a small area to make sure the surface tolerates the cleaning detergent.

Packaging may be recycled in accordance with local regulations.

Readily biodegradable surfactants in accordance with EU legislation. Store in frost-free place.

Dosage:

- For use with HPW: 2-5%
 - Manual use: 200-300 ml. to 5 ltr. litres of tap water.
- The product can be used concentrated but do not use concentrate on lacquered surfaces.

Application:

- High-pressure washer
- Foam sprayer (item no. 128500077)
- Super Foam Sprayer (item no. 128500938)

Fill detergent into the cleaning tank/Foam Sprayer. Apply detergent on subjects to be cleaned. Wait 2-5 minutes, but without the cleaning agent to dry out. Barbecue grill: Allow the product to soak in for 10-15 min. After cleaning, rinse with tap water. Do not use concentrate on lacquered surfaces.

● Standard equipment

Model	GRILL & METAL CLEANER 2.5 L
Ref. no.	125300393
Technical specifications	
Packaging	1x2,5 L
Ph value	10 (1% solution)

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Picture shown may not represent model quoted





Picture shown may not represent model quoted

- Standard equipment
- Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Rattan & Plastic Cleaner is a water-based cleaning agent for cleaning rattan and plastic. Rattan & Plastic Cleaner is also an excellent detergent for any synthetic surface like tarpaulin, fibreglas, caravans etc. Rattan & Plastic Cleaner is a gentle - but very efficient detergent to remove dirt.

Always test on a small area to make sure the surface tolerates the cleaning detergent.

Packaging may be recycled in accordance with local regulations.

Readily biodegradable surfactants in accordance with EU legislation. Store in frost-free place.

Dosage:

- For use with HPW: 2-5%
- Manual use: 1-2 dl. to 5 ltr. litres of tap water.

Application:

- High-pressure washer
- Foam sprayer (item no. 128500077)
- Super Foam Sprayer (item no. 128500938)

Fill detergent into the cleaning tank/Foam Sprayer. Apply detergent on subjects to be cleaned. Wait 2-5 minutes, but without the cleaning agent to dry out. After cleaning, rinse with tap water.



Picture shown may not represent model quoted

● Standard equipment

Model	RATTAN & PLASTIC CLEANER 2.5 L
Ref. no.	125300386
Technical specifications	
Packaging	1x2,5 L
Ph value	9,2 (1% solution)

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Cleaning detergent for roofs. Apply the cleaning detergent with the Roof Cleaner, preferably on a damp surface. For a long-term effect, avoid spraying when rain is expected in the next few days.

Application with Nilfisk Roof Cleaner.

Coverage: Approx 125 m2 per 5 litres.

Must be applied at temperature of min 5 degrees Celsius and will take effect after 3-4 months.
Can also be used to remove dirt coating on exterior pavers or wood surfaces.
Roof Cleaner is a very efficient detergent to remove dirt from the roof. Always test on a small area to make sure the surface tolerates the cleaning detergent.
Packaging may be recycled in accordance with local regulations.
Readily biodegradable surfactants in accordance with EU legislation. Store in frost-free place.

Dosage:
For use with HPW: 8-16%
Manual use: 1-2 dl. to 5 ltr. litres of tap water.

Application:

- High-pressure washer
- Roof Cleaner (item no. 128470040)

Place the detergent hose with strainer in the bottle with the Roof Cleaner detergent. Apply the cleaning agent on subjects to be cleaned. Do not rinse with clean water afterwards. The Roof Cleaner may be used on all types of roof, but windows, painted surfaces and zinc flashing must be flushed with clean water.

- Standard equipment

Model	ROOF CLEANER 5 L
Ref. no.	125300389
Technical specifications	
Packaging	1x5 L
Ph value	8,0 (1% solution)

- Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Picture shown may not represent model quoted





Picture shown may not represent model quoted

- Standard equipment
- Standard equipment, ○ Supplementary accessories, □ Mountable equipment






Picture shown may not represent model quoted

- Standard equipment
- Standard equipment, ○ Supplementary accessories, □ Mountable equipment





Picture shown may not represent model quoted

- Standard equipment
- Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Stone & Wood Cleaner is a water-based cleaning detergent for cleaning stone, masonry and wood. Stone & Wood Cleaner is also an excellent detergent for cleaning facades of any objects that endure water.

Coverage: Approx 125 m2 per 2½ litres. Cleaning by hand: 300 ml to 10 litres water.

Stone & Wood Cleaner is a gentle - but very efficient detergent to remove dirt.

Always test on a small area to make sure the surface tolerates the cleaning detergent.

Packaging may be recycled in accordance with local regulations. Readily biodegradable surfactants in accordance with EU legislation. Store in frost-free place.

Dosage:

- For use with HPW: 2-5%
- Manual use: 1-2 dl. to 5 ltr. litres of tap water.

Application:

- High-pressure washer
- Foam sprayer (item no. 128500077)
- Super Foam Sprayer (item no. 128500938)
- Patio Cleaner

Fill detergent into the cleaning tank/Foam Sprayer. Apply detergent on subjects to be cleaned. Wait 2-5 minutes, but without the cleaning agent to dry out. After cleaning, rinse with tap water. Also use in combination with Patio Cleaner.

- Standard equipment

Model	STONE & WOOD CLEANER 2.5 L
Ref. no.	125300385
Technical specifications	
Packaging	1x2,5 L
Ph value	8,0 (1% solution)

- Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Picture shown may not represent model quoted



Stone Sealer is a water-based sealing detergent for exterior pavers.

Coverage: Depends on how absorbent surfaces are, and whether pavers are old or new. 2½ litres will be sufficient for approx. 100 m2.

Stone Sealer ensures that the exterior pavers achieve a repellent invisible "film" that rejects stubborn dirt. Hereby the exterior pavers are easier to clean and ensure longer durability.

Always test on a small area to make sure the surface tolerates the cleaning detergent.

Packaging may be recycled in accordance with local regulations.

Readily biodegradable surfactants in accordance with EU legislation. Store in frost-free place.

Dosage:

- For use with HPW: 2-5%
- Dosage in concentrate sprayer 2½ litres to 2½ litres water.

Application:

- High-pressure washer
- Foam sprayer (item no. 128500077)
- Super Foam Sprayer (item no. 128500938)

Fill detergent into the cleaning tank/Foam Sprayer. Apply sealer on subjects to be sealed. Can also be used with a concentrate sprayer. Do not rinse the exterior pavers with clean water afterwards. The product will be dry after about 2 hours and completely hard after 1 week. Best used several times a year.

- Standard equipment

Model	STONE SEALER 2.5 L
Ref. no.	125300388
Technical specifications	
Packaging	1x2,5 L
Ph value	8,0 (1% solution)

- Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Picture shown may not represent model quoted





Picture shown may not represent model quoted

- Standard equipment
- Standard equipment, ○ Supplementary accessories, □ Mountable equipment



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	