

Трехфазные пылесосы для сухой и влажной уборки

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Ideal for heavy industrial vacuum cleaning

Thanks to its high performances, ATTIX 145 & 155 are the ideal industrial three phase vacuum cleaners for the general cleaning in all kind of industry, especially when large quantity of dust have to be collected. The 100 liters steel container is ideal for collecting big amount of solid (e.g. metal chips) or liquids (e.g. oil and lubricants). The practical SitDown container system makes emptying convenient for fast and productive cleaning.

ATTIX 145 & 155 can run for many hours without requiring maintenance thanks to the very silent and reliable double stage side-channel blower. The lower position of the blower gives it a great stability even when moving on rough floors. A handle all around the machine allows pulling or pushing it from a working place to another one. L-class filter is fitted as standard, but M-class filter and HEPA-filter is available as option when fine dust has to be removed. Furthermore the manual filter shaker guarantees a perfect efficiency of the filtration. An accessory box, a cable and hose/tube holder makes ATTIX 145 & 155 very ergonomic and simplifies the daily work of the operator. From its protected position, the manometer shows to the operator when the filtration efficiency decreases, inviting him to shake the filter. The ON/OFF switch is placed on the rear of the chassis inside the carter in order to protect it against shock.



Picture shown may not represent model quoted

- Powerful and reliable double side channel blower - needing no maintenance
- Comfortable grip and robust steel chassis for durability and easy mobility
- MultiFit adapter included for high flexibility in accessory choice
- Storage of accessories

● Standard equipment

Included accessories		Ref. no.	Min. required	ATTIX 155-01 400/3/50 EU
Filter				
	KIT STAR FILTER D460 L CLASS	40000338	1	●
System 50 Tube				
	ADAPTOR D70 CFM – D60 MULTIFIT	4072200392	1	●

Model	ATTIX 155-01 400/3/50 EU
Ref. no.	4030800366

PRODUCT FEATURES

Anti-static system	●
Storage of accessories	●
Manometer	●
Release container system	●
Three phase side channel blower	●
Chassis on wheels with brakes	●
L class filter	●



Ideal for heavy industrial vacuum cleaning

Model ATTIX 155-01
400/3/50 EU

Ref. no. 4030800366

PRODUCT FEATURES

Plug with phase inverter •

Technical specifications ATTIX 155-01
400/3/50 EU

Power Piec (W)	4000
Mains connection (V/~ /Hz/A)	400/3/50/16
Airflow rate (l/min.)	8600
Vacuum (mbar/kPa)	300/30
Working sound level (dB(A))	72
El cable (m)	9
Container volume (l-max)	100
Filter cleaning system	Manual filter shaker
Main filter type	PET Starfilter
Length x width x height (mm)	1130x600x1530
Weight (kg)	139

• Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	ATTIX 155-01 400/3/50 EU
System 50 Tube				
	ADAPTOR D70 CFM – D60 MULTIFIT	4072200392	1	•
	CURVED ALU EXT.TUBE D50X1000	15335	1	○
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	1	○
System 50 Brush/Universal Nozzle				
	COARSE DIRT NOZZLE Ø50X175 PP	5153	1	○
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	1	○



Ideal for heavy industrial vacuum cleaning

Accessories		Ref. no.	Min. required	ATTIX 155-01 400/3/50 EU
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	1	○
Vacuum Accessory Set				
	CHIP SET D50MM	61681	1	○
	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	1	○
	STANDARD VAC SET Ø50MM 3-PCS	6085	1	○
System 50 Hose Vacuum Cleaner				
	AS HOSED50X4000MM	15815	1	○
	CHIPS HOSE Ø50X4000MM	15182	1	○
	HOSE HEAT RESIST. Ø 50X4000MM	11061	1	○
	HOSE OIL RESISTANT D50X40	6468	1	○
	METAL HOSE Ø50X4000MM	15013	1	○
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	1	○
	UNIV HOSE Ø 50X1750MM	19930	1	○
System 50 Crevice/Cone Nozzle				
	CREVICE NOZZLE Ø50X370 PE	7102	1	○



Ideal for heavy industrial vacuum cleaning

Accessories		Ref. no.	Min. required	ATTIX 155-01 400/3/50 EU
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	1	○
	FLAT NOZZLE RUBBER Ø50MM	31244	1	○
	ROUND NOZZLE Ø50MM RUBBER	19936	1	○
System 50 Vac Floor Nozzle				
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	1	○
	NOZZLE ALU. 500XØ50MM WET	15344	1	○
Filter				
	18 POCKET STAR FILTER KIT M CLASS	40000699	1	○
	ABSOLUTE FILTER KIT T22-T40 T40W-VHC200	4056000523	1	○
	KIT STAR FILTER D460 L CLASS	40000338	1	●
Assembly				
	GRID AND VALVE D460 FE COMPLETE	Z5 60034	1	○
	HOSE HOLDER KIT	40000856	1	○
Other				
	DISCHARGE KIT MS2-S3-T30S	4056000468	1	○
	KIT MECANICAL FLOAT S3B SS	4056000519	1	○
	TRIM BASKET KIT D460 L100	40000915	1	○
Bag				
	PACKAGE OF 5 BAGS D460 LDPE	4084001017	1	○
Option				
	CICLONE ESTRAIBILE D460 FE COMPLETO	Z5 60109	1	○

Endless power for endless possibilities

Models 3707 and 3707/10 are really powerful and can collect high quantities of heavy materials.

Excellent suction performances, wide filtering area, metal construction, 175 liters container, accessory box, mobile and ergonomic: what else would you need from an i-vac? Thanks to its 5,5 kW power, model 3707 is perfect for heavy duty tasks, moreover model 3707/10 supplies 7,5 kW power, the most powerful of its category!

- M class and H class filters
- big container easy to empty
- Electric filter shaker as option



Picture shown may not represent model quoted

• Standard equipment

Included accessories	Ref. no.	Min. required	3707	3707 AD	3707 C
Filter					
STAR FILTER 560 M	Z8 17246	1			

• Standard equipment

Included accessories	Ref. no.	Min. required	3707/10NJ60	3707/10NJ50	3707/10
Filter					
STAR FILTER 560 M	Z8 17246	1			

• Standard equipment

Included accessories	Ref. no.	Min. required	3707/10 C	3707/10 SE	3707/10 5PP
Filter					
STAR FILTER 560 M	Z8 17246	1			

• Standard equipment

Included accessories	Ref. no.	Min. required	3707 5PP	3707/10 SE FM	3707 FM 5PP
Filter					
STAR FILTER 560 M	Z8 17246	1			



Endless power for endless possibilities

● Standard equipment

Included accessories		Ref. no.	Min. required	3707/10 FN	3707/10 C SC MS
Filter					
	STAR FILTER 560 M	Z8 17246	1		

Model	3707	3707 AD	3707 C
Ref. no.	4030700000	4030700008	4030700011

PRODUCT FEATURES

Electrical filter shaker			
Cartridge filter incl. jet clean system with timer			●
Manual filter shaker	●	●	●
Star triangle starting	●	●	●
Inversor switch	●	●	●
Relief valve	●	●	●
L class filter	●	●	●
M class filter			
Cyclone plate			
5 pin plug			
Purge jet system			●
Hepa Downstream Filtration		●	
Vacuum Gauge (Filter Surveillance)	●	●	●
Automatic stopping for liquids			
Solid control			

Model	3707/10NJ60	3707/10NJ50	3707/10
Ref. no.	4030700026	4030700027	4030700034

PRODUCT FEATURES

Electrical filter shaker			
Cartridge filter incl. jet clean system with timer			
Manual filter shaker	●	●	●
Star triangle starting	●	●	●
Inversor switch	●	●	●
Relief valve	●	●	●
L class filter	●	●	●
M class filter			
Cyclone plate			
5 pin plug			



Endless power for endless possibilities

Model	3707/10NJ60	3707/10NJ50	3707/10
Ref. no.	4030700026	4030700027	4030700034

PRODUCT FEATURES

Purge jet system			
Hepa Downstream Filtration			
Vacuum Gauge (Filter Surveillance)	•	•	•
Automatic stopping for liquids			
Solid control			

Model	3707/10 C	3707/10 SE	3707/10 5PP
Ref. no.	4030700061	4030700072	4030700225

PRODUCT FEATURES

Electrical filter shaker		•	
Cartridge filter incl. jet clean system with timer	•		
Manual filter shaker	•		•
Star triangle starting	•	•	•
Inversor switch	•	•	•
Relief valve	•	•	•
L class filter		•	•
M class filter	•		
Cyclone plate			
5 pin plug			•
Purge jet system	•		
Hepa Downstream Filtration			
Vacuum Gauge (Filter Surveillance)	•	•	•
Automatic stopping for liquids			
Solid control			

Model	3707 5PP	3707/10 SE FM	3707 FM 5PP
Ref. no.	4030700227	4030700271	4030700285

PRODUCT FEATURES

Electrical filter shaker		•	
Cartridge filter incl. jet clean system with timer			
Manual filter shaker	•	•	•
Star triangle starting	•	•	•
Inversor switch	•	•	•
Relief valve	•	•	•



Endless power for endless possibilities

Model	3707 5PP	3707/10 SE FM	3707 FM 5PP
Ref. no.	4030700227	4030700271	4030700285

PRODUCT FEATURES

L class filter	•		
M class filter		•	•
Cyclone plate			
5 pin plug	•		•
Purge jet system			
Hepa Downstream Filtration			
Vacuum Gauge (Filter Surveillance)	•	•	•
Automatic stopping for liquids			
Solid control			

Model	3707/10 FN	3707/10 C SC MS
Ref. no.	4030700423	4030700695

PRODUCT FEATURES

Electrical filter shaker			
Cartridge filter incl. jet clean system with timer			•
Manual filter shaker		•	
Star triangle starting		•	•
Inversor switch			•
Relief valve		•	•
L class filter			
M class filter			•
Cyclone plate			
5 pin plug			
Purge jet system			•
Hepa Downstream Filtration			
Vacuum Gauge (Filter Surveillance)		•	•
Automatic stopping for liquids			
Solid control			•



Endless power for endless possibilities

Technical specifications	3707	3707 AD	3707 C
Voltage (V)	230/400	230/400	230/400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	5.5	5.5	5.5
Airflow without hose (m³/h - l/m)	486 - 8100	486 - 8100	486 - 8100
Max. vacuum (kPa - mbar)	36 - 360	36 - 360	36 - 360
Sound pressure level (dB(A))	78	78	78
Container capacity (l)	175	175	175
Main filter type	L CLASS POLYESTER	L CLASS POLYESTER	L CLASS POLYESTER
Main filter area (cm²)	35000	35000	70000
Inlet (mm)	100	100	100
Length x width x height (mm)	1600x800x1810	1600x800x1810	1600x800x1810
Weight (kg)	291	291	291

Technical specifications	3707/10NJ60	3707/10NJ50	3707/10
Voltage (V)	200	200	230/400
Frequency (Hz)	60	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	8.7	7.5	7.5
Airflow without hose (m³/h - l/m)	900 - 15000	750 - 12500	810 - 13500
Max. vacuum (kPa - mbar)	20 - 200	24 - 240	25 - 250
Sound pressure level (dB(A))	78	78	78
Container capacity (l)	175	175	175
Main filter type	L CLASS POLYESTER	L CLASS POLYESTER	L CLASS POLYESTER
Main filter area (cm²)	35000	35000	35000
Inlet (mm)	100	100	100
Length x width x height (mm)	1600x800x1810	1600x800x1810	1600x800x1810
Weight (kg)	305	305	305



Endless power for endless possibilities

Technical specifications	3707/10 C	3707/10 SE	3707/10 5PP
Voltage (V)	230/400	230/400	230/400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	7.5	7.5	7.5
Airflow without hose (m³/h - l/m)	810 - 13500	810 - 13500	810 - 13500
Max. vacuum (kPa - mbar)	25 - 250	25 - 250	25 - 250
Sound pressure level (dB(A))	78	78	78
Container capacity (l)	175	175	175
Main filter type	L CLASS POLYESTER	L CLASS POLYESTER	L CLASS POLYESTER
Main filter area (cm²)	70000	35000	35000
Inlet (mm)	100	100	100
Length x width x height (mm)	1600x800x1810	1600x800x1810	1600x800x1810
Weight (kg)	305	305	305

Technical specifications	3707 5PP	3707/10 SE FM	3707 FM 5PP
Voltage (V)	230/400	230/400	230/400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	5.5	7.5	5.5
Airflow without hose (m³/h - l/m)	486 - 8100	810 - 13500	486 - 8100
Max. vacuum (kPa - mbar)	36 - 360	25 - 250	36 - 360
Sound pressure level (dB(A))	78	78	78
Container capacity (l)	175	175	175
Main filter type	L CLASS POLYESTER	L CLASS POLYESTER	L CLASS POLYESTER
Main filter area (cm²)	35000	35000	35000
Inlet (mm)	100	100	100
Length x width x height (mm)	1600x800x1810	1600x800x1810	1600x800x1810
Weight (kg)	291	305	291



Endless power for endless possibilities

Technical specifications	3707/10 FN	3707/10 C SC MS
Voltage (V)	230/400	230/400
Frequency (Hz)	50	50
IP protection class	55	55
Insulation class	F	F
Rated power (kW)	7.5	7.5
Airflow without hose (m³/h - l/m)	810 - 13500	810 - 13500
Max. vacuum (kPa - mbar)	25 - 250	25 - 250
Sound pressure level (dB(A))	78	78
Container capacity (l)	175	175
Main filter type	L CLASS POLYESTER	L CLASS POLYESTER
Main filter area (cm²)	35000	70000
Inlet (mm)	100	100
Length x width x height (mm)	1600x800x1810	1600x800x1810
Weight (kg)	305	305

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Endless power for endless possibilities

The series 3707 / 10 ATEX are the right I-Vacs for the industries who have to work in potentially explosive atmospheres.

This vac offers high performances while still being extremely manoeuvrable and versatile. It mounts a Threephase Side Channel Blower that guarantees a silent and continuous running. The suction unit is controlled by an electrical equipment with a star-triangle starting as standard, housed in the rear casing. It gets a large Stainless Steel container and an Antistatic Star filter in "L" class as standard.

- Reliable 3 Phase
- aluminium casting
- induction motor directly driven to the fan
- Maintenance-free
- Continuous use
- Very high performance levels
- Large Primary Antistatic
- L Class Star Filter
- Efficient filter cleaning system
- Vacuum gauge
- Removable and very capacious stainless steel bin
- Watertight
- Control panel with Star-Triangle starting
- Highly manoeuvrable
- ATEX Versions (Directives 94/9/EC and 99/92/EC)

● Standard equipment

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Picture shown may not represent model quoted



15 HP power and reliability, for heavy industries

15 HP power and ATEX certified for use in explosion-proof areas, that is 3907 series by Nilfisk-CFM.

Powerful and strong industrial vacuums suitable for heavy duty and continuous use thanks also to the wide filtering area and the great container capacity. No need for maintenance and excellent performances in collecting high quantities of heavy materials, they are perfect for heavy industries such as foundries, cement or steel plants and so on. Special filters for the recovery of toxic dust or of hot substances available. What else can you request to an I-Vac?

- Manual or electric filter shaker
- Extractible container
- Easy to move
- No need for maintenance



Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	3907	3907W	3907W SE
Filter						
	STAR FILTER 360 NOMEX	Z8 17146	1			
	STAR FILTER 560 POLYESTER	Z8 17081	1	•	•	

• Standard equipment

Included accessories		Ref. no.	Min. required	3907W 5PP
Filter				
	STAR FILTER 360 NOMEX	Z8 17146	1	
	STAR FILTER 560 POLYESTER	Z8 17081	1	

Model	3907	3907W	3907W SE
Ref. no.	4030700096	4030700160	4030700178

PRODUCT FEATURES

Electrical filter shaker			•
Manual filter shaker	•	•	
Star triangle starting	•	•	•
Inversor switch	•	•	•
Relief valve	•	•	•
L class filter	•	•	•
M class filter			
5 pin plug			



15 HP power and reliability, for heavy industries

Model	3907	3907W	3907W SE
Ref. no.	4030700096	4030700160	4030700178

PRODUCT FEATURES

Purge jet system			
Vacuum Gauge (Filter Surveillance)	•	•	•

Model	3907W 5PP
Ref. no.	4030700231

PRODUCT FEATURES

Electrical filter shaker	
Manual filter shaker	•
Star triangle starting	•
Inversor switch	•
Relief valve	•
L class filter	
M class filter	•
5 pin plug	•
Purge jet system	
Vacuum Gauge (Filter Surveillance)	•

Technical specifications	3907	3907W	3907W SE
Voltage (V)	230/400	230/400	230/400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	11	11	11
Airflow without hose (m³/h - l/m)	504 - 8400	918 - 15300	918 - 15300
Max. vacuum (kPa - mbar)	43 - 430	30 - 300	30 - 300
Sound pressure level at 1.5 m (dB(A) ISO 3744)	78	78	78
Container capacity (l)	175	175	175
Main filter type	L CLASS POLYESTER	L CLASS POLYESTER	L CLASS POLYESTER
Main filter area (cm²)	35000	35000	35000
Inlet (mm)	100	100	100
Length x width x height (mm)	1600x800x1810	1600x800x1810	1600x800x1810
Weight (kg)	411	324	324



15 HP power and reliability, for heavy industries

Technical specifications

3907W 5PP



Voltage (V)	230/400
Frequency (Hz)	50
IP protection class	55
Insulation class	F
Rated power (kW)	11
Airflow without hose (m³/h - l/m)	918 - 15300
Max. vacuum (kPa - mbar)	30 - 300
Sound pressure level at 1.5 m (dB(A) ISO 3744)	78
Container capacity (l)	175
Main filter type	L CLASS POLYESTER
Main filter area (cm²)	35000
Inlet (mm)	100
Length x width x height (mm)	1600x800x1810
Weight (kg)	324

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	3907	3907W	3907W SE
Hose Vacuum Cleaner						
	ANT.ANTIOIL HOSE D50 MT5	Z7 24179	1	○	○	
	ANT.ANTIOIL HOSE D70 5MT	Z7 24180	1	○	○	
	F_TUBE D50 ATOXIC ANTISTATIC IN METERS	Z7 24029	1	○	○	
	F_TUBE D70 ATOXIC ANTISTATIC IN METERS	Z7 24030	1	○	○	
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1	○	○	
	SLEEVE D50 PVC	Z7 23023	1	○	○	



15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907	3907W	3907W SE
	SLEEVE D50 RUBBER	Z7 20002	1	○	○	
	SLEEVE D50ANTISTAT.RUBBER COMPONENT ATEX	40000219	1	○	○	
	SLEEVE D70 RUBBER	Z7 20003	1	○	○	
	SLEEVE D70ANTISTAT.RUBBER COMPONENT ATEX	Z7 20310	1	○	○	
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1	○	○	
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	1	○	○	
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1	○	○	
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○	○	
	TUBE D70 RUBBER MT.3	Z7 24001	1	○	○	
	TUBE D100 AIR IN METERS	Z7 24027	1	○	○	
	TUBE POLYURETHAN D100 IN METER IN METERS	Z7 24113	1	○	○	
Other						





15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907	3907W	3907W SE
	BRACKET EMPTYING BELT D560 COMPLETE	Z5 36076	1	○	○	
	DEPRESSOR GRID D560 FE COMPLETE	Z5 60039	1	○	○	
	DEPRESSOR GRID D560 INOX COMPLETE	Z5 60043	1	○	○	
	EMPTYING BELT D560 COMPLETE	Z5 36075	1	○	○	
	EXTRACT CYCLONE D560 FE COMPLETE BIG	Z5 60110	1	○	○	
	EXTRACT.CYCLONE D560 INOX COMPLETE BIG	Z5 60111	1	○	○	
	GRID AND VALVE D560 FE COMPLETE	Z5 60035	1	○	○	
	GRID AND VALVE D560 INOX COMPLETE	Z5 60037	1	○	○	
	TILTING DISCH. D560 FE COMPLETE SHEET	Z5 60274	1	○	○	
Assembly						
	KIT CARTRIDGES D560 FE MOD.3707-3907	Z5 60078	1	○	○	
	KIT CARTRIDGES D560 INOX MOD.3707-3907	Z5 60114	1	○	○	
	KIT ELECT.FILTER SHAKERD560	Z5 60081	1	○	○	
	KIT LEVEL CHECK 3707 COMPLETE	Z5 60156	1	○	○	
Vacuum Hose and Connection						
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	
	BENT CONNECTION D50/70 FE	Z7 22153	1	○	○	
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	
	CONNECTION JOINT D100 FE	Z7 21041	1	○	○	
	CONNECTION TUBE D100 FE	Z7 21040	1	○	○	
	CONNECTION TUBE REG. D100 FE COMPLETE	Z7 22144	1	○	○	

15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907	3907W	3907W SE
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1	○	○	
	REDUCER D100/50 ZINC PLT.	Z7 22126	1	○	○	
	REDUCER D100/70 ZINC PLT.	Z7 22125	1	○	○	
	REDUCER REGULATION D100/50 COMPLETE	Z7 22165	1	○	○	
	REDUCER REGULATION D100/70 COMPLETE	Z7 22163	1	○	○	
Cone Nozzle						
	CONIC END D50/20 COMPLETE	Z7 22141	1	○	○	
	CONIC TUBE D50 RUBBER	Z7 21010	1	○	○	
	CONIC TUBE D70 RUBBER	Z7 21009	1	○	○	
Crevice Nozzle						
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1	○	○	
	FLAT LANCE D50 FE WITH INTERN.RIM	Z7 21074	1	○	○	
	FLAT LANCE D50 MM500 PVC	Z7 24013	1	○	○	

15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907	3907W	3907W SE
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1	○	○	
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1	○	○	
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	
	LANCE D70 ALUMINIUM+HANDLES COMPLETE	Z7 22169	1	○	○	
	LANCE D100 ALUMINIUM+HANDLES COMPLETE	Z7 22190	1	○	○	
	SCRAPING SUCKER D50 FE	Z7 22034	1	○	○	
	SCRAPING SUCKER D70 MM 200	Z7 22090	1	○	○	
	SUCKER MM120 ANTISTAT. RUBBER COMPONENT	Z7 21080	1	○	○	
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○	○	
Extension Tube						
	EXTENS. X FURNACES D40 MT3 AL. COMPLETE	Z7 22036	1	○	○	



15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907	3907W	3907W SE
	EXTENS. X FURNACES D50 MT3 AL COMPLETE	Z7 22037	1	○	○	
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	
	EXTENSION X FURNACES D50 MT1 A COMPLETE	Z7 22271	1	○	○	
	EXTENSION X FURNACES D50 MT2 A COMPLETE	Z7 22268	1	○	○	
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○	○	
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	
	HANDGRIP D70 ALUMINIUM COMPLETE	Z7 22091	1	○	○	
	NOZZLE FLUIDISED D50	ZA7210024	1	○	○	
	NOZZLE FLUIDISED D70	ZA7210026	1	○	○	
	NOZZLE FLUIDISED D100	ZA7210019	1	○	○	

15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907	3907W	3907W SE
	TELESCOPIC PROBE TUBE D50 FE	Z7 22054	1	○	○	
	TELESCOPIC PROBE TUBE D70 FE	Z7 22055	1	○	○	
Vac Nozzle Wet						
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1	○	○	
Vac Nozzle Dry						
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1	○	○	
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1	○	○	
	BRUSH D50 MM300 30 COMPLE	Z7 22197	1	○	○	
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1	○	○	
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1	○	○	
	BRUSH D50 MM400 90 COMPLETE	Z7 22040	1	○	○	
	BRUSH D50 MM500 30 COMPLETE	Z7 22199	1	○	○	
	BRUSH D50 MM500 90 COMPLETE	Z7 22041	1	○	○	

15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907	3907W	3907W SE
	BRUSH D70 MM500 90 COMPLETE	Z7 22093	1	○	○	
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1	○	○	
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○	○	
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○	○	
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○	○	
	MOB.SUCKER STRIP D70 MM500 FE COMPLETE	Z7 22149	1	○	○	
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1	○	○	
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1	○	○	
	MOBILE SUCKER D70 MM500 FE COMPLETE	Z7 22092	1	○	○	
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1	○	○	
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1	○	○	
Round Brush Nozzle						
	BRUSH D70 MM300 90	Z7 22077	1	○	○	

15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907	3907W	3907W SE
	BRUSH D70 MM400 90	Z7 22078	1	○	○	
	BRUSHES CURRYCOMB D40 COMPLETE	Z7 22143	1	○	○	
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1	○	○	
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1	○	○	
Option						
	100LT PRE-SEPARATOR FOR HOT SUBSTANCES	ZS07IC22004	1	○	○	
	ACCESSORY FOR DRUMS ZINC.PLT.	Z7 22180	1	○	○	
	CAP FOR DRUMS D560 FE COMPLETE	Z7 22159	1	○	○	
	CAP W.SMALL CYCLONE 560 FE COMPLETE	Z7 22181	1	○	○	
	SEPARATOR D460 L100 D50 FE COMPLETE	Z7 22105	1	○	○	
	SEPARATOR D460 L100 D50 INOX COMPLETE	Z7 22107	1	○	○	
	SEPARATOR D560 L175 D50 FE COMPLETE	Z7 22108	1	○	○	
	SEPARATOR LT175 D70/50 INOX COMP +INOX	Z7 22290	1	○	○	
	TILT.SEPARATOR L400 FE COMPLETE	Z7 22158	1	○	○	
Hose and Connection						
	QUICK COUPLING D70 FE COMPLETE	Z7 22188	1	○	○	
	TIE D40-60	Z8 40040	1	○	○	
Filter						
	STAR FILTER 360 NOMEX	Z8 17146	1	○	○	
	STAR FILTER 560 M	Z8 17246	1	○	○	
	STAR FILTER 560 POLYESTER	Z8 17081	1	●	●	
	STAR FILTER 780 POLYESTER	Z8 17160	1	○	○	
Nozzle						
	NOZZLE FLUIDISED D80	ZA7210023	1	○	○	

15 HP power and reliability, for heavy industries

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment


Accessories		Ref. no.	Min. required	3907W 5PP
Hose Vacuum Cleaner				
	ANT.ANTIOIL HOSE D50 MT5	Z7 24179	1	○
	ANT.ANTIOIL HOSE D70 5MT	Z7 24180	1	○
	F_TUBE D50 ATOXIC ANTISTATIC IN METERS	Z7 24029	1	○
	F_TUBE D70 ATOXIC ANTISTATIC IN METERS	Z7 24030	1	○
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1	○
	SLEEVE D50 PVC	Z7 23023	1	○
	SLEEVE D50 RUBBER	Z7 20002	1	○
	SLEEVE D50ANTISTAT.RUBBER COMPONENT ATEX	40000219	1	○
	SLEEVE D70 RUBBER	Z7 20003	1	○
	SLEEVE D70ANTISTAT.RUBBER COMPONENT ATEX	Z7 20310	1	○
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1	○

15 HP power and reliability, for heavy industries



Accessories		Ref. no.	Min. required	3907W 5PP
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	1	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1	○
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○
	TUBE D70 RUBBER MT.3	Z7 24001	1	○
	TUBE D100 AIR IN METERS	Z7 24027	1	○
	TUBE POLYURETHAN D100 IN METER IN METERS	Z7 24113	1	○
Other				
	BRACKET EMPTYING BELT D560 COMPLETE	Z5 36076	1	○
	DEPRESSOR GRID D560 FE COMPLETE	Z5 60039	1	○
	DEPRESSOR GRID D560 INOX COMPLETE	Z5 60043	1	○
	EMPTYING BELT D560 COMPLETE	Z5 36075	1	○
	EXTRACT CYCLONE D560 FE COMPLETE BIG	Z5 60110	1	○
	EXTRACT.CYCLONE D560 INOX COMPLETE BIG	Z5 60111	1	○
	GRID AND VALVE D560 FE COMPLETE	Z5 60035	1	○
	GRID AND VALVE D560 INOX COMPLETE	Z5 60037	1	○
	TILTING DISCH. D560 FE COMPLETE SHEET	Z5 60274	1	○
Assembly				
	KIT CARTRIDGES D560 FE MOD.3707-3907	Z5 60078	1	○
	KIT CARTRIDGES D560 INOX MOD.3707-3907	Z5 60114	1	○
	KIT ELECT.FILTER SHAKERD560	Z5 60081	1	○
	KIT LEVEL CHECK 3707 COMPLETE	Z5 60156	1	○
Vacuum Hose and Connection				



15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907W 5PP
	BENT CONNECTION D50 FE	Z7 21012	1	○
	BENT CONNECTION D50/70 FE	Z7 22153	1	○
	BENT CONNECTION D70 FE	Z7 21032	1	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○
	CONNECTION JOINT D100 FE	Z7 21041	1	○
	CONNECTION TUBE D100 FE	Z7 21040	1	○
	CONNECTION TUBE REG. D100 FE COMPLETE	Z7 22144	1	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1	○
	REDUCER D100/50 ZINC PLT.	Z7 22126	1	○
	REDUCER D100/70 ZINC PLT.	Z7 22125	1	○
	REDUCER REGULATION D100/50 COMPLETE	Z7 22165	1	○
	REDUCER REGULATION D100/70 COMPLETE	Z7 22163	1	○
Cone Nozzle				

15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907W 5PP
	CONIC END D50/20 COMPLETE	Z7 22141	1	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○
	CONIC TUBE D70 RUBBER	Z7 21009	1	○
Crevice Nozzle				
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1	○
	FLAT LANCE D50 FE WITH INTERN.RIM	Z7 21074	1	○
	FLAT LANCE D50 MM500 PVC	Z7 24013	1	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1	○
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○
	LANCE D70 ALUMINIUM+HANDLES COMPLETE	Z7 22169	1	○

15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907W 5PP
	LANCE D100 ALUMINIUM+HANDLES COMPLETE	Z7 22190	1	○
	SCRAPING SUCKER D50 FE	Z7 22034	1	○
	SCRAPING SUCKER D70 MM 200	Z7 22090	1	○
	SUCKER MM120 ANTISTAT. RUBBER COMPONENT	Z7 21080	1	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○
Extension Tube				
	EXTENS. X FURNACES D40 MT3 AL. COMPLETE	Z7 22036	1	○
	EXTENS. X FURNACES D50 MT3 AL COMPLETE	Z7 22037	1	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○
	EXTENSION X FURNACES D50 MT1 A COMPLETE	Z7 22271	1	○
	EXTENSION X FURNACES D50 MT2 A COMPLETE	Z7 22268	1	○



15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907W 5PP
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○
	HANDGRIP D70 ALUMINIUM COMPLETE	Z7 22091	1	○
	NOZZLE FLUIDISED D50	ZA7210024	1	○
	NOZZLE FLUIDISED D70	ZA7210026	1	○
	NOZZLE FLUIDISED D100	ZA7210019	1	○
	TELESCOPIC PROBE TUBE D50 FE	Z7 22054	1	○
	TELESCOPIC PROBE TUBE D70 FE	Z7 22055	1	○
Vac Nozzle Wet				
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1	○
Vac Nozzle Dry				
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1	○

15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907W 5PP
	BRUSH D50 MM300 30 COMPLETE	Z7 22197	1	○
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1	○
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1	○
	BRUSH D50 MM400 90 COMPLETE	Z7 22040	1	○
	BRUSH D50 MM500 30 COMPLETE	Z7 22199	1	○
	BRUSH D50 MM500 90 COMPLETE	Z7 22041	1	○
	BRUSH D70 MM500 90 COMPLETE	Z7 22093	1	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○
	MOB.SUCKER STRIP D70 MM500 FE COMPLETE	Z7 22149	1	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1	○

15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907W 5PP
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1	○
	MOBILE SUCKER D70 MM500 FE COMPLETE	Z7 22092	1	○
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1	○
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1	○
Round Brush Nozzle				
	BRUSH D70 MM300 90	Z7 22077	1	○
	BRUSH D70 MM400 90	Z7 22078	1	○
	BRUSHES CURRYCOMB D40 COMPLETE	Z7 22143	1	○
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1	○
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1	○
Option				
	100LT PRE-SEPARATOR FOR HOT SUBSTANCES	ZS07IC22004	1	○
	ACCESSORY FOR DRUMS ZINC.PLT.	Z7 22180	1	○
	CAP FOR DRUMS D560 FE COMPLETE	Z7 22159	1	○
	CAP W.SMALL CYCLONE 560 FE COMPLETE	Z7 22181	1	○
	SEPARATOR D460 L100 D50 FE COMPLETE	Z7 22105	1	○
	SEPARATOR D460 L100 D50 INOX COMPLETE	Z7 22107	1	○
	SEPARATOR D560 L175 D50 FE COMPLETE	Z7 22108	1	○
	SEPARATOR LT175 D70/50 INOX COMP +INOX	Z7 22290	1	○
	TILT.SEPARATOR L400 FE COMPLETE	Z7 22158	1	○
Hose and Connection				



15 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907W 5PP
	QUICK COUPLING D70 FE COMPLETE	Z7 22188	1	○
	TIE D40-60	Z8 40040	1	○
Filter				
	STAR FILTER 360 NOMEK	Z8 17146	1	○
	STAR FILTER 560 M	Z8 17246	1	○
	STAR FILTER 560 POLYESTER	Z8 17081	1	○
	STAR FILTER 780 POLYESTER	Z8 17160	1	○
Nozzle				
	NOZZLE FLUIDISED D80	ZA7210023	1	○

18 HP power and reliability, for heavy industries

18 HP power and ATEX certified for use in explosion-proof areas, that is 3907 series by Nilfisk-CFM

Powerful and strong industrial vacuums suitable for heavy duty and continuous use thanks also to the wide filtering area and the great container capacity. No need for maintenance and excellent performances in collecting high quantities of heavy material they are perfect for heavy industries such as foundries, cement or steel plants and so on. Special filters for the recovery of toxic dust or of hot substances available. What else can you request to an I-Vac?

- Manual or electric filter shaker
- Extractable container
- Easy to move
- No need for maintenance



Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	3907/18	3907/18 C	3907/18 XXX
Filter						
	STAR FILTER 360 NOMEX	Z8 17146	1			
	STAR FILTER 560 POLYESTER	Z8 17081	1	•	•	•
	STAR FILTER 780 POLYESTER	Z8 17160	1			

• Standard equipment

Included accessories		Ref. no.	Min. required	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
Filter						
	STAR FILTER 360 NOMEX	Z8 17146	1			
	STAR FILTER 560 POLYESTER	Z8 17081	1	•		•
	STAR FILTER 780 POLYESTER	Z8 17160	1			

• Standard equipment

Included accessories		Ref. no.	Min. required	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
Filter					
	STAR FILTER 360 NOMEX	Z8 17146	1		
	STAR FILTER 560 POLYESTER	Z8 17081	1	•	•
	STAR FILTER 780 POLYESTER	Z8 17160	1		



18 HP power and reliability, for heavy industries

Model	3907/18	3907/18 C	3907/18 XXX
Ref. no.	4030700119	4030700134	4030700144

PRODUCT FEATURES

Electrical filter shaker	•		•
HEPA (H14) upstream filtration			
Star triangle starting	•	•	•
Inversor switch	•	•	•
Relief valve	•	•	•
L class filter	•		
M class filter		•	
Stainless steel container & filter chamber			
5 pin plug			
Purge jet system		•	
Hepa Downstream Filtration			
Vacuum Gauge (Filter Surveillance)	•	•	•
Plastic bag system			
Oversized filter chamber			

Model	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
Ref. no.	4030700157	4030700228	4030700232

PRODUCT FEATURES

Electrical filter shaker		•	•
HEPA (H14) upstream filtration			
Star triangle starting	•	•	•
Inversor switch	•	•	•
Relief valve	•	•	•
L class filter		•	
M class filter	•		•
Stainless steel container & filter chamber			
5 pin plug		•	•
Purge jet system	•		•
Hepa Downstream Filtration	•		
Vacuum Gauge (Filter Surveillance)	•	•	•
Plastic bag system			
Oversized filter chamber	•		



18 HP power and reliability, for heavy industries

Model	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
Ref. no.	4030700377	4030700703

PRODUCT FEATURES

Electrical filter shaker		
HEPA (H14) upstream filtration		•
Star triangle starting	•	•
Inversor switch	•	•
Relief valve	•	•
L class filter		
M class filter	•	•
Stainless steel container & filter chamber	•	
5 pin plug	•	•
Purge jet system	•	•
Hepa Downstream Filtration		
Vacuum Gauge (Filter Surveillance)	•	•
Plastic bag system		•
Oversized filter chamber		

Technical specifications	3907/18	3907/18 C	3907/18 XXX
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	13	13	13
Airflow without hose (m³/h - l/m)	1116 - 18600	1116 - 18.600	1116 - 18600
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level at 1.5 m (dB(A) ISO 3744)	78	78	78
Container capacity (l)	175	175	175
Main filter area (cm²)	50000	70000	50000
Inlet (mm)	100	100	100
Length x width x height (mm)	1600x800x1810	1600x800x2160	1600x800x1810
Weight (kg)	360	360	360



18 HP power and reliability, for heavy industries

Technical specifications	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	13	13	13
Airflow without hose (m³/h - l/m)	1116 - 18.600	1116 - 18600	1116 - 18.600
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level at 1.5 m (dB(A) ISO 3744)	78	78	78
Container capacity (l)	175	175	175
Main filter area (cm²)	11000	50000	70000
Inlet (mm)	100	100	100
Length x width x height (mm)	1600x800x2160	1600x800x1810	1600x800x2160
Weight (kg)	360	360	360

Technical specifications	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
Voltage (V)	400	400
Frequency (Hz)	50	50
IP protection class	55	55
Insulation class	F	F
Rated power (kW)	13	13
Airflow without hose (m³/h - l/m)	1116 - 18.600	1116 - 18.600
Max. vacuum (kPa - mbar)	30 - 300	30 - 300
Sound pressure level at 1.5 m (dB(A) ISO 3744)	78	78
Container capacity (l)	175	175
Main filter area (cm²)	70000	70000
Inlet (mm)	100	100
Length x width x height (mm)	1600x800x2160	1600x800x2160
Weight (kg)	360	360

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	3907/18	3907/18 C	3907/18 XXX
Hose Vacuum Cleaner					
	AIR HOSE D50MT15+SLEEVES	4072200472	0	○	○



18 HP power and reliability, for heavy industries

	Accessories	Ref. no.	Min. required	3907/18	3907/18 C	3907/18 XXX
	AIR HOSE D70 MT15+SLEEVES	4072200473	0	○	○	○
	ANT.ANTIOIL HOSE D50 MT5	Z7 24179	1	○	○	○
	ANT.ANTIOIL HOSE D70 5MT	Z7 24180	1	○	○	○
	ANT.POL BLACK HOSE D70 MT15+SLEEVES	4072200479	0	○	○	○
	F_TUBE D50 ATOXIC ANTISTATIC IN METERS	Z7 24029	1	○	○	○
	F_TUBE D70 ATOXIC ANTISTATIC IN METERS	Z7 24030	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT15+ SLEEVES	4072200481	0	○	○	○
	FLEX HOSE D50MT15+SLEEVES	4072200470	0	○	○	○
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1	○	○	○
	SLEEVE D50 PVC	Z7 23023	1	○	○	○
	SLEEVE D50 RUBBER	Z7 20002	1	○	○	○
	SLEEVE D50ANTISTAT.RUBBER COMPONENT ATEX	40000219	1	○	○	○

18 HP power and reliability, for heavy industries


Accessories		Ref. no.	Min. required	3907/18	3907/18 C	3907/18 XXX
	SLEEVE D70 RUBBER	Z7 20003	1	○	○	○
	SLEEVE D70ANTISTAT.RUBBER COMPONENT ATEX	Z7 20310	1	○	○	○
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1	○	○	○
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	1	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	○
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1	○	○	○
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○	○	○
	TUBE D70 RUBBER MT.3	Z7 24001	1	○	○	○
	TUBE D100 AIR IN METERS	Z7 24027	1	○	○	○
	TUBE POLYURETHAN D100 IN METER IN METERS	Z7 24113	1	○	○	○
Other						
	BRACKET EMPTYING BELT D560 COMPLETE	Z5 36076	1	○	○	○
	DEPRESSOR GRID D560 FE COMPLETE	Z5 60039	1	○	○	○
	DEPRESSOR GRID D560 INOX COMPLETE	Z5 60043	1	○	○	○
	EMPTYING BELT D560 COMPLETE	Z5 36075	1	○	○	○
	EXTRACT CYCLONE D560 FE COMPLETE BIG	Z5 60110	1	○	○	○
	EXTRACT.CYCLONE D560 INOX COMPLETE BIG	Z5 60111	1	○	○	○




18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18	3907/18 C	3907/18 XXX
	GRID AND VALVE D560 FE COMPLETE	Z5 60035	1	○	○	○
	GRID AND VALVE D560 INOX COMPLETE	Z5 60037	1	○	○	○
	TILTING DISCH. D560 FE COMPLETE SHEET	Z5 60274	1	○	○	○
Assembly						
	KIT CARTRIDGES D560 FE MOD.3707-3907	Z5 60078	1	○	○	○
	KIT CARTRIDGES D560 INOX MOD.3707-3907	Z5 60114	1	○	○	○
	KIT ELECT.FILTER SHAKERD560	Z5 60081	1	○	○	○
	KIT LEVEL CHECK 3707 COMPLETE	Z5 60156	1	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50/70 FE	Z7 22153	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D100 FE	Z7 21041	1	○	○	○
	CONNECTION TUBE D100 FE	Z7 21040	1	○	○	○
	CONNECTION TUBE REG. D100 FE COMPLETE	Z7 22144	1	○	○	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1	○	○	○
	REDUCER D100/50 ZINC PLT.	Z7 22126	1	○	○	○

18 HP power and reliability, for heavy industries



Accessories		Ref. no.	Min. required	3907/18	3907/18 C	3907/18 XXX
	REDUCER D100/70 ZINC PLT.	Z7 22125	1	○	○	○
	REDUCER REGULATION D100/50 COMPLETE	Z7 22165	1	○	○	○
	REDUCER REGULATION D100/70 COMPLETE	Z7 22163	1	○	○	○
Cone Nozzle						
	CONIC END D50/20 COMPLETE	Z7 22141	1	○	○	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○	○	○
	CONIC TUBE D70 RUBBER	Z7 21009	1	○	○	○
Crevice Nozzle						
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1	○	○	○
	FLAT LANCE D50 FE WITH INTERN.RIM	Z7 21074	1	○	○	○
	FLAT LANCE D50 MM500 PVC	Z7 24013	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○

18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18	3907/18 C	3907/18 XXX
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1	○	○	○
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	LANCE D70 ALUMINIUM+HANDLES COMPLETE	Z7 22169	1	○	○	○
	LANCE D100 ALUMINIUM+HANDLES COMPLETE	Z7 22190	1	○	○	○
	SCRAPING SUCKER D50 FE	Z7 22034	1	○	○	○
	SCRAPING SUCKER D70 MM 200	Z7 22090	1	○	○	○
	SUCKER MM120ANTISTAT.RUBBER COMPONENT	Z7 21080	1	○	○	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○	○	○
Extension Tube						
	EXTENS. X FURNACES D40 MT3 AL. COMPLETE	Z7 22036	1	○	○	○
	EXTENS. X FURNACES D50 MT3 AL COMPLETE	Z7 22037	1	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○



18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18	3907/18 C	3907/18 XXX
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○
	EXTENSION X FURNACES D50 MT1 A COMPLETE	Z7 22271	1	○	○	○
	EXTENSION X FURNACES D50 MT2 A COMPLETE	Z7 22268	1	○	○	○
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
	HANDGRIP D70 ALUMINIUM COMPLETE	Z7 22091	1	○	○	○
	NOZZLE FLUIDISED D50	ZA7210024	1	○	○	○
	NOZZLE FLUIDISED D70	ZA7210026	1	○	○	○
	NOZZLE FLUIDISED D100	ZA7210019	1	○	○	○
	TELESCOPIC PROBE TUBE D50 FE	Z7 22054	1	○	○	○
	TELESCOPIC PROBE TUBE D70 FE	Z7 22055	1	○	○	○
Vac Nozzle Wet						



18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18	3907/18 C	3907/18 XXX
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1	○	○	○
Vac Nozzle Dry						
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1	○	○	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1	○	○	○
	BRUSH D50 MM300 30 COMPLE	Z7 22197	1	○	○	○
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1	○	○	○
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1	○	○	○
	BRUSH D50 MM400 90 COMPLETE	Z7 22040	1	○	○	○
	BRUSH D50 MM500 30 COMPLETE	Z7 22199	1	○	○	○
	BRUSH D50 MM500 90 COMPLETE	Z7 22041	1	○	○	○
	BRUSH D70 MM500 90 COMPLETE	Z7 22093	1	○	○	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1	○	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○	○	○

18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18	3907/18 C	3907/18 XXX
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○	○	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○	○	○
	MOB.SUCKER STRIP D70 MM500 FE COMPLETE	Z7 22149	1	○	○	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1	○	○	○
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1	○	○	○
	MOBILE SUCKER D70 MM500 FE COMPLETE	Z7 22092	1	○	○	○
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1	○	○	○
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1	○	○	○
Round Brush Nozzle						
	BRUSH D70 MM300 90	Z7 22077	1	○	○	○
	BRUSH D70 MM400 90	Z7 22078	1	○	○	○
	BRUSHES CURRYCOMB D40 COMPLETE	Z7 22143	1	○	○	○
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1	○	○	○
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1	○	○	○
Option						



18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18	3907/18 C	3907/18 XXX
	100LT PRE-SEPARATOR FOR HOT SUBSTANCES	ZS07IC22004	1	○	○	○
	ACCESSORY FOR DRUMS ZINC.PLT.	Z7 22180	1	○	○	○
	CAP FOR DRUMS D560 FE COMPLETE	Z7 22159	1	○	○	○
	CAP W.SMALL CYCLONE 560 FE COMPLETE	Z7 22181	1	○	○	○
	SEPARATOR D460 L100 D50 FE COMPLETE	Z7 22105	1	○	○	○
	SEPARATOR D460 L100 D50 INOX COMPLETE	Z7 22107	1	○	○	○
	SEPARATOR D560 L175 D50 FE COMPLETE	Z7 22108	1	○	○	○
	SEPARATOR LT175 D70/50 INOX COMP +INOX	Z7 22290	1	○	○	○
	TILT.SEPARATOR L400 FE COMPLETE	Z7 22158	1	○	○	○
Hose and Connection						
	QUICK COUPLING D70 FE COMPLETE	Z7 22188	1	○	○	○
	TIE D40-60	Z8 40040	1	○	○	○
Filter						
	STAR FILTER 360 NOMEX	Z8 17146	1	○	○	○
	STAR FILTER 560 M	Z8 17246	1	○	○	○
	STAR FILTER 560 POLYESTER	Z8 17081	1	●	●	●
	STAR FILTER 780 POLYESTER	Z8 17160	1	○	○	○
Nozzle						
	NOZZLE FLUIDISED D80	ZA7210023	1	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
Hose Vacuum Cleaner						
	AIR HOSE D50MT15+SLEEVES	4072200472	0	○	○	○
	AIR HOSE D70 MT15+SLEEVES	4072200473	0	○	○	○
	ANT.ANTIOIL HOSE D50 MT5	Z7 24179	1	○	○	○



18 HP power and reliability, for heavy industries

	Accessories	Ref. no.	Min. required	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
	ANT.ANTIOIL HOSE D70 5MT	Z7 24180	1	○	○	○
	ANT.POL BLACK HOSE D70 MT15+SLEEVES	4072200479	0	○	○	○
	F_TUBE D50 ATOXIC ANTISTATIC IN METERS	Z7 24029	1	○	○	○
	F_TUBE D70 ATOXIC ANTISTATIC IN METERS	Z7 24030	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT15+ SLEEVES	4072200481	0	○	○	○
	FLEX HOSE D50MT15+SLEEVES	4072200470	0	○	○	○
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1	○	○	○
	SLEEVE D50 PVC	Z7 23023	1	○	○	○
	SLEEVE D50 RUBBER	Z7 20002	1	○	○	○
	SLEEVE D50ANTISTAT.RUBBER COMPONENT ATEX	40000219	1	○	○	○
	SLEEVE D70 RUBBER	Z7 20003	1	○	○	○
	SLEEVE D70ANTISTAT.RUBBER COMPONENT ATEX	Z7 20310	1	○	○	○

18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1	○	○	○
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	1	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	○
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1	○	○	○
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○	○	○
	TUBE D70 RUBBER MT.3	Z7 24001	1	○	○	○
	TUBE D100 AIR IN METERS	Z7 24027	1	○	○	○
	TUBE POLYURETHAN D100 IN METER IN METERS	Z7 24113	1	○	○	○
Other						
	BRACKET EMPTYING BELT D560 COMPLETE	Z5 36076	1	○	○	○
	DEPRESSOR GRID D560 FE COMPLETE	Z5 60039	1	○	○	○
	DEPRESSOR GRID D560 INOX COMPLETE	Z5 60043	1	○	○	○
	EMPTYING BELT D560 COMPLETE	Z5 36075	1	○	○	○
	EXTRACT CYCLONE D560 FE COMPLETE BIG	Z5 60110	1	○	○	○
	EXTRACT.CYCLONE D560 INOX COMPLETE BIG	Z5 60111	1	○	○	○
	GRID AND VALVE D560 FE COMPLETE	Z5 60035	1	○	○	○
	GRID AND VALVE D560 INOX COMPLETE	Z5 60037	1	○	○	○
	TILTING DISCH. D560 FE COMPLETE SHEET	Z5 60274	1	○	○	○
Assembly						
	KIT CARTRIDGES D560 FE MOD.3707-3907	Z5 60078	1	○	○	○
	KIT CARTRIDGES D560 INOX MOD.3707-3907	Z5 60114	1	○	○	○



18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
	KIT ELECT.FILTER SHAKERD560	Z5 60081	1	○	○	○
	KIT LEVEL CHECK 3707 COMPLETE	Z5 60156	1	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50/70 FE	Z7 22153	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D100 FE	Z7 21041	1	○	○	○
	CONNECTION TUBE D100 FE	Z7 21040	1	○	○	○
	CONNECTION TUBE REG. D100 FE COMPLETE	Z7 22144	1	○	○	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1	○	○	○
	REDUCER D100/50 ZINC PLT.	Z7 22126	1	○	○	○
	REDUCER D100/70 ZINC PLT.	Z7 22125	1	○	○	○
	REDUCER REGULATION D100/50 COMPLETE	Z7 22165	1	○	○	○

18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
	REDUCER REGULATION D100/70 COMPLETE	Z7 22163	1	○	○	○
Cone Nozzle						
	CONIC END D50/20 COMPLETE	Z7 22141	1	○	○	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○	○	○
	CONIC TUBE D70 RUBBER	Z7 21009	1	○	○	○
Crevice Nozzle						
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1	○	○	○
	FLAT LANCE D50 FE WITH INTERN.RIM	Z7 21074	1	○	○	○
	FLAT LANCE D50 MM500 PVC	Z7 24013	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1	○	○	○
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1	○	○	○

18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	LANCE D70 ALUMINIUM+HANDLES COMPLETE	Z7 22169	1	○	○	○
	LANCE D100 ALUMINIUM+HANDLES COMPLETE	Z7 22190	1	○	○	○
	SCRAPING SUCKER D50 FE	Z7 22034	1	○	○	○
	SCRAPING SUCKER D70 MM 200	Z7 22090	1	○	○	○
	SUCKER MM120ANTISTAT.RUBBER COMPONENT	Z7 21080	1	○	○	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○	○	○
Extension Tube						
	EXTENS. X FURNACES D40 MT3 AL. COMPLETE	Z7 22036	1	○	○	○
	EXTENS. X FURNACES D50 MT3 AL COMPLETE	Z7 22037	1	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○



18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
	EXTENSION X FURNACES D50 MT1 A COMPLETE	Z7 22271	1	○	○	○
	EXTENSION X FURNACES D50 MT2 A COMPLETE	Z7 22268	1	○	○	○
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
	HANDGRIP D70 ALUMINIUM COMPLETE	Z7 22091	1	○	○	○
	NOZZLE FLUIDISED D50	ZA7210024	1	○	○	○
	NOZZLE FLUIDISED D70	ZA7210026	1	○	○	○
	NOZZLE FLUIDISED D100	ZA7210019	1	○	○	○
	TELESCOPIC PROBE TUBE D50 FE	Z7 22054	1	○	○	○
	TELESCOPIC PROBE TUBE D70 FE	Z7 22055	1	○	○	○
Vac Nozzle Wet						
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1	○	○	○
Vac Nozzle Dry						

18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1	○	○	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1	○	○	○
	BRUSH D50 MM300 30 COMPLE	Z7 22197	1	○	○	○
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1	○	○	○
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1	○	○	○
	BRUSH D50 MM400 90 COMPLETE	Z7 22040	1	○	○	○
	BRUSH D50 MM500 30 COMPLETE	Z7 22199	1	○	○	○
	BRUSH D50 MM500 90 COMPLETE	Z7 22041	1	○	○	○
	BRUSH D70 MM500 90 COMPLETE	Z7 22093	1	○	○	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1	○	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○	○	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○	○	○

18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○	○	○
	MOB.SUCKER STRIP D70 MM500 FE COMPLETE	Z7 22149	1	○	○	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1	○	○	○
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1	○	○	○
	MOBILE SUCKER D70 MM500 FE COMPLETE	Z7 22092	1	○	○	○
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1	○	○	○
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1	○	○	○
Round Brush Nozzle						
	BRUSH D70 MM300 90	Z7 22077	1	○	○	○
	BRUSH D70 MM400 90	Z7 22078	1	○	○	○
	BRUSHES CURRYCOMB D40 COMPLETE	Z7 22143	1	○	○	○
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1	○	○	○
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1	○	○	○
Option						
	100LT PRE-SEPARATOR FOR HOT SUBSTANCES	ZS07IC22004	1	○	○	○
	ACCESSORY FOR DRUMS ZINC.PLT.	Z7 22180	1	○	○	○
	CAP FOR DRUMS D560 FE COMPLETE	Z7 22159	1	○	○	○



18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C 780 AD	3907/18 5PP	3907/18 C 5PP
	CAP W.SMALL CYCLONE 560 FE COMPLETE	Z7 22181	1	○	○	○
	SEPARATOR D460 L100 D50 FE COMPLETE	Z7 22105	1	○	○	○
	SEPARATOR D460 L100 D50 INOX COMPLETE	Z7 22107	1	○	○	○
	SEPARATOR D560 L175 D50 FE COMPLETE	Z7 22108	1	○	○	○
	SEPARATOR LT175 D70/50 INOX COMP +INOX	Z7 22290	1	○	○	○
	TILT.SEPARATOR L400 FE COMPLETE	Z7 22158	1	○	○	○
Hose and Connection						
	QUICK COUPLING D70 FE COMPLETE	Z7 22188	1	○	○	○
	TIE D40-60	Z8 40040	1	○	○	○
Filter						
	STAR FILTER 360 NOMEX	Z8 17146	1	○	○	○
	STAR FILTER 560 M	Z8 17246	1	○	○	○
	STAR FILTER 560 POLYESTER	Z8 17081	1	●	○	●
	STAR FILTER 780 POLYESTER	Z8 17160	1	○	○	○
Nozzle						
	NOZZLE FLUIDISED D80	ZA7210023	1	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
Hose Vacuum Cleaner					
	AIR HOSE D50MT15+SLEEVES	4072200472	0	○	○
	AIR HOSE D70 MT15+SLEEVES	4072200473	0	○	○
	ANT.ANTIOIL HOSE D50 MT5	Z7 24179	1	○	○
	ANT.ANTIOIL HOSE D70 5MT	Z7 24180	1	○	○



18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
	ANT.POL BLACK HOSE D70 MT15+SLEEVES	4072200479	0	○	○
	F_TUBE D50 ATOXIC ANTISTATIC IN METERS	Z7 24029	1	○	○
	F_TUBE D70 ATOXIC ANTISTATIC IN METERS	Z7 24030	1	○	○
	FLEX CONDUCTIVE HOSE D50 MT15+ SLEEVES	4072200481	0	○	○
	FLEX HOSE D50MT15+SLEEVES	4072200470	0	○	○
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1	○	○
	SLEEVE D50 PVC	Z7 23023	1	○	○
	SLEEVE D50 RUBBER	Z7 20002	1	○	○
	SLEEVE D50ANTISTAT.RUBBER COMPONENT ATEX	40000219	1	○	○
	SLEEVE D70 RUBBER	Z7 20003	1	○	○
	SLEEVE D70ANTISTAT.RUBBER COMPONENT ATEX	Z7 20310	1	○	○
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1	○	○

18 HP power and reliability, for heavy industries



Accessories		Ref. no.	Min. required	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	1	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1	○	○
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○	○
	TUBE D70 RUBBER MT.3	Z7 24001	1	○	○
	TUBE D100 AIR IN METERS	Z7 24027	1	○	○
	TUBE POLYURETHAN D100 IN METER IN METERS	Z7 24113	1	○	○
Other					
	BRACKET EMPTYING BELT D560 COMPLETE	Z5 36076	1	○	○
	DEPRESSOR GRID D560 FE COMPLETE	Z5 60039	1	○	○
	DEPRESSOR GRID D560 INOX COMPLETE	Z5 60043	1	○	○
	EMPTYING BELT D560 COMPLETE	Z5 36075	1	○	○
	EXTRACT CYCLONE D560 FE COMPLETE BIG	Z5 60110	1	○	○
	EXTRACT.CYCLONE D560 INOX COMPLETE BIG	Z5 60111	1	○	○
	GRID AND VALVE D560 FE COMPLETE	Z5 60035	1	○	○
	GRID AND VALVE D560 INOX COMPLETE	Z5 60037	1	○	○
	TILTING DISCH. D560 FE COMPLETE SHEET	Z5 60274	1	○	○
Assembly					
	KIT CARTRIDGES D560 FE MOD.3707-3907	Z5 60078	1	○	○
	KIT CARTRIDGES D560 INOX MOD.3707-3907	Z5 60114	1	○	○
	KIT ELECT.FILTER SHAKERD560	Z5 60081	1	○	○
	KIT LEVEL CHECK 3707 COMPLETE	Z5 60156	1	○	○
Vacuum Hose and Connection					



18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
	BENT CONNECTION D50 FE	Z7 21012	1	○	○
	BENT CONNECTION D50/70 FE	Z7 22153	1	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○
	CONNECTION JOINT D100 FE	Z7 21041	1	○	○
	CONNECTION TUBE D100 FE	Z7 21040	1	○	○
	CONNECTION TUBE REG. D100 FE COMPLETE	Z7 22144	1	○	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1	○	○
	REDUCER D100/50 ZINC PLT.	Z7 22126	1	○	○
	REDUCER D100/70 ZINC PLT.	Z7 22125	1	○	○
	REDUCER REGULATION D100/50 COMPLETE	Z7 22165	1	○	○
	REDUCER REGULATION D100/70 COMPLETE	Z7 22163	1	○	○
Cone Nozzle					

18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
	CONIC END D50/20 COMPLETE	Z7 22141	1	○	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○	○
	CONIC TUBE D70 RUBBER	Z7 21009	1	○	○
Crevice Nozzle					
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1	○	○
	FLAT LANCE D50 FE WITH INTERN.RIM	Z7 21074	1	○	○
	FLAT LANCE D50 MM500 PVC	Z7 24013	1	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1	○	○
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○
	LANCE D70 ALUMINIUM+HANDLES COMPLETE	Z7 22169	1	○	○

18 HP power and reliability, for heavy industries


Accessories		Ref. no.	Min. required	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
	LANCE D100 ALUMINIUM+HANDLES COMPLETE	Z7 22190	1	○	○
	SCRAPING SUCKER D50 FE	Z7 22034	1	○	○
	SCRAPING SUCKER D70 MM 200	Z7 22090	1	○	○
	SUCKER MM120 ANTISTAT. RUBBER COMPONENT	Z7 21080	1	○	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○	○
Extension Tube					
	EXTENS. X FURNACES D40 MT3 AL. COMPLETE	Z7 22036	1	○	○
	EXTENS. X FURNACES D50 MT3 AL COMPLETE	Z7 22037	1	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○
	EXTENSION X FURNACES D50 MT1 A COMPLETE	Z7 22271	1	○	○
	EXTENSION X FURNACES D50 MT2 A COMPLETE	Z7 22268	1	○	○



18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○
	HANDGRIP D70 ALUMINIUM COMPLETE	Z7 22091	1	○	○
	NOZZLE FLUIDISED D50	ZA7210024	1	○	○
	NOZZLE FLUIDISED D70	ZA7210026	1	○	○
	NOZZLE FLUIDISED D100	ZA7210019	1	○	○
	TELESCOPIC PROBE TUBE D50 FE	Z7 22054	1	○	○
	TELESCOPIC PROBE TUBE D70 FE	Z7 22055	1	○	○
Vac Nozzle Wet					
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1	○	○
Vac Nozzle Dry					
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1	○	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1	○	○

18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
	BRUSH D50 MM300 30 COMPLETE	Z7 22197	1	○	○
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1	○	○
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1	○	○
	BRUSH D50 MM400 90 COMPLETE	Z7 22040	1	○	○
	BRUSH D50 MM500 30 COMPLETE	Z7 22199	1	○	○
	BRUSH D50 MM500 90 COMPLETE	Z7 22041	1	○	○
	BRUSH D70 MM500 90 COMPLETE	Z7 22093	1	○	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○	○
	MOB.SUCKER STRIP D70 MM500 FE COMPLETE	Z7 22149	1	○	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1	○	○

18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1	○	○
	MOBILE SUCKER D70 MM500 FE COMPLETE	Z7 22092	1	○	○
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1	○	○
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1	○	○
Round Brush Nozzle					
	BRUSH D70 MM300 90	Z7 22077	1	○	○
	BRUSH D70 MM400 90	Z7 22078	1	○	○
	BRUSHES CURRYCOMB D40 COMPLETE	Z7 22143	1	○	○
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1	○	○
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1	○	○
Option					
	100LT PRE-SEPARATOR FOR HOT SUBSTANCES	ZS07IC22004	1	○	○
	ACCESSORY FOR DRUMS ZINC.PLT.	Z7 22180	1	○	○
	CAP FOR DRUMS D560 FE COMPLETE	Z7 22159	1	○	○
	CAP W.SMALL CYCLONE 560 FE COMPLETE	Z7 22181	1	○	○
	SEPARATOR D460 L100 D50 FE COMPLETE	Z7 22105	1	○	○
	SEPARATOR D460 L100 D50 INOX COMPLETE	Z7 22107	1	○	○
	SEPARATOR D560 L175 D50 FE COMPLETE	Z7 22108	1	○	○
	SEPARATOR LT175 D70/50 INOX COMP +INOX	Z7 22290	1	○	○
	TILT.SEPARATOR L400 FE COMPLETE	Z7 22158	1	○	○
Hose and Connection					



18 HP power and reliability, for heavy industries

Accessories		Ref. no.	Min. required	3907/18 C XX 5PP	3907/18 C AU PBS 5PP
	QUICK COUPLING D70 FE COMPLETE	Z7 22188	1	○	○
	TIE D40-60	Z8 40040	1	○	○
Filter					
	STAR FILTER 360 NOMEX	Z8 17146	1	○	○
	STAR FILTER 560 M	Z8 17246	1	○	○
	STAR FILTER 560 POLYESTER	Z8 17081	1	●	●
	STAR FILTER 780 POLYESTER	Z8 17160	1	○	○
Nozzle					
	NOZZLE FLUIDISED D80	ZA7210023	1	○	○

First class power

The most powerful "mobile" Nilfisk-CFM industrial vacuum, featuring 30 HP and up to 36000 l/m airflow
Designed for heavy duty and continuous use, it doesn't need any maintenance and grants an excellent filtering efficiency thanks also to the electric filter shaker. Despite its size, it is very easy to move and to use: the vacuumeter monitors the filter, the container is easily extractable, the control panel includes on-off switches, timer and manometer. This vacuum is also equipped with lifting brackets or clamp and brackets and it mounts a comfortable accessory box.

- High suction power
- Excellent filtering efficiency
- Maintenance free
- Easy to use
- Absolute filter version
- "L", "M", "H", or PTFE filter Stainless steel version



Picture shown may not represent model quoted

• Standard equipment

• Standard equipment

Model	3997	3997 C	3997W
Ref. no.	4031000004	4031000011	4031000016

PRODUCT FEATURES

Electrical filter shaker	•		•
Star triangle starting	•	•	•
Inversor switch	•	•	•
Relief valve	•	•	•
L class filter	•		•
M class filter		•	
Purge jet system		•	
Vacuum Gauge (Filter Surveillance)	•	•	•

Model	3997W AD	3997W C
Ref. no.	4031000018	4031000021

PRODUCT FEATURES

Electrical filter shaker	•	•
Star triangle starting	•	•
Inversor switch	•	•
Relief valve	•	•



First class power

Model	3997W AD	3997W C
Ref. no.	4031000018	4031000021

PRODUCT FEATURES

L class filter		
M class filter		
Purge jet system		•
Vacuum Gauge (Filter Surveillance)	•	•



Technical specifications	3997	3997 C	3997W
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	20	20	20
Airflow without hose (m³/h - l/m)	1116 - 18600	1116 - 18600	2160 - 36000
Max. vacuum (kPa - mbar)	44 - 440	44 - 440	25 - 250
Sound pressure level at 1.5 m (dB(A) ISO 3744)	79	79	78
Container capacity (l)	175	175	175
Main filter area (cm²)	66000	110000	66000
Inlet (mm)	100	120	100
Length x width x height (mm)	2000x900x2150	2000x900x2150	2000x900x2150
Weight (kg)	650	697	650

Technical specifications	3997W AD	3997W C
Voltage (V)	400	400
Frequency (Hz)	50	50
IP protection class	55	55
Insulation class	F	F
Rated power (kW)	20	20
Airflow without hose (m³/h - l/m)	2160 - 36000	2160 - 36000
Max. vacuum (kPa - mbar)	25 - 250	25 - 250
Sound pressure level at 1.5 m (dB(A) ISO 3744)	78	78
Container capacity (l)	175	175
Main filter area (cm²)	66000	98000
Inlet (mm)	100	120
Length x width x height (mm)	2000x900x2150	2000x900x2150
Weight (kg)	650	697



First class power

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment


Accessories		Ref. no.	Min. required	3997	3997 C	3997W
Hose Vacuum Cleaner						
	ANT.ANTIOIL HOSE D50 MT5	Z7 24179	1	○		
	ANT.ANTIOIL HOSE D70 5MT	Z7 24180	1	○		
	F_TUBE D50 ATOXIC ANTISTATIC IN METERS	Z7 24029	1	○		
	F_TUBE D70 ATOXIC ANTISTATIC IN METERS	Z7 24030	1	○		
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1	○		
	SLEEVE D50 PVC	Z7 23023	1	○		
	SLEEVE D50 RUBBER	Z7 20002	1	○		
	SLEEVE D50ANTISTAT.RUBBER COMPONENT ATEX	40000219	1	○		
	SLEEVE D70 RUBBER	Z7 20003	1	○		
	SLEEVE D70ANTISTAT.RUBBER COMPONENT ATEX	Z7 20310	1	○		
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1	○		

First class power


Accessories		Ref. no.	Min. required	3997	3997 C	3997W
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	1	○		
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○		
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1	○		
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○		
	TUBE D70 RUBBER MT.3	Z7 24001	1	○		
	TUBE D100 AIR IN METERS	Z7 24027	1	○		
	TUBE POLYURETHAN D100 IN METER IN METERS	Z7 24113	1	○		
Other						
	BRACKET EMPTYING BELT D560 COMPLETE	Z5 36076	1	○		
	DEPRESSOR GRID D560 FE COMPLETE	Z5 60039	1	○		
	DEPRESSOR GRID D560 INOX COMPLETE	Z5 60043	1	○		
	EMPTYING BELT D560 COMPLETE	Z5 36075	1	○		
	EXTRACT CYCLONE D560 FE COMPLETE BIG	Z5 60110	1	○		
	EXTRACT.CYCLONE D560 INOX COMPLETE BIG	Z5 60111	1	○		
	GRID AND VALVE D560 FE COMPLETE	Z5 60035	1	○		
	GRID AND VALVE D560 INOX COMPLETE	Z5 60037	1	○		
	TILTING DISCH. D560 FE COMPLETE SHEET	Z5 60274	1	○		
Assembly						
	KIT CARTRIDGES D560 FE MOD.3707-3907	Z5 60078	1	○		
	KIT CARTRIDGES D560 INOX MOD.3707-3907	Z5 60114	1	○		
	KIT ELECT.FILTER SHAKERD560	Z5 60081	1	○		
	KIT LEVEL CHECK 3707 COMPLETE	Z5 60156	1	○		
Vacuum Hose and Connection						



First class power

Accessories		Ref. no.	Min. required	3997	3997 C	3997W
	BENT CONNECTION D50 FE	Z7 21012	1	○		
	BENT CONNECTION D50/70 FE	Z7 22153	1	○		
	BENT CONNECTION D70 FE	Z7 21032	1	○		
	CONNECTION JOINT D50 FE	Z7 21002	1	○		
	CONNECTION JOINT D70 FE	Z7 21000	1	○		
	CONNECTION JOINT D100 FE	Z7 21041	1	○		
	CONNECTION TUBE D100 FE	Z7 21040	1	○		
	CONNECTION TUBE REG. D100 FE COMPLETE	Z7 22144	1	○		
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1	○		
	REDUCER D100/50 ZINC PLT.	Z7 22126	1	○		
	REDUCER D100/70 ZINC PLT.	Z7 22125	1	○		
	REDUCER REGULATION D100/50 COMPLETE	Z7 22165	1	○		
	REDUCER REGULATION D100/70 COMPLETE	Z7 22163	1	○		
Cone Nozzle						

First class power

Accessories		Ref. no.	Min. required	3997	3997 C	3997W
	CONIC END D50/20 COMPLETE	Z7 22141	1	○		
	CONIC TUBE D50 RUBBER	Z7 21010	1	○		
	CONIC TUBE D70 RUBBER	Z7 21009	1	○		
Crevice Nozzle						
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1	○		
	FLAT LANCE D50 FE WITH INTERN.RIM	Z7 21074	1	○		
	FLAT LANCE D50 MM500 PVC	Z7 24013	1	○		
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○		
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○		
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1	○		
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1	○		
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○		
	LANCE D70 ALUMINIUM+HANDLES COMPLETE	Z7 22169	1	○		

First class power

Accessories		Ref. no.	Min. required	3997	3997 C	3997W
	LANCE D100 ALUMINIUM+HANDLES COMPLETE	Z7 22190	1	○		
	SCRAPING SUCKER D50 FE	Z7 22034	1	○		
	SCRAPING SUCKER D70 MM 200	Z7 22090	1	○		
	SUCKER MM120 ANTISTAT. RUBBER COMPONENT	Z7 21080	1	○		
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○		
Extension Tube						
	EXTENS. X FURNACES D40 MT3 AL. COMPLETE	Z7 22036	1	○		
	EXTENS. X FURNACES D50 MT3 AL COMPLETE	Z7 22037	1	○		
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○		
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○		
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○		
	EXTENSION X FURNACES D50 MT1 A COMPLETE	Z7 22271	1	○		
	EXTENSION X FURNACES D50 MT2 A COMPLETE	Z7 22268	1	○		

First class power

Accessories		Ref. no.	Min. required	3997	3997 C	3997W
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○		
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○		
	HANDGRIP D70 ALUMINIUM COMPLETE	Z7 22091	1	○		
	NOZZLE FLUIDISED D50	ZA7210024	1	○		
	NOZZLE FLUIDISED D70	ZA7210026	1	○		
	NOZZLE FLUIDISED D100	ZA7210019	1	○		
	TELESCOPIC PROBE TUBE D50 FE	Z7 22054	1	○		
	TELESCOPIC PROBE TUBE D70 FE	Z7 22055	1	○		
Vac Nozzle Wet						
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1	○		
Vac Nozzle Dry						
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1	○		
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1	○		

First class power

Accessories		Ref. no.	Min. required	3997	3997 C	3997W
	BRUSH D50 MM300 30 COMPLETE	Z7 22197	1	○		
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1	○		
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1	○		
	BRUSH D50 MM400 90 COMPLETE	Z7 22040	1	○		
	BRUSH D50 MM500 30 COMPLETE	Z7 22199	1	○		
	BRUSH D50 MM500 90 COMPLETE	Z7 22041	1	○		
	BRUSH D70 MM500 90 COMPLETE	Z7 22093	1	○		
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1	○		
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○		
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○		
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○		
	MOB.SUCKER STRIP D70 MM500 FE COMPLETE	Z7 22149	1	○		
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1	○		

First class power

Accessories		Ref. no.	Min. required	3997	3997 C	3997W
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1	○		
	MOBILE SUCKER D70 MM500 FE COMPLETE	Z7 22092	1	○		
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1	○		
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1	○		
Round Brush Nozzle						
	BRUSH D70 MM300 90	Z7 22077	1	○		
	BRUSH D70 MM400 90	Z7 22078	1	○		
	BRUSHES CURRYCOMB D40 COMPLETE	Z7 22143	1	○		
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1	○		
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1	○		
Option						
	100LT PRE-SEPARATOR FOR HOT SUBSTANCES	ZS07IC22004	1	○		
	ACCESSORY FOR DRUMS ZINC.PLT.	Z7 22180	1	○		
	CAP FOR DRUMS D560 FE COMPLETE	Z7 22159	1	○		
	CAP W.SMALL CYCLONE 560 FE COMPLETE	Z7 22181	1	○		
	SEPARATOR D460 L100 D50 FE COMPLETE	Z7 22105	1	○		
	SEPARATOR D460 L100 D50 INOX COMPLETE	Z7 22107	1	○		
	SEPARATOR D560 L175 D50 FE COMPLETE	Z7 22108	1	○		
	SEPARATOR LT175 D70/50 INOX COMP +INOX	Z7 22290	1	○		
	TILT.SEPARATOR L400 FE COMPLETE	Z7 22158	1	○		
Hose and Connection						



First class power

Accessories		Ref. no.	Min. required	3997	3997 C	3997W
	QUICK COUPLING D70 FE COMPLETE	Z7 22188	1	○		
	TIE D40-60	Z8 40040	1	○		
Filter						
	STAR FILTER 560 M	Z8 17246	1	○		
	STAR FILTER 560 POLYESTER	Z8 17081	1	○		
Nozzle						
	NOZZLE FLUIDISED D80	ZA7210023	1	○		

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	3997W AD	3997W C
Hose Vacuum Cleaner					
	ANT.ANTIOIL HOSE D50 MT5	Z7 24179	1		
	ANT.ANTIOIL HOSE D70 5MT	Z7 24180	1		
	F_TUBE D50 ATOXIC ANTISTATIC IN METERS	Z7 24029	1		
	F_TUBE D70 ATOXIC ANTISTATIC IN METERS	Z7 24030	1		
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1		
	SLEEVE D50 PVC	Z7 23023	1		
	SLEEVE D50 RUBBER	Z7 20002	1		

First class power

Accessories		Ref. no.	Min. required	3997W AD	3997W C
	SLEEVE D50ANTISTAT.RUBBER COMPONENT ATEX	40000219	1		
	SLEEVE D70 RUBBER	Z7 20003	1		
	SLEEVE D70ANTISTAT.RUBBER COMPONENT ATEX	Z7 20310	1		
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1		
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	1		
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1		
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1		
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1		
	TUBE D70 RUBBER MT.3	Z7 24001	1		
	TUBE D100 AIR IN METERS	Z7 24027	1		
	TUBE POLYURETHAN D100 IN METER IN METERS	Z7 24113	1		
Other					
	BRACKET EMPTYING BELT D560 COMPLETE	Z5 36076	1		
	DEPRESSOR GRID D560 FE COMPLETE	Z5 60039	1		
	DEPRESSOR GRID D560 INOX COMPLETE	Z5 60043	1		



First class power

Accessories		Ref. no.	Min. required	3997W AD	3997W C
	EMPTYING BELT D560 COMPLETE	Z5 36075	1		
	EXTRACT CYCLONE D560 FE COMPLETE BIG	Z5 60110	1		
	EXTRACT.CYCLONE D560 INOX COMPLETE BIG	Z5 60111	1		
	GRID AND VALVE D560 FE COMPLETE	Z5 60035	1		
	GRID AND VALVE D560 INOX COMPLETE	Z5 60037	1		
	TILTING DISCH. D560 FE COMPLETE SHEET	Z5 60274	1		
Assembly					
	KIT CARTRIDGES D560 FE MOD.3707-3907	Z5 60078	1		
	KIT CARTRIDGES D560 INOX MOD.3707-3907	Z5 60114	1		
	KIT ELECT.FILTER SHAKERD560	Z5 60081	1		
	KIT LEVEL CHECK 3707 COMPLETE	Z5 60156	1		
Vacuum Hose and Connection					
	BENT CONNECTION D50 FE	Z7 21012	1		
	BENT CONNECTION D50/70 FE	Z7 22153	1		
	BENT CONNECTION D70 FE	Z7 21032	1		
	CONNECTION JOINT D50 FE	Z7 21002	1		
	CONNECTION JOINT D70 FE	Z7 21000	1		
	CONNECTION JOINT D100 FE	Z7 21041	1		
	CONNECTION TUBE D100 FE	Z7 21040	1		
	CONNECTION TUBE REG. D100 FE COMPLETE	Z7 22144	1		
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1		

First class power

Accessories		Ref. no.	Min. required	3997W AD	3997W C
	REDUCER D100/50 ZINC PLT.	Z7 22126	1		
	REDUCER D100/70 ZINC PLT.	Z7 22125	1		
	REDUCER REGULATION D100/50 COMPLETE	Z7 22165	1		
	REDUCER REGULATION D100/70 COMPLETE	Z7 22163	1		
Cone Nozzle					
	CONIC END D50/20 COMPLETE	Z7 22141	1		
	CONIC TUBE D50 RUBBER	Z7 21010	1		
	CONIC TUBE D70 RUBBER	Z7 21009	1		
Crevice Nozzle					
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1		
	FLAT LANCE D50 FE WITH INTERN.RIM	Z7 21074	1		
	FLAT LANCE D50 MM500 PVC	Z7 24013	1		
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1		

First class power

Accessories		Ref. no.	Min. required	3997W AD	3997W C
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1		
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1		
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1		
	FLAT LANCE FITTING D.50 FE	Z7 21075	1		
	LANCE D70 ALUMINIUM+HANDLES COMPLETE	Z7 22169	1		
	LANCE D100 ALUMINIUM+HANDLES COMPLETE	Z7 22190	1		
	SCRAPING SUCKER D50 FE	Z7 22034	1		
	SCRAPING SUCKER D70 MM 200	Z7 22090	1		
	SUCKER MM120ANTISTAT.RUBBER COMPONENT	Z7 21080	1		
	SUCKER RUBBER MM120 GREY	Z7 21030	1		
Extension Tube					
	EXTENS. X FURNACES D40 MT3 AL. COMPLETE	Z7 22036	1		
	EXTENS. X FURNACES D50 MT3 AL COMPLETE	Z7 22037	1		



First class power

Accessories		Ref. no.	Min. required	3997W AD	3997W C
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1		
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1		
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1		
	EXTENSION X FURNACES D50 MT1 A COMPLETE	Z7 22271	1		
	EXTENSION X FURNACES D50 MT2 A COMPLETE	Z7 22268	1		
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1		
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1		
	HANDGRIP D70 ALUMINIUM COMPLETE	Z7 22091	1		
	NOZZLE FLUIDISED D50	ZA7210024	1		
	NOZZLE FLUIDISED D70	ZA7210026	1		
	NOZZLE FLUIDISED D100	ZA7210019	1		
	TELESCOPIC PROBE TUBE D50 FE	Z7 22054	1		

First class power

Accessories		Ref. no.	Min. required	3997W AD	3997W C
	TELESCOPIC PROBE TUBE D70 FE	Z7 22055	1		
Vac Nozzle Wet					
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1		
Vac Nozzle Dry					
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1		
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1		
	BRUSH D50 MM300 30 COMPLE	Z7 22197	1		
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1		
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1		
	BRUSH D50 MM400 90 COMPLETE	Z7 22040	1		
	BRUSH D50 MM500 30 COMPLETE	Z7 22199	1		
	BRUSH D50 MM500 90 COMPLETE	Z7 22041	1		
	BRUSH D70 MM500 90 COMPLETE	Z7 22093	1		

First class power

Accessories		Ref. no.	Min. required	3997W AD	3997W C
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1		
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1		
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1		
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1		
	MOB.SUCKER STRIP D70 MM500 FE COMPLETE	Z7 22149	1		
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1		
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1		
	MOBILE SUCKER D70 MM500 FE COMPLETE	Z7 22092	1		
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1		
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1		
Round Brush Nozzle					
	BRUSH D70 MM300 90	Z7 22077	1		
	BRUSH D70 MM400 90	Z7 22078	1		
	BRUSHES CURRYCOMB D40 COMPLETE	Z7 22143	1		

First class power

Accessories		Ref. no.	Min. required	3997W AD	3997W C
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1		
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1		
Option					
	100LT PRE-SEPARATOR FOR HOT SUBSTANCES	ZS07IC22004	1		
	ACCESSORY FOR DRUMS ZINC.PLT.	Z7 22180	1		
	CAP FOR DRUMS D560 FE COMPLETE	Z7 22159	1		
	CAP W.SMALL CYCLONE 560 FE COMPLETE	Z7 22181	1		
	SEPARATOR D460 L100 D50 FE COMPLETE	Z7 22105	1		
	SEPARATOR D460 L100 D50 INOX COMPLETE	Z7 22107	1		
	SEPARATOR D560 L175 D50 FE COMPLETE	Z7 22108	1		
	SEPARATOR LT175 D70/50 INOX COMP +INOX	Z7 22290	1		
	TILT.SEPARATOR L400 FE COMPLETE	Z7 22158	1		
Hose and Connection					
	QUICK COUPLING D70 FE COMPLETE	Z7 22188	1		
	TIE D40-60	Z8 40040	1		
Filter					
	STAR FILTER 560 M	Z8 17246	1		
	STAR FILTER 560 POLYESTER	Z8 17081	1		
Nozzle					
	NOZZLE FLUIDISED D80	ZA7210023	1		

2,2 kW, tailored for metal production

Model T22 is a threephase industrial vacuum for wet and dry material. Thanks to the high performance, model T22 is the threephase industrial vacuum ideal for the metal companies. It can collect wet and dry material and can work continuously (24/7). T22 is equipped with a L class filter, but is also available with M class filter or with HEPA absolute filter for the collection of very fine or hazardous dust. Equipped with a manual filter shaker, the accessories box, the cable holder and the vacuometer that indicates to the operator when the filter has to becleaned in order to grant a constant top filtering efficiency.

- 2,2 kW side channel blower placed on the chassis
- 50 or 100 liters container
- Gravity unload system with paper bag or Longopac ("endless" bag)
- Silent
- Manual filter shaker
- L or M class filter
- Vacuometer
- Plug with inverter
- Container with castors and handle
- Accessory box, cable-holder and support for pipes



Picture shown may not represent model quoted

- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment

Model	T22 L50 5PP	T22 L50 PBS FMAT	T22 L50 V220 H50
Ref. no.	4030500383	4030500384	4030500385

PRODUCT FEATURES

Manual filter shaker	•	•	•
Switch motor protector	•	•	•
HEPA (H14) upstream filtration			
Relief valve	•	•	•
L class filter	•		•
M class filter		•	
Cyclone plate			
Grate and valve			
Gravity unload with plastic bag			
5 pin plug	•		
Plug with phase inverter	•	•	•
Plastic bag system		•	
Micro Switch for Remote Control			



2,2 kW, tailored for metal production

Model	T22 L50 5PP	T22 L50 PBS FMAT	T22 L50 V220 H50
Ref. no.	4030500383	4030500384	4030500385

PRODUCT FEATURES

PTFE cartridges
Solid control
Longopac® system

Model	T22 L50 AU	T22 L50 CC 5PP	T22 L100 AU
Ref. no.	4030500386	4030500387	4030500388

PRODUCT FEATURES

Manual filter shaker	•	•	•
Switch motor protector	•	•	•
HEPA (H14) upstream filtration	•		•
Relief valve	•	•	•
L class filter	•	•	•
M class filter			
Cyclone plate		•	
Grate and valve			
Gravity unload with plastic bag			
5 pin plug		•	
Plug with phase inverter	•	•	•
Plastic bag system			
Micro Switch for Remote Control			
PTFE cartridges			
Solid control			
Longopac® system			

Model	T22 L100 5PP	T22 L100	T22 L50
Ref. no.	4030500389	4030500390	4030500391

PRODUCT FEATURES

Manual filter shaker	•	•	•
Switch motor protector	•	•	•
HEPA (H14) upstream filtration			
Relief valve	•	•	•
L class filter	•	•	•
M class filter			
Cyclone plate			



2,2 kW, tailored for metal production

Model	T22 L100 5PP	T22 L100	T22 L50
Ref. no.	4030500389	4030500390	4030500391

PRODUCT FEATURES

Grate and valve

Gravity unload with plastic bag

5 pin plug

Plug with phase inverter

Plastic bag system

Micro Switch for Remote Control

PTFE cartridges

Solid control

Longopac® system

•

•

•

•

Model	T22NJ50/60 L100	T22 LP FM	T22 L100 RS
Ref. no.	4030500392	4030500433	4030500436

PRODUCT FEATURES

Manual filter shaker

Switch motor protector

HEPA (H14) upstream filtration

Relief valve

L class filter

M class filter

Cyclone plate

Grate and valve

Gravity unload with plastic bag

5 pin plug

Plug with phase inverter

Plastic bag system

Micro Switch for Remote Control

PTFE cartridges

Solid control

Longopac® system

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•



2,2 kW, tailored for metal production

Model	T22 L100 C	T22 L100 SC	T22 L100 GV CC
Ref. no.	4030500438	4030500440	4030500462

PRODUCT FEATURES

Manual filter shaker	•	•	•
Switch motor protector	•	•	•
HEPA (H14) upstream filtration			
Relief valve	•	•	•
L class filter	•	•	•
M class filter			
Cyclone plate			
Grate and valve			•
Gravity unload with plastic bag			
5 pin plug			
Plug with phase inverter	•	•	•
Plastic bag system			
Micro Switch for Remote Control			
PTFE cartridges	•		•
Solid control		•	
Longopac® system			

Technical specifications	T22 L50 5PP	T22 L50 PBS FMAT	T22 L50 V220 H50
Voltage (V)	400	400	220
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	2.2	2.2	2.2
Airflow without hose (m³/h - l/m)	315 - 5250	315 - 5250	315 - 5250
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level (dB(A))	68	68	68
Container capacity (l)	50	50	50
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1240	1130x600x1240	1130x600x1240
Weight (kg)	111	111	111
Gravity unload with plastic bag	-	-	-



2,2 kW, tailored for metal production

Technical specifications	T22 L50 AU	T22 L50 CC 5PP	T22 L100 AU
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	2.2	2.2	2.2
Airflow without hose (m³/h - l/m)	315 - 5250	315 - 5250	315 - 5250
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level (dB(A))	68	68	68
Container capacity (l)	50	50	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	35000	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1240	1130x600x1240	1130x600x1530
Weight (kg)	111	111	114
Gravity unload with plastic bag	-	-	-

Technical specifications	T22 L100 5PP	T22 L100	T22 L50
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	2.2	2.2	2.2
Airflow without hose (m³/h - l/m)	315 - 5250	315 - 5250	315 - 5250
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level (dB(A))	68	68	68
Container capacity (l)	100	100	50
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1530	1130x600x1240
Weight (kg)	114	114	111
Gravity unload with plastic bag	-	-	-



2,2 kW, tailored for metal production

Technical specifications	T22NJ50/60 L100	T22 LP FM	T22 L100 RS
Voltage (V)	200	400	400
Frequency (Hz)	50-60	50	50
IP protection class	55	55	55
Insulation class	F	F	I
Rated power (kW)	2.2 - 2.55	2.2	2.2
Airflow without hose (m³/h - l/m)	300-5000/360-6000	315 - 5250	315 - 5250
Max. vacuum (kPa - mbar)	21 - 210	30 - 300	21 - 210
Sound pressure level (dB(A))	68	68	68
Container capacity (l)	100	Longopac	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1530	1130x600x1530
Weight (kg)	114	114	114
Gravity unload with plastic bag	-	-	-

Technical specifications	T22 L100 C	T22 L100 SC	T22 L100 GV CC
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	F
Rated power (kW)	2.2	2.2	2.2
Airflow without hose (m³/h - l/m)	315 - 5250	315 - 5250	315 - 5250
Max. vacuum (kPa - mbar)	21 - 210	21 - 210	30 - 300
Sound pressure level (dB(A))	68	68	68
Container capacity (l)	100	100	100
Main filter type	Cartridges	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	52500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1530	1130x600x1530
Weight (kg)	142	114	114
Gravity unload with plastic bag	-	-	-



When power is essential

T30S is a 3 kW threephase industrial vacuum ideal for metal industries. It can collect wet and dry material and is available with 50 or 100 L extractable container. Several disposal systems such as plastic bag or Longopac ("endless bag") available.

The side channel motor placed on the bottom of the chassis make this vacuum really maneuverable and suitable to operate in tiny environments. Model T30S is available in 3 main versions: with 50 or 100 L container and with gravity unload system with plastic bag or Longopac ("endless bag"). This last model is also equipped with a M class main filter for the collection of very fine and hazardous dust.

- Gravity unload with plastic bag or Longopac version
- Compact and ergonomic
- 3 kW threephase side channel blower for continuous use
- L or M class filter versions
- Extractable container with castors and handle
- Manual filter shaker
- Accessories box, cable and hose holder



Picture shown may not represent model quoted

• Standard equipment

Included accessories	Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
Filter					
KIT STAR FILTER D460 L CLASS	40000338	1	•	•	•

• Standard equipment

Included accessories	Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
Filter					
KIT STAR FILTER D460 L CLASS	40000338	1	•	•	•

• Standard equipment

Included accessories	Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
Filter					
KIT STAR FILTER D460 L CLASS	40000338	1	•	•	•

Model	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
Ref. no.	4030600379	4030600380	4030600381

PRODUCT FEATURES

Manual filter shaker	•	•	•
Switch motor protector	•	•	•
Relief valve			•
L class filter		•	
M class filter	•		•



When power is essential

Model	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
Ref. no.	4030600379	4030600380	4030600381

PRODUCT FEATURES

Gravity unload with plastic bag

5 pin plug

Grid and valve

Plastic bag system

Longopac® system

•

Model	T30S L100 FM	T30S L100	T30S L50
Ref. no.	4030600382	4030600383	4030600384

PRODUCT FEATURES

Manual filter shaker

Switch motor protector

Relief valve

L class filter

M class filter

Gravity unload with plastic bag

5 pin plug

Grid and valve

Plastic bag system

Longopac® system

•

•

•

•

•

•

•

•

•

Model	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
Ref. no.	4030600385	4030600386	4030600387

PRODUCT FEATURES

Manual filter shaker

Switch motor protector

Relief valve

L class filter

M class filter

Gravity unload with plastic bag

5 pin plug

Grid and valve

Plastic bag system

Longopac® system

•

•

•

•

•

•

•

•

•

•

•



When power is essential

Technical specifications	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
Voltage (V)	400	400	220
Frequency (Hz)	50	50	60
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	3	3	3
Airflow without hose (m³/h - l/m)	350 - 5830	350 - 5830	350 - 5830
Max. vacuum (kPa - mbar)	31 - 310	31 - 310	31 - 310
Sound pressure level (dB(A))	70	70	70
Container capacity (l)	50	50	50
Main filter type	Polyester Star Filter "L" Class	Polyester Star Filter "L" Class	Polyester Star Filter "L" Class
Main filter area (cm²)	19500	19500	19500
Inlet (mm)	70	70	70
Length x width x height (mm)	600x980x1250	600x980x1250	600x980x1250
Weight (kg)	100	100	100

Technical specifications	T30S L100 FM	T30S L100	T30S L50
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	3	3	3
Airflow without hose (m³/h - l/m)	350 - 5830	350 - 5830	350 - 5830
Max. vacuum (kPa - mbar)	31 - 310	31 - 310	31 - 310
Sound pressure level (dB(A))	70	70	70
Container capacity (l)	100	100	50
Main filter type	Polyester Star Filter "L" Class	Polyester Star Filter "L" Class	Polyester Star Filter "L" Class
Main filter area (cm²)	19500	19500	19500
Inlet (mm)	70	70	70
Length x width x height (mm)	600x980x1530	600x980x1530	600x980x1250
Weight (kg)	103	103	100



When power is essential

Technical specifications	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
Voltage (V)	440	220	400
Frequency (Hz)	60	60	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	3	3	3
Airflow without hose (m³/h - l/m)	350 - 5830	350 - 5830	350 - 5830
Max. vacuum (kPa - mbar)	31 - 310	31 - 310	31 - 310
Sound pressure level (dB(A))	70	70	70
Container capacity (l)	100	100	Longopac
Main filter type	Polyester Star Filter "L" Class	Polyester Star Filter "L" Class	Polyester Star Filter "M" Class
Main filter area (cm²)	19500	19500	19500
Inlet (mm)	70	70	70
Length x width x height (mm)	600x980x1530	600x980x1530	600x980x1530
Weight (kg)	103	103	103

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
Filter						
	KIT STAR FILTER D460 L CLASS	40000338	1	●	●	●
	STAR FILTER KIT D460 M CLASS	40000492	1	○	○	○
Other						
	DISCHARGE KIT MS2-S3-T30S	4056000468	1	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	ANTIOIL KIT OF ACC D50 MACH+FLOOR	4072400195	1	○	○	○
	KIT AC.D50 EQUIPMENTS CLEANING	Z7 24156	1	○	○	○
	KIT AC.D50 INDUSTRIAL CLEANING	Z7 24151	1	○	○	○



When power is essential

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
	KIT ACC.D.50 GENERAL CLEANING	Z7 24146	1	○	○	○
Bag						
	PACKAGE OF 5 BAGS D460 LDPE	4084001017	1	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D40 FE	Z7 21013	1	○	○	○
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
	CONNECTION TUBE REG. D70 INOX COMPLETE	Z7 22222	1	○	○	○
	CONNECTION TUBE REGULAT. D70 COMPLETE	Z7 22113	1	○	○	○
	CONNECTION TUBE+REGULATION D50 COMPLETE	Z7 22058	1	○	○	○
	QUICK COUPLING D40 FE COMPLETE	Z7 22186	1	○	○	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1	○	○	○
	REDUCER D50/40 INOX	Z7 22223	1	○	○	○
	REDUCER D70/40 FE	Z7 22002	1	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○
	REDUCER REGULATION D70/50 COMPLETE	Z7 22162	1	○	○	○
	REDUCER REGULATION D.70/40 COMPLETE	Z7 22164	1	○	○	○
Cone Nozzle						
	CONIC END D40/50/20 COMPLETE	Z7 22142	1	○	○	○
	CONIC END D50/20 COMPLETE	Z7 22141	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
	CONIC TUBE D40 RUBBER	Z7 21011	1	○	○	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○	○	○
	CONIC TUBE D70 RUBBER	Z7 21009	1	○	○	○
Crevice Nozzle						
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1	○	○	○
	FLAT LANCE D40 MM500 PVC	Z7 24014	1	○	○	○
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50 MM500 PVC	Z7 24013	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE DIAL D40 FE COMP.DIAL NYLON	Z7 22088	1	○	○	○
	FLAT LANCE DIAL D40 FE COMPLETE DIAL	Z7 22024	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1	○	○	○
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	SCRAPING SUCKER D40 FE	Z7 22033	1	○	○	○
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 FE	Z7 22034	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○	○	○
Hose and Connection						
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION TUBE D40 INOX	Z7 22229	1	○	○	○
	G.REDUCER D70/40 INOX COMPLETE	Z7 22235	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REG.REDUCER D70/50 INOX COMPLETE	Z7 22236	1	○	○	○
	TIE D40-60	Z8 40040	1	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	EXTENS. X FURNACES D40 MT3 AL. COMPLETE	Z7 22036	1	○	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○	○	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
	HANDGRIP D40 ALUMINIUM COMPLETE	Z7 22026	1	○	○	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○	○	○
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
Vac Nozzle Wet						
	LIQ.SUCKER D40 MM500 FE COMPLETE	Z7 22168	1	○	○	○
	LIQ.SUCKER D50 MM500 FE COMPLETE	Z7 22167	1	○	○	○
	LIQUIDS SUCKER D40 MM400 FE COMPLETE	Z7 22028	1	○	○	○
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1	○	○	○
Vac Nozzle Dry						
	AUTOBUS SUCKER D50 200 AL. COMPLETE	Z7 22170	1	○	○	○
	BRUSH D40 MM220 30 COMPLETE	Z7 22193	1	○	○	○
	BRUSH D40 MM220 90 COMPLETE	Z7 22042	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
	BRUSH D40 MM300 30 COMPLETE	Z7 22194	1	○	○	○
	BRUSH D40 MM300 90 COMPLETE	Z7 22043	1	○	○	○
	BRUSH D40 MM400 30 COMPLETE	Z7 22195	1	○	○	○
	BRUSH D40 MM400 90 COMPLETE	Z7 22044	1	○	○	○
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1	○	○	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1	○	○	○
	BRUSH D50 MM300 30 COMPLE	Z7 22197	1	○	○	○
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1	○	○	○
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1	○	○	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1	○	○	○
	MOB.SUCKER STRIP D40 MM300 FE COMPLETE	Z7 22174	1	○	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○	○	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○	○	○
	MOBILE SUCKER D40 MM300 FE COMPLETE	Z7 22171	1	○	○	○
	MOBILE SUCKER D40 MM400 FE COMPLETE	Z7 22030	1	○	○	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1	○	○	○
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1	○	○	○
	SUCKER D40 MM400 ALUMINIUM	Z7 22031	1	○	○	○
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1	○	○	○
	SUCKER X FURNACES D40 MM400 FE COMPLETE	Z7 22272	1	○	○	○
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1	○	○	○
Round Brush Nozzle						
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1	○	○	○
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
Hose Vacuum Cleaner						
	AIR HOSE D40MT5+SLEEVES	Z7 22362	1	○	○	○
	AIR HOSE D50MT5+SLEEVES	Z7 22363	1	○	○	○
	AIR HOSE D70MT5+SLEEVES	Z7 22364	1	○	○	○
	FLEX HOSE D40MT5+SLEEVES	Z7 22360	1	○	○	○
	FLEX HOSE D50MT5+SLEEVES	Z7 22361	1	○	○	○
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1	○	○	○
	HOSED40 POLYURETHAN MT3+SLEEVE	Z7 22297	1	○	○	○
	POL HOSE D40 MT5+SLEEVES	Z7 22365	1	○	○	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1	○	○	○
	POL HOSE D70 MT5+SLEEVES	Z7 22367	1	○	○	○
	STEEL HOSE D70/D50 MT3 RED. AND FITTING	Z7 22379	1	○	○	○
	TUBE D40 AIR MT.3 + SLEEVES COMP.WITH	Z7 22049	1	○	○	○



When power is essential

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
	TUBE D40 FLEX MT.3+SLEEVES	Z7 22150	1	○	○	○
	TUBE D40 RUBBER MT.3	Z7 24005	1	○	○	○
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1	○	○	○
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	1	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	○
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1	○	○	○
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○	○	○
	TUBE D70 RUBBER MT.3	Z7 24001	1	○	○	○
Pipe Cleaner Nozzle						
	CURVED BRUSH FOR PIPES D40/100 FE COMPL	Z7 22132	1	○	○	○
	CURVED BRUSH FOR PIPES D50/100 FE COMPL	Z7 22131	1	○	○	○
Nozzle						
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L50 FM	T30S L50 5PP	T30S L50 FM V220 H60
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○	○	○
	PACK 10 STRIP MOBILE S. MM.400	Z8 23040	1	○	○	○
	PACK 10 STRIP MOBILE S. MM.500	Z8 23041	1	○	○	○
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment


Accessories		Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
Filter						
	KIT STAR FILTER D460 L CLASS	40000338	1	●	●	●
	STAR FILTER KIT D460 M CLASS	40000492	1	○	○	○
Other						
	DISCHARGE KIT MS2-S3-T30S	4056000468	1	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	ANTIOIL KIT OF ACC D50 MACH+FLOOR	4072400195	1	○	○	○
	KIT AC.D50 EQUIPMENTS CLEANING	Z7 24156	1	○	○	○
	KIT AC.D50 INDUSTRIAL CLEANING	Z7 24151	1	○	○	○
	KIT ACC.D.50 GENERAL CLEANING	Z7 24146	1	○	○	○
Bag						
	PACKAGE OF 5 BAGS D460 LDPE	4084001017	1	○	○	○
Vacuum Hose and Connection						



When power is essential

	Accessories	Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
	BENT CONNECTION D40 FE	Z7 21013	1	○	○	○
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	CONNECTION TUBE REG. D70 INOX COMPLETE	Z7 22222	1	○	○	○
	CONNECTION TUBE REGULAT. D70 COMPLETE	Z7 22113	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
	CONNECTION TUBE+REGULATION D50 COMPLETE	Z7 22058	1	○	○	○
	QUICK COUPLING D40 FE COMPLETE	Z7 22186	1	○	○	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1	○	○	○
	REDUCER D50/40 INOX	Z7 22223	1	○	○	○
	REDUCER D70/40 FE	Z7 22002	1	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○
	REDUCER REGULATION D70/50 COMPLETE	Z7 22162	1	○	○	○
	REDUCER REGULATION D.70/40 COMPLETE	Z7 22164	1	○	○	○
Cone Nozzle						
	CONIC END D40/50/20 COMPLETE	Z7 22142	1	○	○	○
	CONIC END D50/20 COMPLETE	Z7 22141	1	○	○	○
	CONIC TUBE D40 RUBBER	Z7 21011	1	○	○	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○	○	○




When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
	CONIC TUBE D70 RUBBER	Z7 21009	1	○	○	○
Crevice Nozzle						
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1	○	○	○
	FLAT LANCE D40 MM500 PVC	Z7 24014	1	○	○	○
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50 MM500 PVC	Z7 24013	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE DIAL D40 FE COMP.DIAL NYLON	Z7 22088	1	○	○	○
	FLAT LANCE DIAL D40 FE COMPLETE DIAL	Z7 22024	1	○	○	○
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1	○	○	○
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	SCRAPING SUCKER D40 FE	Z7 22033	1	○	○	○
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 FE	Z7 22034	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○	○	○
Hose and Connection						
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION TUBE D40 INOX	Z7 22229	1	○	○	○
	G.REDUCER D70/40 INOX COMPLETE	Z7 22235	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○


When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
	REG.REDUCER D70/50 INOX COMPLETE	Z7 22236	1	○	○	○
	TIE D40-60	Z8 40040	1	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	EXTENS. X FURNACES D40 MT3 AL. COMPLETE	Z7 22036	1	○	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○	○	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○
	HANDGRIP D40 ALUMINIUM COMPLETE	Z7 22026	1	○	○	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
Vac Nozzle Wet						
	LIQ. SUCKER D40 MM500 FE COMPLETE	Z7 22168	1	○	○	○
	LIQ. SUCKER D50 MM500 FE COMPLETE	Z7 22167	1	○	○	○
	LIQUIDS SUCKER D40 MM400 FE COMPLETE	Z7 22028	1	○	○	○
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1	○	○	○
Vac Nozzle Dry						
	AUTOBUS SUCKER D50 200 AL. COMPLETE	Z7 22170	1	○	○	○
	BRUSH D40 MM220 30 COMPLETE	Z7 22193	1	○	○	○
	BRUSH D40 MM220 90 COMPLETE	Z7 22042	1	○	○	○
	BRUSH D40 MM300 30 COMPLETE	Z7 22194	1	○	○	○
	BRUSH D40 MM300 90 COMPLETE	Z7 22043	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
	BRUSH D40 MM400 30 COMPLETE	Z7 22195	1	○	○	○
	BRUSH D40 MM400 90 COMPLETE	Z7 22044	1	○	○	○
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1	○	○	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1	○	○	○
	BRUSH D50 MM300 30 COMPLE	Z7 22197	1	○	○	○
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1	○	○	○
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1	○	○	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1	○	○	○
	MOB.SUCKER STRIP D40 MM300 FE COMPLETE	Z7 22174	1	○	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○	○	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○	○	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
	MOBILE SUCKER D40 MM300 FE COMPLETE	Z7 22171	1	○	○	○
	MOBILE SUCKER D40 MM400 FE COMPLETE	Z7 22030	1	○	○	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1	○	○	○
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1	○	○	○
	SUCKER D40 MM400 ALUMINIUM	Z7 22031	1	○	○	○
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1	○	○	○
	SUCKER X FURNACES D40 MM400 FE COMPLETE	Z7 22272	1	○	○	○
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1	○	○	○
Round Brush Nozzle						
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1	○	○	○
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1	○	○	○
Hose Vacuum Cleaner						
	AIR HOSE D40MT5+SLEEVES	Z7 22362	1	○	○	○

When power is essential

	Accessories	Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
	AIR HOSE D50MT5+SLEEVES	Z7 22363	1	○	○	○
	AIR HOSE D70MT5+SLEEVES	Z7 22364	1	○	○	○
	FLEX HOSE D40MT5+SLEEVES	Z7 22360	1	○	○	○
	FLEX HOSE D50MT5+SLEEVES	Z7 22361	1	○	○	○
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1	○	○	○
	HOSED40 POLYURETHAN MT3+SLEEVE	Z7 22297	1	○	○	○
	POL HOSE D40 MT5+SLEEVES	Z7 22365	1	○	○	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1	○	○	○
	POL HOSE D70 MT5+SLEEVES	Z7 22367	1	○	○	○
	STEEL HOSE D70/D50 MT3 RED. AND FITTING	Z7 22379	1	○	○	○
	TUBE D40 AIR MT.3 + SLEEVES COMP.WITH	Z7 22049	1	○	○	○
	TUBE D40 FLEX MT.3+SLEEVES	Z7 22150	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
	TUBE D40 RUBBER MT.3	Z7 24005	1	○	○	○
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1	○	○	○
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	1	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	○
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1	○	○	○
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○	○	○
	TUBE D70 RUBBER MT.3	Z7 24001	1	○	○	○
Pipe Cleaner Nozzle						
	CURVED BRUSH FOR PIPES D40/100 FE COMPL	Z7 22132	1	○	○	○
	CURVED BRUSH FOR PIPES D50/100 FE COMPL	Z7 22131	1	○	○	○
Nozzle						
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○	○	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○	○	○
	PACK 10 STRIP MOBILE S. MM.400	Z8 23040	1	○	○	○
	PACK 10 STRIP MOBILE S. MM.500	Z8 23041	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM	T30S L100	T30S L50
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
Filter						
	KIT STAR FILTER D460 L CLASS	40000338	1	●	●	●
	STAR FILTER KIT D460 M CLASS	40000492	1	○	○	○
Other						
	DISCHARGE KIT MS2-S3-T30S	4056000468	1	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	ANTIOIL KIT OF ACC D50 MACH+FLOOR	4072400195	1	○	○	○
	KIT AC.D50 EQUIPMENTS CLEANING	Z7 24156	1	○	○	○
	KIT AC.D50 INDUSTRIAL CLEANING	Z7 24151	1	○	○	○
	KIT ACC.D.50 GENERAL CLEANING	Z7 24146	1	○	○	○
Bag						
	PACKAGE OF 5 BAGS D460 LDPE	4084001017	1	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D40 FE	Z7 21013	1	○	○	○
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○

When power is essential

	Accessories	Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	CONNECTION TUBE REG. D70 INOX COMPLETE	Z7 22222	1	○	○	○
	CONNECTION TUBE REGULAT. D70 COMPLETE	Z7 22113	1	○	○	○
	CONNECTION TUBE+REGULATION D50 COMPLETE	Z7 22058	1	○	○	○
	QUICK COUPLING D40 FE COMPLETE	Z7 22186	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1	○	○	○
	REDUCER D50/40 INOX	Z7 22223	1	○	○	○
	REDUCER D70/40 FE	Z7 22002	1	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○
	REDUCER REGULATION D70/50 COMPLETE	Z7 22162	1	○	○	○
	REDUCER REGULATION D.70/40 COMPLETE	Z7 22164	1	○	○	○
Cone Nozzle						
	CONIC END D40/50/20 COMPLETE	Z7 22142	1	○	○	○
	CONIC END D50/20 COMPLETE	Z7 22141	1	○	○	○
	CONIC TUBE D40 RUBBER	Z7 21011	1	○	○	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○	○	○
	CONIC TUBE D70 RUBBER	Z7 21009	1	○	○	○
Crevice Nozzle						

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1	○	○	○
	FLAT LANCE D40 MM500 PVC	Z7 24014	1	○	○	○
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50 MM500 PVC	Z7 24013	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE DIAL D40 FE COMP.DIAL NYLON	Z7 22088	1	○	○	○
	FLAT LANCE DIAL D40 FE COMPLETE DIAL	Z7 22024	1	○	○	○
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1	○	○	○
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
	SCRAPING SUCKER D40 FE	Z7 22033	1	○	○	○
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 FE	Z7 22034	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○	○	○
Hose and Connection						
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION TUBE D40 INOX	Z7 22229	1	○	○	○
	G.REDUCER D70/40 INOX COMPLETE	Z7 22235	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REG.REDUCER D70/50 INOX COMPLETE	Z7 22236	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
	TIE D40-60	Z8 40040	1	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	EXTENS. X FURNACES D40 MT3 AL. COMPLETE	Z7 22036	1	○	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○	○	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○
	HANDGRIP D40 ALUMINIUM COMPLETE	Z7 22026	1	○	○	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○	○	○
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
Vac Nozzle Wet						
	LIQ.SUCKER D40 MM500 FE COMPLETE	Z7 22168	1	○	○	○
	LIQ.SUCKER D50 MM500 FE COMPLETE	Z7 22167	1	○	○	○
	LIQUIDS SUCKER D40 MM400 FE COMPLETE	Z7 22028	1	○	○	○
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1	○	○	○
Vac Nozzle Dry						
	AUTOBUS SUCKER D50 200 AL. COMPLETE	Z7 22170	1	○	○	○
	BRUSH D40 MM220 30 COMPLETE	Z7 22193	1	○	○	○
	BRUSH D40 MM220 90 COMPLETE	Z7 22042	1	○	○	○
	BRUSH D40 MM300 30 COMPLETE	Z7 22194	1	○	○	○
	BRUSH D40 MM300 90 COMPLETE	Z7 22043	1	○	○	○
	BRUSH D40 MM400 30 COMPLETE	Z7 22195	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
	BRUSH D40 MM400 90 COMPLETE	Z7 22044	1	○	○	○
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1	○	○	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1	○	○	○
	BRUSH D50 MM300 30 COMPLE	Z7 22197	1	○	○	○
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1	○	○	○
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1	○	○	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1	○	○	○
	MOB.SUCKER STRIP D40 MM300 FE COMPLETE	Z7 22174	1	○	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○	○	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○	○	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○	○	○
	MOBILE SUCKER D40 MM300 FE COMPLETE	Z7 22171	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
	MOBILE SUCKER D40 MM400 FE COMPLETE	Z7 22030	1	○	○	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1	○	○	○
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1	○	○	○
	SUCKER D40 MM400 ALUMINIUM	Z7 22031	1	○	○	○
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1	○	○	○
	SUCKER X FURNACES D40 MM400 FE COMPLETE	Z7 22272	1	○	○	○
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1	○	○	○
Round Brush Nozzle						
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1	○	○	○
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1	○	○	○
Hose Vacuum Cleaner						
	AIR HOSE D40MT5+SLEEVES	Z7 22362	1	○	○	○
	AIR HOSE D50MT5+SLEEVES	Z7 22363	1	○	○	○

When power is essential

	Accessories	Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
	AIR HOSE D70MT5+SLEEVES	Z7 22364	1	○	○	○
	FLEX HOSE D40MT5+SLEEVES	Z7 22360	1	○	○	○
	FLEX HOSE D50MT5+SLEEVES	Z7 22361	1	○	○	○
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1	○	○	○
	HOSED40 POLYURETHAN MT3+SLEEVE	Z7 22297	1	○	○	○
	POL HOSE D40 MT5+SLEEVES	Z7 22365	1	○	○	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1	○	○	○
	POL HOSE D70 MT5+SLEEVES	Z7 22367	1	○	○	○
	STEEL HOSE D70/D50 MT3 RED. AND FITTING	Z7 22379	1	○	○	○
	TUBE D40 AIR MT.3 + SLEEVES COMP.WITH	Z7 22049	1	○	○	○
	TUBE D40 FLEX MT.3+SLEEVES	Z7 22150	1	○	○	○
	TUBE D40 RUBBER MT.3	Z7 24005	1	○	○	○

When power is essential

Accessories		Ref. no.	Min. required	T30S L100 FM V440 H60	T30S L100 FM V220 H60	T30S LP FM
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1	○	○	○
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	1	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	○
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1	○	○	○
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○	○	○
	TUBE D70 RUBBER MT.3	Z7 24001	1	○	○	○
Pipe Cleaner Nozzle						
	CURVED BRUSH FOR PIPES D40/100 FE COMPL	Z7 22132	1	○	○	○
	CURVED BRUSH FOR PIPES D50/100 FE COMPL	Z7 22131	1	○	○	○
Nozzle						
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○	○	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○	○	○
	PACK 10 STRIP MOBILE S. MM.400	Z8 23040	1	○	○	○
	PACK 10 STRIP MOBILE S. MM.500	Z8 23041	1	○	○	○
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○	○	○

4 kW, great vacuum, tailored for metal production

Model T40 is a powerful threephase industrial vacuum. It offers great vacuum and is ideal to collect wet or dry heavy material. The version with liquid cut-off system is perfect for companies that have to collect chips mixed with oil and emulsions. The accessories box, the cable holder and the supports for the hoses make model T40 really ergonomic, making easier the daily work of the operator. Versions with cyclon plate or grid and valve available.

- 4 kW side channel blower placed on the chassis
- 50 or 100 liters container available
- Liquid cut-off system
- Gravity unload system with plastic bag or Longopac ("endless bag")
- Silent
- L or M class filter
- Manual filter shaker
- Vacuumeter
- Plug with inverter
- Accessories box, cable/hose holders
- Container with castors and handle



Picture shown may not represent model quoted

- Standard equipment
- Standard equipment
- Standard equipment

Model	T40 L100 L GV CC X	T40 L100 L GV CC 5PP	T40 L100 L GV CC
Ref. no.	4030500370	4030500372	4030500373

PRODUCT FEATURES

Manual filter shaker	•	•	•
Switch motor protector	•	•	•
100 l. bin	•	•	•
Relief valve	•	•	•
Automatic shut-off for liquid	•	•	•
L class filter	•	•	•
M class filter			
50 l. bin			
Cyclone plate	•	•	•
Grate and valve	•	•	•
Gravity unload with plastic bag			
5 pin plug		•	
Plug with phase inverter	•	•	



4 kW, great vacuum, tailored for metal production

Model	T40 L50 CC 5PP	T40 L50	T40 L100 CC 5PP
Ref. no.	4030500374	4030500375	4030500376

PRODUCT FEATURES

Manual filter shaker	•	•	•
Switch motor protector	•	•	•
100 l. bin			•
Relief valve	•	•	•
Automatic shut-off for liquid			
L class filter	•	•	•
M class filter			
50 l. bin	•	•	
Cyclone plate	•		•
Grate and valve			
Gravity unload with plastic bag			
5 pin plug	•		•
Plug with phase inverter	•	•	•

Model	T40 L100 CC	T40 L100 5PP	T40 L100
Ref. no.	4030500377	4030500378	4030500379

PRODUCT FEATURES

Manual filter shaker	•	•	•
Switch motor protector	•	•	•
100 l. bin	•	•	•
Relief valve	•	•	•
Automatic shut-off for liquid			
L class filter	•	•	•
M class filter			
50 l. bin			
Cyclone plate	•		
Grate and valve			
Gravity unload with plastic bag			
5 pin plug		•	
Plug with phase inverter	•	•	•



4 kW, great vacuum, tailored for metal production

Technical specifications	T40 L100 L GV CC X	T40 L100 L GV CC 5PP	T40 L100 L GV CC
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4.3	4.3	4.3
Airflow without hose (m³/h - l/m)	315 - 5250	315 - 5250	315 - 5250
Max. vacuum (kPa - mbar)	46 - 460	46 - 460	46 - 460
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	100	100	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1530	1130x600x1530
Weight (kg)	135	135	135

Technical specifications	T40 L50 CC 5PP	T40 L50	T40 L100 CC 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4.3	4.3	4.3
Airflow without hose (m³/h - l/m)	315 - 5250	315 - 5250	315 - 5250
Max. vacuum (kPa - mbar)	46 - 460	46 - 460	46 - 460
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	50	50	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1240	1130x600x1240	1130x600x1530
Weight (kg)	132	132	135

Technical specifications	T40 L100 CC	T40 L100 5PP	T40 L100
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4.3	4.3	4.3



4 kW, great vacuum, tailored for metal production

Technical specifications	T40 L100 CC	T40 L100 5PP	T40 L100
Airflow without hose (m³/h - l/m)	315 - 5250	315 - 5250	315 - 5250
Max. vacuum (kPa - mbar)	46 - 460	46 - 460	46 - 460
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	100	100	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1530	1130x600x1530
Weight (kg)	135	135	135

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment



4 kW, great airflow, tailored for metal production

Model T40W is a threephase industrial vacuum generating a great airflow. This means that it is ideal to collect high quantities of chips, dust and other production waste very fast. Model T40W can also collect liquids. Model T40W is equipped with L or M class filter for the collection of very fine dust, moreover it can also mount an HEPA absolute filter for the collection of hazardous dust. T40W is the most appreciated model in the metal industries all over the world.

- 4 kW side channel blower on a strong chassis
- 50 or 100 L container
- Gravity unload system with plastic bag or Longopac ("endless bag")
- Compact design
- Silent
- L and M class filter
- HEPA H14 absolute filter
- Manual filter shaker
- Vacuumeter
- Plug with inverter
- Accessories box, cable/hose holder
- Container with castors and handle



Picture shown may not represent model quoted

- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment

Model	C_T40W L50	C_T40W L50 5PP	T40W L50 V440 H60
Ref. no.	4030500077	4030500080	4030500397

PRODUCT FEATURES

Manual filter shaker	•	•	•
Cartridge filter incl. jet clean system with timer			
Switch motor protector	•	•	•
Vacuum meter	•	•	•
HEPA (H14) upstream filtration			



4 kW, great airflow, tailored for metal production

Model	C_T40W L50	C_T40W L50 5PP	T40W L50 V440 H60
Ref. no.	4030500077	4030500080	4030500397

PRODUCT FEATURES

Release container system	•	•	•
Accessory container	•	•	•
Three phase side channel blower	•	•	•
Chassis on wheels with brakes	•	•	•
Relief valve	•	•	•
Hose and cable holder	•	•	•
L class filter	•	•	•
M class filter			
Cyclone plate			
Stainless steel container & filter chamber			
Grate and valve			
Gravity unload with plastic bag			
Compressor on board			
5 pin plug		•	
Plug with phase inverter	•	•	•
Plastic bag system			
Micro Switch for Remote Control			
PTFE cartridges			
Solid control			
Longopac® system			

Model	T40W L100 AU	T40W L50 AU	T40W L100
Ref. no.	4030500398	4030500399	4030500400

PRODUCT FEATURES

Manual filter shaker	•	•	•
Cartridge filter incl. jet clean system with timer			
Switch motor protector	•	•	•
Vacuum meter	•	•	•
HEPA (H14) upstream filtration	•		
Release container system	•	•	•
Accessory container	•	•	•
Three phase side channel blower	•	•	•
Chassis on wheels with brakes	•	•	•
Relief valve	•	•	•



4 kW, great airflow, tailored for metal production

Model	T40W L100 AU	T40W L50 AU	T40W L100
Ref. no.	4030500398	4030500399	4030500400

PRODUCT FEATURES

Hose and cable holder	•	•	•
L class filter	•		•
M class filter		•	
Cyclone plate			
Stainless steel container & filter chamber			
Grate and valve			
Gravity unload with plastic bag		•	
Compressor on board			
5 pin plug			
Plug with phase inverter	•	•	•
Plastic bag system			
Micro Switch for Remote Control			
PTFE cartridges			
Solid control			
Longopac® system			

Model	T40W L100 FP PBS	T40W L50	T40W L100 5PP
Ref. no.	4030500401	4030500402	4030500403

PRODUCT FEATURES

Manual filter shaker	•	•	•
Cartridge filter incl. jet clean system with timer			
Switch motor protector	•	•	•
Vacuum meter	•	•	•
HEPA (H14) upstream filtration			
Release container system	•	•	•
Accessory container	•	•	•
Three phase side channel blower	•	•	•
Chassis on wheels with brakes	•	•	•
Relief valve	•	•	•
Hose and cable holder	•	•	•
L class filter	•	•	•
M class filter			
Cyclone plate			
Stainless steel container & filter chamber			



4 kW, great airflow, tailored for metal production

Model	T40W L100 FP PBS	T40W L50	T40W L100 5PP
Ref. no.	4030500401	4030500402	4030500403

PRODUCT FEATURES

Grate and valve

Gravity unload with plastic bag

Compressor on board

5 pin plug

Plug with phase inverter

Plastic bag system

Micro Switch for Remote Control

PTFE cartridges

Solid control

Longopac® system

Model	T40W L50 FM PBS	T40W L100 AU 5PP	T40W L100 V400 H60
Ref. no.	4030500404	4030500405	4030500406

PRODUCT FEATURES

Manual filter shaker

Cartridge filter incl. jet clean system with timer

Switch motor protector

Vacuum meter

HEPA (H14) upstream filtration

Release container system

Accessory container

Three phase side channel blower

Chassis on wheels with brakes

Relief valve

Hose and cable holder

L class filter

M class filter

Cyclone plate

Stainless steel container & filter chamber

Grate and valve

Gravity unload with plastic bag

Compressor on board

5 pin plug

Plug with phase inverter



4 kW, great airflow, tailored for metal production

Model	T40W L50 FM PBS	T40W L100 AU 5PP	T40W L100 V400 H60
Ref. no.	4030500404	4030500405	4030500406

PRODUCT FEATURES

Plastic bag system

•

Micro Switch for Remote Control

PTFE cartridges

Solid control

Longopac® system

Model	T40W L100 L GV CC	T40W L100 AU V400 H60	T40W NJ50/60 L100
Ref. no.	4030500407	4030500408	4030500409

PRODUCT FEATURES

Manual filter shaker

• • •

Cartridge filter incl. jet clean system with timer

Switch motor protector

• • •

Vacuum meter

• • •

HEPA (H14) upstream filtration

•

Release container system

• • •

Accessory container

• • •

Three phase side channel blower

• • •

Chassis on wheels with brakes

• • •

Relief valve

• • •

Hose and cable holder

• • •

L class filter

• •

M class filter

Cyclone plate

•

Stainless steel container & filter chamber

Grate and valve

•

Gravity unload with plastic bag

Compressor on board

5 pin plug

Plug with phase inverter

• • •

Plastic bag system

Micro Switch for Remote Control

PTFE cartridges

Solid control

Longopac® system



4 kW, great airflow, tailored for metal production

Model	T40W L100 L GV CC XX	T40W L50 CC 5PP	T40W L50 AU 5PP
Ref. no.	4030500410	4030500411	4030500414

PRODUCT FEATURES

Manual filter shaker	•	•	•
Cartridge filter incl. jet clean system with timer			
Switch motor protector	•	•	•
Vacuum meter	•	•	•
HEPA (H14) upstream filtration			•
Release container system	•	•	•
Accessory container	•	•	•
Three phase side channel blower	•	•	•
Chassis on wheels with brakes	•	•	•
Relief valve	•	•	•
Hose and cable holder	•	•	•
L class filter		•	•
M class filter			
Cyclone plate	•	•	
Stainless steel container & filter chamber			
Grate and valve	•		
Gravity unload with plastic bag			
Compressor on board			
5 pin plug		•	•
Plug with phase inverter	•	•	•
Plastic bag system			
Micro Switch for Remote Control			
PTFE cartridges			
Solid control			
Longopac® system			

Model	T40W L100 CC 5PP	T40W L100 FM 5PP	T40W L100 GV CC
Ref. no.	4030500415	4030500416	4030500412

PRODUCT FEATURES

Manual filter shaker	•	•	•
Cartridge filter incl. jet clean system with timer			
Switch motor protector	•	•	•
Vacuum meter	•	•	•
HEPA (H14) upstream filtration			



4 kW, great airflow, tailored for metal production

Model	T40W L100 CC 5PP	T40W L100 FM 5PP	T40W L100 GV CC
Ref. no.	4030500415	4030500416	4030500412

PRODUCT FEATURES

Release container system	•	•	•
Accessory container	•	•	•
Three phase side channel blower	•	•	•
Chassis on wheels with brakes	•	•	•
Relief valve	•	•	•
Hose and cable holder	•	•	•
L class filter	•		•
M class filter		•	
Cyclone plate	•		•
Stainless steel container & filter chamber			
Grate and valve			•
Gravity unload with plastic bag			
Compressor on board			
5 pin plug	•	•	
Plug with phase inverter	•	•	•
Plastic bag system			
Micro Switch for Remote Control			
PTFE cartridges			
Solid control			
Longopac® system			

Model	T40W L100 FM	T40W L50 FM	T40W L100 PBS
Ref. no.	4030500413	4030500417	4030500418

PRODUCT FEATURES

Manual filter shaker	•	•	•
Cartridge filter incl. jet clean system with timer			
Switch motor protector	•	•	•
Vacuum meter	•	•	•
HEPA (H14) upstream filtration			
Release container system	•	•	•
Accessory container	•	•	•
Three phase side channel blower	•	•	•
Chassis on wheels with brakes	•	•	•
Relief valve	•	•	•



4 kW, great airflow, tailored for metal production

Model	T40W L100 FM	T40W L50 FM	T40W L100 PBS
Ref. no.	4030500413	4030500417	4030500418

PRODUCT FEATURES

Hose and cable holder	•	•	•
L class filter		•	•
M class filter	•	•	
Cyclone plate			
Stainless steel container & filter chamber			
Grate and valve			
Gravity unload with plastic bag			
Compressor on board			
5 pin plug			
Plug with phase inverter	•	•	•
Plastic bag system			•
Micro Switch for Remote Control			
PTFE cartridges			
Solid control			
Longopac® system			

Model	T40W L100 XX	T40W L50 5PP	T63NJ50/60
Ref. no.	4030500419	4030500420	4030500425

PRODUCT FEATURES

Manual filter shaker	•	•	•
Cartridge filter incl. jet clean system with timer			
Switch motor protector	•	•	•
Vacuum meter	•	•	•
HEPA (H14) upstream filtration			
Release container system	•	•	•
Accessory container	•	•	•
Three phase side channel blower	•	•	•
Chassis on wheels with brakes	•	•	•
Relief valve	•	•	•
Hose and cable holder	•	•	•
L class filter	•	•	•
M class filter			
Cyclone plate			
Stainless steel container & filter chamber	•		



4 kW, great airflow, tailored for metal production

Model	T40W L100 XX	T40W L50 5PP	T63NJ50/60
Ref. no.	4030500419	4030500420	4030500425

PRODUCT FEATURES

Grate and valve

Gravity unload with plastic bag

Compressor on board

5 pin plug

Plug with phase inverter

Plastic bag system

Micro Switch for Remote Control

PTFE cartridges

Solid control

Longopac® system

Model	T40W LP FM	T40W LP FM AU	T40W L100 RS
Ref. no.	4030500434	4030500435	4030500437

PRODUCT FEATURES

Manual filter shaker

Cartridge filter incl. jet clean system with timer

Switch motor protector

Vacuum meter

HEPA (H14) upstream filtration

Release container system

Accessory container

Three phase side channel blower

Chassis on wheels with brakes

Relief valve

Hose and cable holder

L class filter

M class filter

Cyclone plate

Stainless steel container & filter chamber

Grate and valve

Gravity unload with plastic bag

Compressor on board

5 pin plug

Plug with phase inverter



4 kW, great airflow, tailored for metal production

Model	T40W LP FM	T40W LP FM AU	T40W L100 RS
Ref. no.	4030500434	4030500435	4030500437

PRODUCT FEATURES

Plastic bag system			
Micro Switch for Remote Control			•
PTFE cartridges			
Solid control			
Longopac® system	•	•	

Model	T40W L100 C	T40W L100 SC
Ref. no.	4030500439	4030500441

PRODUCT FEATURES

Manual filter shaker		•
Cartridge filter incl. jet clean system with timer	•	
Switch motor protector	•	•
Vacuum meter	•	•
HEPA (H14) upstream filtration		
Release container system	•	•
Accessory container	•	•
Three phase side channel blower	•	•
Chassis on wheels with brakes	•	•
Relief valve	•	•
Hose and cable holder	•	•
L class filter	•	•
M class filter		
Cyclone plate		
Stainless steel container & filter chamber		
Grate and valve		
Gravity unload with plastic bag		
Compressor on board		
5 pin plug		
Plug with phase inverter	•	•
Plastic bag system		
Micro Switch for Remote Control		
PTFE cartridges	•	
Solid control		•
Longopac® system		



4 kW, great airflow, tailored for metal production

Technical specifications	C_T40W L50	C_T40W L50 5PP	T40W L50 V440 H60
Voltage (V)	400	400	440
Frequency (Hz)	50	50	60
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	4
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	50	50	50
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1240	1130x600x1240	1130x600x1240
Weight (kg)	136	136	136
Gravity unload with plastic bag	-	-	-

Technical specifications	T40W L100 AU	T40W L50 AU	T40W L100
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	4
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	100	50	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	35000	35000	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1240	1130x600x1240	1130x600x1530
Weight (kg)	136	136	139
Gravity unload with plastic bag	-	-	-



4 kW, great airflow, tailored for metal production

Technical specifications	T40W L100 FP PBS	T40W L50	T40W L100 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	4
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	100	50	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1240	1130x600x1530
Weight (kg)	139	136	139
Gravity unload with plastic bag	-	-	-

Technical specifications	T40W L50 FM PBS	T40W L100 AU 5PP	T40W L100 V400 H60
Voltage (V)	400	400	400
Frequency (Hz)	50	50	60
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	4
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	50	100	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	35000	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1240	1130x600x1240	1130x600x1530
Weight (kg)	136	136	139
Gravity unload with plastic bag	-	-	-



4 kW, great airflow, tailored for metal production

Technical specifications	T40W L100 L GV CC	T40W L100 AU V400 H60	T40W NJ50/60 L100
Voltage (V)	400	400	200
Frequency (Hz)	50	60	50-60
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	5.5 - 6.3
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150	470 - 7833
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	24 - 240
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	100	100	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	35000	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1240	1130x600x1530
Weight (kg)	139	136	139
Gravity unload with plastic bag	-	-	-

Technical specifications	T40W L100 L GV CC XX	T40W L50 CC 5PP	T40W L50 AU 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	4
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	100	50	50
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-	35000
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1240	1130x600x1240
Weight (kg)	139	136	136
Gravity unload with plastic bag	-	-	-



4 kW, great airflow, tailored for metal production

Technical specifications	T40W L100 CC 5PP	T40W L100 FM 5PP	T40W L100 GV CC
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	4
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	100	100	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1530	1130x600x1530
Weight (kg)	139	139	139
Gravity unload with plastic bag	-	-	-

Technical specifications	T40W L100 FM	T40W L50 FM	T40W L100 PBS
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	4
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	30 - 300
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	100	50	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1240	1130x600x1530
Weight (kg)	139	136	139
Gravity unload with plastic bag	-	-	-



4 kW, great airflow, tailored for metal production

Technical specifications	T40W L100 XX	T40W L50 5PP	T63NJ50/60
Voltage (V)	400	400	200
Frequency (Hz)	50	50	50-60
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	5.5 - 6.3
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150	470 - 7833
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	24 - 240
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	100	50	50
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1240	1130x600x1530
Weight (kg)	139	136	139
Gravity unload with plastic bag	-	-	-

Technical specifications	T40W LP FM	T40W LP FM AU	T40W L100 RS
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	4
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	30 - 300	30 - 300	19 - 190
Sound pressure level (dB(A))	72	72	72
Container capacity (l)	Longopac	Longopac	100
Main filter type	Polyester Star Filter	Polyester Star Filter	Polyester Star Filter
Main filter area (cm²)	19500	19500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1530	1130x600x1530
Weight (kg)	139	139	139
Gravity unload with plastic bag	30	30	-



4 kW, great airflow, tailored for metal production

Technical specifications	T40W L100 C	T40W L100 SC
Voltage (V)	400	400
Frequency (Hz)	50	50
IP protection class	55	55
Insulation class	I	I
Rated power (kW)	4	4
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	19 - 190	19 - 190
Sound pressure level (dB(A))	72	72
Container capacity (l)	100	100
Main filter type	PTFE Cartridges	Polyester Star Filter
Main filter area (cm²)	52500	19500
Upstream HEPA H14 filter (if present) (cm²)	-	-
Inlet (mm)	70	70
Length x width x height (mm)	1130x600x1850	1130x600x1530
Weight (kg)	167	139
Gravity unload with plastic bag	-	-

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment



4 kW, great airflow and with InfiniClean, for endless filtration

Model T40W is a threephase industrial vacuum generating a great airflow. This means that it is ideal to collect high quantities of production waste very fast. Equipped with the automatic cartridge filter cleaning system, allowing the operator to have a constantly clean filter.

- 4 kW side channel blower on a strong chassis
- 100 L container with castors and handle
- 5 "M" class PTFE conical cartridges for top filtering efficiency
- Equipped with the automatic filter cleaning system (no action by the user and no compressed air needed)
- Compact design
- Silent



Picture shown may not represent model quoted

- Standard equipment
- Standard equipment
- Standard equipment

Model	T40W L100 IC	T40W L100 IC 5PP	T40W L100 IC SC
Ref. no.	4030500190	4030500191	4030500224

PRODUCT FEATURES

Switch motor protector	•	•	•
HEPA (H14) upstream filtration			
Relief valve	•	•	•
M class filter	•	•	•
Automatic stopping for solids			•
5 pin plug		•	
Plug with phase inverter	•	•	•
InfiniClean	•	•	•
Fully in stainless steel			
Vacuum Gauge (Filter Surveillance)	•	•	•
PTFE cartridges	•	•	•
Solid control			•
Longopac® system			



4 kW, great airflow and with InfiniClean, for endless filtration

Model	T40W L100 IC AU	T40W L100 IC XXX 5PP	T40W L50 IC 5PP
Ref. no.	4030500241	4030500263	4030500274

PRODUCT FEATURES

Switch motor protector	•	•	•
HEPA (H14) upstream filtration	•		
Relief valve	•	•	•
M class filter	•	•	•
Automatic stopping for solids			
5 pin plug		•	•
Plug with phase inverter	•	•	•
InfiniClean	•	•	•
Fully in stainless steel			•
Vacuum Gauge (Filter Surveillance)	•	•	•
PTFE cartridges	•	•	•
Solid control			
Longopac® system			

Model	T40W IC LP	T40W IC LP AU
Ref. no.	4030500442	4030500443

PRODUCT FEATURES

Switch motor protector	•	•
HEPA (H14) upstream filtration		•
Relief valve	•	•
M class filter	•	•
Automatic stopping for solids		
5 pin plug		
Plug with phase inverter	•	•
InfiniClean	•	•
Fully in stainless steel		
Vacuum Gauge (Filter Surveillance)	•	•
PTFE cartridges	•	•
Solid control		
Longopac® system	•	•



4 kW, great airflow and with InfiniClean, for endless filtration

Technical specifications	T40W L100 IC	T40W L100 IC 5PP	T40W L100 IC SC
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	4
Airflow without hose (m³/h - l/m)	462 - 7700	462 - 7700	462 - 7700
Vacuum max (kPa)	19	19	19
Max. vacuum (kPa - mbar)	19 -190	19 -190	19 -190
Sound pressure level (dB(A))	70	70	70
Container capacity (l)	100	100	100
Main filter type	PTFE CARTRIDGES	PTFE CARTRIDGES	PTFE CARTRIDGES
Main filter area (cm²)	25000	25000	25000
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1530	1130x600x1530
Weight (kg)	160	160	160

Technical specifications	T40W L100 IC AU	T40W L100 IC XXX 5PP	T40W L50 IC 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	I	I	I
Rated power (kW)	4	4	4
Airflow without hose (m³/h - l/m)	462 - 7700	462 - 7700	462 - 7700
Vacuum max (kPa)	19	19	19
Max. vacuum (kPa - mbar)	19 -190	19 -190	19 -190
Sound pressure level (dB(A))	70	70	70
Container capacity (l)	100	100	50
Main filter type	PTFE CARTRIDGES	PTFE CARTRIDGES	PTFE CARTRIDGES
Main filter area (cm²)	25000	25000	25000
Inlet (mm)	70	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1530	1130x600x1240
Weight (kg)	160	160	136



4 kW, great airflow and with InfiniClean, for endless filtration


Technical specifications	T40W IC LP	T40W IC LP AU
Voltage (V)	400	400
Frequency (Hz)	50	50
IP protection class	55	55
Insulation class	I	I
Rated power (kW)	4	4
Airflow without hose (m³/h - l/m)	462 - 7700	462 - 7700
Vacuum max (kPa)	19	19
Max. vacuum (kPa - mbar)	19 -190	19 -190
Sound pressure level (dB(A))	70	70
Container capacity (l)	Longopac	Longopac
Main filter type	PTFE CARTRIDGES	PTFE CARTRIDGES
Main filter area (cm²)	25000	25000
Inlet (mm)	70	70
Length x width x height (mm)	1130x600x1530	1130x600x1530
Weight (kg)	160	160

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T40W L100 IC	T40W L100 IC 5PP	T40W L100 IC SC
Other						
	DISCHARGE KIT MS2-S3-T30S	4056000468	0	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Filter						
	ABSOLUTE FILTER KIT T22-T40 T40W-VHC200	4056000523	0	○	○	○
Bag						
	PACKAGE OF 5 BAGS D460 LDPE	4084001017	0	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○



4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W L100 IC	T40W L100 IC 5PP	T40W L100 IC SC
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	0	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	0	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	CONNECTION TUBE REG. D70 INOX COMPLETE	Z7 22222	0	○	○	○
	CONNECTION TUBE REGULAT. D70 COMPLETE	Z7 22113	0	○	○	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	0	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○
Cone Nozzle						
	CONIC END D50/20 COMPLETE	Z7 22141	0	○	○	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○	○	○
	CONIC TUBE D70 RUBBER	Z7 21009	1	○	○	○

4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W L100 IC	T40W L100 IC 5PP	T40W L100 IC SC
Crevice Nozzle						
	FLAT LANCE D50 MM500 PVC	Z7 24013	0	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	SCRAPING SUCKER D50 FE	Z7 22034	0	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	0	○	○	○
	SCRAPING SUCKER D70 MM 200	Z7 22090	0	○	○	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	0	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	0	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	0	○	○	○



4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W L100 IC	T40W L100 IC 5PP	T40W L100 IC SC
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	0	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	0	○	○	○
Vac Nozzle Wet						
	LIQ.SUCKER D50 MM500 FE COMPLETE	Z7 22167	0	○	○	○
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	0	○	○	○
Vac Nozzle Dry						
	AUTOBUS SUCKER D50 200 AL. COMPLETE	Z7 22170	0	○	○	○
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	0	○	○	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	0	○	○	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	0	○	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	0	○	○	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	0	○	○	○

4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W L100 IC	T40W L100 IC 5PP	T40W L100 IC SC
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	0	○	○	○
	MOBILE SUCKER D40 MM300 FE COMPLETE	Z7 22171	0	○	○	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	0	○	○	○
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	0	○	○	○
	SUCKER D40 MM400 ALUMINIUM	Z7 22031	0	○	○	○
Round Brush Nozzle						
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	0	○	○	○
Hose Vacuum Cleaner						
	AIR HOSE D50MT5+SLEEVES	Z7 22363	0	○	○	○
	AIR HOSE D70MT5+SLEEVES	Z7 22364	0	○	○	○
	FLEX HOSE D50MT5+SLEEVES	Z7 22361	0	○	○	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	0	○	○	○
	POL HOSE D70 MT5+SLEEVES	Z7 22367	0	○	○	○

4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W L100 IC	T40W L100 IC 5PP	T40W L100 IC SC
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	0	○	○	○
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	0	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	0	○	○	○
Pipe Cleaner Nozzle						
	CURVED BRUSH FOR PIPES D50/100 FE COMPL	Z7 22131	0	○	○	○
Hose and Connection						
	REDUCER D70/50 INOX	Z7 22225	0	○	○	○
Nozzle						
	LIQ. SUCKER D50 MM400 INOX COMPLETE	Z7 22294	0	○	○	○
	PACK 10 STRIP MOBILE S. MM.500	Z8 23041	0	○	○	○
	PACK OF 10 RUBBERS 400 20086	Z8 20295	0	○	○	○
Accessory Kit						
	KIT AC.D50 EQUIPMENTS CLEANING	Z7 24156	0	○	○	○
	KIT AC.D50 INDUSTRIAL CLEANING	Z7 24151	0	○	○	○
	KIT ACC.D.50 GENERAL CLEANING	Z7 24146	0	○	○	○

4 kW, great airflow and with InfiniClean, for endless filtration

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T40W L100 IC AU	T40W L100 IC XXX 5PP	T40W L50 IC 5PP
Other						
	DISCHARGE KIT MS2-S3-T30S	4056000468	0	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Filter						
	ABSOLUTE FILTER KIT T22-T40 T40W-VHC200	4056000523	0	○	○	○
Bag						
	PACKAGE OF 5 BAGS D460 LDPE	4084001017	0	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1		○	○
	BENT CONNECTION D70 FE	Z7 21032	1		○	○
	CONNECTION JOINT D50 FE	Z7 21002	1		○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	0	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	0	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	CONNECTION TUBE REG. D70 INOX COMPLETE	Z7 22222	0	○	○	○

4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W L100 IC AU	T40W L100 IC XXX 5PP	T40W L50 IC 5PP
	CONNECTION TUBE REGULAT. D70 COMPLETE	Z7 22113	0	○	○	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	0	○	○	○
	REDUCER IRON D70/50	Z7 22001	1		○	○
Cone Nozzle						
	CONIC END D50/20 COMPLETE	Z7 22141	0	○	○	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○	○	○
	CONIC TUBE D70 RUBBER	Z7 21009	1	○	○	○
Crevice Nozzle						
	FLAT LANCE D50 MM500 PVC	Z7 24013	0	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1		○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	SCRAPING SUCKER D50 FE	Z7 22034	0	○	○	○

4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W L100 IC AU	T40W L100 IC XXX 5PP	T40W L50 IC 5PP
	SCRAPING SUCKER D50 INOX	Z7 22278	0	○	○	○
	SCRAPING SUCKER D70 MM 200	Z7 22090	0	○	○	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	0	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	0	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	0	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	0	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	0	○	○	○
Vac Nozzle Wet						
	LIQ. SUCKER D50 MM500 FE COMPLETE	Z7 22167	0	○	○	○
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	0	○	○	○
Vac Nozzle Dry						



4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W L100 IC AU	T40W L100 IC XXX 5PP	T40W L50 IC 5PP
	AUTOBUS SUCKER D50 200 AL. COMPLETE	Z7 22170	0	○	○	○
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	0	○	○	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	0	○	○	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	0	○	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	0	○	○	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	0	○	○	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	0	○	○	○
	MOBILE SUCKER D40 MM300 FE COMPLETE	Z7 22171	0	○	○	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	0	○	○	○
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	0	○	○	○
	SUCKER D40 MM400 ALUMINIUM	Z7 22031	0	○	○	○
Round Brush Nozzle						
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	0	○	○	○



4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W L100 IC AU	T40W L100 IC XXX 5PP	T40W L50 IC 5PP
Hose Vacuum Cleaner						
	AIR HOSE D50MT5+SLEEVES	Z7 22363	0	○	○	○
	AIR HOSE D70MT5+SLEEVES	Z7 22364	0	○	○	○
	FLEX HOSE D50MT5+SLEEVES	Z7 22361	0	○	○	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	0	○	○	○
	POL HOSE D70 MT5+SLEEVES	Z7 22367	0	○	○	○
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	0	○	○	○
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	0	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	0	○	○	○
Pipe Cleaner Nozzle						
	CURVED BRUSH FOR PIPES D50/100 FE COMPL	Z7 22131	0	○	○	○
Hose and Connection						
	REDUCER D70/50 INOX	Z7 22225	0	○	○	○
Nozzle						
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	0	○	○	○





4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W L100 IC AU	T40W L100 IC XXX 5PP	T40W L50 IC 5PP
	PACK 10 STRIP MOBILE S. MM.500	Z8 23041	0	○	○	○
	PACK OF 10 RUBBERS 400 20086	Z8 20295	0	○	○	○
Accessory Kit						
	KIT AC.D50 EQUIPMENTS CLEANING	Z7 24156	0	○	○	○
	KIT AC.D50 INDUSTRIAL CLEANING	Z7 24151	0	○	○	○
	KIT ACC.D.50 GENERAL CLEANING	Z7 24146	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T40W IC LP	T40W IC LP AU
Other					
	DISCHARGE KIT MS2-S3-T30S	4056000468	0	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○
Filter					
	ABSOLUTE FILTER KIT T22-T40 T40W-VHC200	4056000523	0	○	○
Bag					
	PACKAGE OF 5 BAGS D460 LDPE	4084001017	0	○	○
Vacuum Hose and Connection					
	BENT CONNECTION D50 FE	Z7 21012	1	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○

4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W IC LP	T40W IC LP AU
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	0	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	0	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○
	CONNECTION TUBE REG. D70 INOX COMPLETE	Z7 22222	0	○	○
	CONNECTION TUBE REGULAT. D70 COMPLETE	Z7 22113	0	○	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	0	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○
Cone Nozzle					
	CONIC END D50/20 COMPLETE	Z7 22141	0	○	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○	○
	CONIC TUBE D70 RUBBER	Z7 21009	1	○	○
Crevice Nozzle					

4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W IC LP	T40W IC LP AU
	FLAT LANCE D50 MM500 PVC	Z7 24013	0	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○
	SCRAPING SUCKER D50 FE	Z7 22034	0	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	0	○	○
	SCRAPING SUCKER D70 MM 200	Z7 22090	0	○	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○	○
Extension Tube					
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	0	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	0	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	0	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○



4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W IC LP	T40W IC LP AU
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	0	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	0	○	○
Vac Nozzle Wet					
	LIQ.SUCKER D50 MM500 FE COMPLETE	Z7 22167	0	○	○
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	0	○	○
Vac Nozzle Dry					
	AUTOBUS SUCKER D50 200 AL. COMPLETE	Z7 22170	0	○	○
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	0	○	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	0	○	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	0	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	0	○	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	0	○	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	0	○	○

4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W IC LP	T40W IC LP AU
	MOBILE SUCKER D40 MM300 FE COMPLETE	Z7 22171	0	○	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	0	○	○
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	0	○	○
	SUCKER D40 MM400 ALUMINIUM	Z7 22031	0	○	○
Round Brush Nozzle					
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	0	○	○
Hose Vacuum Cleaner					
	AIR HOSE D50MT5+SLEEVES	Z7 22363	0	○	○
	AIR HOSE D70MT5+SLEEVES	Z7 22364	0	○	○
	FLEX HOSE D50MT5+SLEEVES	Z7 22361	0	○	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	0	○	○
	POL HOSE D70 MT5+SLEEVES	Z7 22367	0	○	○
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	0	○	○



4 kW, great airflow and with InfiniClean, for endless filtration

Accessories		Ref. no.	Min. required	T40W IC LP	T40W IC LP AU
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	0	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	0	○	○
Pipe Cleaner Nozzle					
	CURVED BRUSH FOR PIPES D50/100 FE COMPL	Z7 22131	0	○	○
Hose and Connection					
	REDUCER D70/50 INOX	Z7 22225	0	○	○
Nozzle					
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	0	○	○
	PACK 10 STRIP MOBILE S. MM.500	Z8 23041	0	○	○
	PACK OF 10 RUBBERS 400 20086	Z8 20295	0	○	○
Accessory Kit					
	KIT AC.D50 EQUIPMENTS CLEANING	Z7 24156	0	○	○
	KIT AC.D50 INDUSTRIAL CLEANING	Z7 24151	0	○	○
	KIT ACC.D.50 GENERAL CLEANING	Z7 24146	0	○	○

7,5 kW, tailored for metal production

Powerful and reliable threephase industrial vacuum for the recovery of wet and dry materials, even for heavy materials.

Model T75 is really powerful with its 7.5 kW, it creates a great vacuum combined to a great airflow and is so perfect to collect high quantities of heavy materials. Moreover this industrial vacuum can be used as suction unit in centralized vacuum systems for the cleaning of wider areas. The big filter is in M class, suitable for the collection of toxic dust and is automatically cleaned by the electric filter shaker.

- Continuous use (24/7)
- Practical release container system for an easy emptying
- 100 liters container
- Gravity unload system with plastic bag or Longopac ("endless" bag)
- L or M class filter for toxic material
- Accessory box, cable and hose holder
- 32A plug with inverter



Picture shown may not represent model quoted

- Standard equipment
- Standard equipment

Model	T75 L100	T75 L100 SE FM	T75 L100 5PP
Ref. no.	4030500117	4030500120	4030500126

PRODUCT FEATURES

Electrical filter shaker		•	
ATEX hazardous TYPE 22 approval			
Manual filter shaker	•		•
HEPA (H14) upstream filtration			
Star triangle starting	•	•	•
Relief valve	•	•	•
L class filter	•		•
M class filter		•	
Gravity unload with plastic bag			
5 pin plug			•
Plug with phase inverter	•	•	•
Plastic bag system			
PTFE cartridges			
Solid control			
Longopac® system			



7,5 kW, tailored for metal production

Model	T75 L100 Z22 EXA	T75 LP FM	T75 LP FM 5PP
Ref. no.	4030500310	4030500447	4030500448

PRODUCT FEATURES

Electrical filter shaker			
ATEX hazardous TYPE 22 approval	•		
Manual filter shaker	•	•	•
HEPA (H14) upstream filtration			
Star triangle starting	•	•	•
Relief valve	•	•	•
L class filter	•		
M class filter		•	•
Gravity unload with plastic bag		•	•
5 pin plug			•
Plug with phase inverter	•	•	•
Plastic bag system			
PTFE cartridges			
Solid control			
Longopac® system		•	•

Technical specifications	T75 L100	T75 L100 SE FM	T75 L100 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	7.5	7,5	7,5
Airflow without hose (m³/h - l/m)	534 - 8900	534 - 8900	534 - 8900
Max. vacuum (kPa - mbar)	35 - 350	35 - 350	35 - 350
Sound pressure level (dB(A))	74	74	74
Container capacity (l)	100	100	100
Main filter type	Polyester Star filter	"M" Class Polyester Star filter	Polyester Star filter
Main filter area (cm²)	35000	35000	35000
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1300x600x1640	1300x600x1640	1300x600x1640
Weight (kg)	188	191	188



7,5 kW, tailored for metal production


Technical specifications	T75 L100 Z22 EXA	T75 LP FM	T75 LP FM 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	7.5	7,5	7,5
Airflow without hose (m³/h - l/m)	534 - 8900	534 - 8900	534 - 8900
Max. vacuum (kPa - mbar)	35 - 350	35 - 350	35 - 350
Sound pressure level (dB(A))	74	74	74
Container capacity (l)	100	Longopac	Longopac
Main filter type	Polyester Star filter	"M" Class Polyester Star filter	"M" Class Polyester Star filter
Main filter area (cm²)	35000	35000	35000
Upstream HEPA H14 filter (if present) (cm²)	-	-	-
Inlet (mm)	70	70	70
Length x width x height (mm)	1300x600x1640	1300x600x1640	1300x600x1640
Weight (kg)	188	193	193

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T75 L100	T75 L100 SE FM	T75 L100 5PP
Filter						
	KIT FILTRO ASSOL.ASPIR.M.S2-S3	4056000478	1	○	○	○
Accessory Kit						
	ANTIOIL KIT OF ACC D50 MACH+FLOOR	4072400195	1	○	○	○
	KIT AC.D50 EQUIPMENTS CLEANING	Z7 24156	1	○	○	○
	KIT AC.D50 INDUSTRIAL CLEANING	Z7 24151	1	○	○	○
	KIT ACC.D.50 GENERAL CLEANING	Z7 24146	1	○	○	○
Other						
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○






7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100	T75 L100 SE FM	T75 L100 5PP
Vacuum Hose and Connection						
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	CONNECTION TUBE REGULAT. D70 COMPLETE	Z7 22113	1	○	○	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○

7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100	T75 L100 SE FM	T75 L100 5PP
	REDUCER REGULATION D70/50 COMPLETE	Z7 22162	1	○	○	○
Cone Nozzle						
	CONIC END D50/20 COMPLETE	Z7 22141	1	○	○	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○	○	○
	CONIC TUBE D70 RUBBER	Z7 21009	1	○	○	○
Crevice Nozzle						
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1	○	○	○
	FLAT LANCE D50 MM500 PVC	Z7 24013	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1	○	○	○
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1	○	○	○

7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100	T75 L100 SE FM	T75 L100 5PP
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	SCRAPING SUCKER D50 FE	Z7 22034	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
	SCRAPING SUCKER D70 MM 200	Z7 22090	1	○	○	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
Vac Nozzle Wet						

7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100	T75 L100 SE FM	T75 L100 5PP
	LIQ.SUCKER D50 MM500 FE COMPLETE	Z7 22167	1	○	○	○
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1	○	○	○
Vac Nozzle Dry						
	AUTOBUS SUCKER D50 200 AL. COMPLETE	Z7 22170	1	○	○	○
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1	○	○	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1	○	○	○
	BRUSH D50 MM300 30 COMPLE	Z7 22197	1	○	○	○
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1	○	○	○
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1	○	○	○
	BRUSH D50 MM400 90 COMPLETE	Z7 22040	1	○	○	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1	○	○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○	○	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○	○	○

7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100	T75 L100 SE FM	T75 L100 5PP
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○	○	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1	○	○	○
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1	○	○	○
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1	○	○	○
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1	○	○	○
Round Brush Nozzle						
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1	○	○	○
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1	○	○	○
Hose Vacuum Cleaner						
	AIR HOSE D50MT5+SLEEVES	Z7 22363	1	○	○	○
	AIR HOSE D70MT5+SLEEVES	Z7 22364	1	○	○	○
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1	○	○	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1	○	○	○

7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100	T75 L100 SE FM	T75 L100 5PP
	POL HOSE D70 MT5+SLEEVES	Z7 22367	1	○	○	○
	STEEL HOSE D70/D50 MT3 RED. AND FITTING	Z7 22379	1	○	○	○
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	○
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1	○	○	○
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○	○	○
	TUBE D70 RUBBER MT.3	Z7 24001	1	○	○	○
Pipe Cleaner Nozzle						
	CURVED BRUSH FOR PIPES D50/100 FE COMPL	Z7 22131	1	○	○	○
Nozzle						
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○	○	○
	PACK 10 STRIP MOBILE S. MM.400	Z8 23040	1	○	○	○
	PACK 10 STRIP MOBILE S. MM.500	Z8 23041	1	○	○	○
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○	○	○
Hose and Connection						
	TIE D40-60	Z8 40040	1	○	○	○

7,5 kW, tailored for metal production

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T75 L100 Z22 EXA	T75 LP FM	T75 LP FM 5PP
Filter						
	KIT FILTRO ASSOL.ASPIR.M.S2-S3	4056000478	1		○	○
Accessory Kit						
	ANTIOIL KIT OF ACC D50 MACH+FLOOR	4072400195	1		○	○
	KIT AC.D50 EQUIPMENTS CLEANING	Z7 24156	1		○	○
	KIT AC.D50 INDUSTRIAL CLEANING	Z7 24151	1		○	○
	KIT ACC.D.50 GENERAL CLEANING	Z7 24146	1		○	○
Other						
	HARMONIC SPRINGPIN LINK	Z7 20328	1		○	○
Vacuum Hose and Connection						
	BENT CONNECTION D50 FE	Z7 21012	1		○	○
	BENT CONNECTION D50 INOX	Z7 21034	1		○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1		○	○
	BENT CONNECTION D70 FE	Z7 21032	1		○	○
	CONNECTION JOINT D50 FE	Z7 21002	1		○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1		○	○



7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100 Z22 EXA	T75 LP FM	T75 LP FM 5PP
	CONNECTION JOINT D70 FE	Z7 21000	1		○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1		○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1		○	○
	CONNECTION TUBE REGULAT. D70 COMPLETE	Z7 22113	1		○	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1		○	○
	REDUCER IRON D70/50	Z7 22001	1		○	○
	REDUCER REGULATION D70/50 COMPLETE	Z7 22162	1		○	○
Cone Nozzle						
	CONIC END D50/20 COMPLETE	Z7 22141	1		○	○
	CONIC TUBE D50 RUBBER	Z7 21010	1		○	○
	CONIC TUBE D70 RUBBER	Z7 21009	1		○	○
Crevice Nozzle						
	CURVED FLAT LANCE D70 MM1000 PVC	Z7 24012	1		○	○

7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100 Z22 EXA	T75 LP FM	T75 LP FM 5PP
	FLAT LANCE D50 MM500 PVC	Z7 24013	1		○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1		○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1		○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1		○	○
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1		○	○
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1		○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1		○	○
	SCRAPING SUCKER D50 FE	Z7 22034	1		○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1		○	○
	SCRAPING SUCKER D70 MM 200	Z7 22090	1		○	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1		○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1		○	○

7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100 Z22 EXA	T75 LP FM	T75 LP FM 5PP
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1		○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1		○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1		○	○
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1		○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1		○	○
Vac Nozzle Wet						
	LIQ.SUCKER D50 MM500 FE COMPLETE	Z7 22167	1		○	○
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1		○	○
Vac Nozzle Dry						
	AUTOBUS SUCKER D50 200 AL. COMPLETE	Z7 22170	1		○	○
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1		○	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1		○	○
	BRUSH D50 MM300 30 COMPLE	Z7 22197	1		○	○

7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100 Z22 EXA	T75 LP FM	T75 LP FM 5PP
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1		○	○
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1		○	○
	BRUSH D50 MM400 90 COMPLETE	Z7 22040	1		○	○
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1		○	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1		○	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1		○	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1		○	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1		○	○
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1		○	○
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1		○	○
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1		○	○
Round Brush Nozzle						
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1		○	○

7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100 Z22 EXA	T75 LP FM	T75 LP FM 5PP
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1		○	○
Hose Vacuum Cleaner						
	AIR HOSE D50MT5+SLEEVES	Z7 22363	1		○	○
	AIR HOSE D70MT5+SLEEVES	Z7 22364	1		○	○
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1		○	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1		○	○
	POL HOSE D70 MT5+SLEEVES	Z7 22367	1		○	○
	STEEL HOSE D70/D50 MT3 RED. AND FITTING	Z7 22379	1		○	○
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1		○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1		○	○
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1		○	○
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1		○	○
	TUBE D70 RUBBER MT.3	Z7 24001	1		○	○



7,5 kW, tailored for metal production

Accessories		Ref. no.	Min. required	T75 L100 Z22 EXA	T75 LP FM	T75 LP FM 5PP
Pipe Cleaner Nozzle						
	CURVED BRUSH FOR PIPES D50/100 FE COMPL	Z7 22131	1		○	○
Nozzle						
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1		○	○
	PACK 10 STRIP MOBILE S. MM.400	Z8 23040	1		○	○
	PACK 10 STRIP MOBILE S. MM.500	Z8 23041	1		○	○
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1		○	○
Hose and Connection						
	TIE D40-60	Z8 40040	1		○	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Thanks to the small size and the high performance, CTS threephase range is chosen by companies with tiny environments but need high power. Compact, stable and easy to move, model CTS is really appreciated. CTS range is equipped with a side channel blower placed on the bottom of the chassis, making the vacuum stable and easy to manoeuver. Many details feature this range: the magnetothermal on/off switch, the vacuumeter to monitor the filter efficiency, the small size, moreover they can work continuously 24/7! Filtration is also top quality: L class star filter of 19500 cm2 grants high filter efficiency and the manual filter shaker allows to clean fastly and easily the filter. Available also upstream absolute filter HEPA H14 and downstream absolute filter ULPA15 to collect very fine dust.

- for continuous use
- small size
- silent
- vacuumeter to monitor filter efficiency
- removable container

● Standard equipment



Picture shown may not represent model quoted

Model	CTS22
Ref. no.	4030600036

PRODUCT FEATURES

Manual filter shaker	●
Cyclone system	
Switch motor protector	●
5 pin plug	

Technical specifications	CTS22
Voltage (V)	400
Frequency (Hz)	50
IP protection class	55
Insulation class	F
Rated power (kW)	2.2
Airflow without hose (m³/h - l/m)	318 - 5300
Max. vacuum (kPa - mbar)	30 - 300
Sound pressure level (dB(A))	68
Container capacity (l)	50
Main filter area (cm²)	19500
Inlet (mm)	70



The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Technical specifications

CTS22

Length x width x height (mm)	600x1050x1250
Weight (kg)	100

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	CTS22
Filter				
	15 ULPA DOWN.A.FILTER KIT CTS	4056000400	1	○
	ABSOLUTE FILTER KIT	4056000395	1	○
	FILTER ELEMENT ULPA	21779000	1	○
	KIT STAR FILTER D460 L CLASS	40000338	1	○
	STAR FILTER KIT D460 M CLASS	40000492	1	○
Option				
	BRACKET FOR CONTAINER LIFT MODELS	4056000394	1	○
Accessory Kit				
	ANTIOIL KIT OF ACC D50 MACH+FLOOR	4072400195	1	○
	HIGH TEMPERATURE KIT+FLEX HOSE D40	4072200616	1	○
	HIGH TEMPERATURE KIT+FLEX HOSE D50	4072200617	1	○
	KIT AC.D50 EQUIPMENTS CLEANING	Z7 24156	1	○
	KIT AC.D50 INDUSTRIAL CLEANING	Z7 24151	1	○
	KIT ACC.D.50 GENERAL CLEANING	Z7 24146	1	○
	KIT FOR OVEN CLEANING D50/40	Z7 24193	1	○




The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	KIT FOR OVEN CLEANING D70/50	Z7 24192	1	○
Other				
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○
Vacuum Hose and Connection				
	BENT CONNECTION D40 FE	Z7 21013	1	○
	BENT CONNECTION D50 FE	Z7 21012	1	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○
	BENT CONNECTION D70 FE	Z7 21032	1	○
	CONNECTION JOINT D40 FE	Z7 21004	1	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○


The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	CONNECTION TUBE D70 INOX	Z7 22231	1	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○
	CONNECTION TUBE REG. D70 INOX COMPLETE	Z7 22222	1	○
	CONNECTION TUBE REGULAT. D70 COMPLETE	Z7 22113	1	○
	QUICK COUPLING D40 FE COMPLETE	Z7 22186	1	○
	QUICK COUPLING D50 FE COMPLETE	Z7 22187	1	○
	REDUCER D70/40 FE	Z7 22002	1	○
	REDUCER IRON D70/50	Z7 22001	1	○
	REDUCER REGULATION D70/50 COMPLETE	Z7 22162	1	○
	REDUCER REGULATION D.70/40 COMPLETE	Z7 22164	1	○
Cone Nozzle				
	CONIC END D40/50/20 COMPLETE	Z7 22142	1	○
	CONIC END D50/20 COMPLETE	Z7 22141	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum



Accessories		Ref. no.	Min. required	CTS22
	CONIC TUBE D40 RUBBER	Z7 21011	1	○
	CONIC TUBE D50 RUBBER	Z7 21010	1	○
	CONIC TUBE D70 RUBBER	Z7 21009	1	○
	SILICONE CONE FDA BLUE D40	4072100106	1	○
	SILICONE CONE FDA BLUE D50	4072100112	1	○
	SILICONE CONE FDA D40	4072100105	1	○
	SILICONE CONE FDA D50	4072100111	1	○
	SILICONE CONE FDA GREEN D40	4072100108	1	○
	SILICONE CONE FDA GREEN D50	4072100114	1	○
	SILICONE CONE FDA RED D40	4072100107	1	○
	SILICONE CONE FDA RED D50	4072100113	1	○
	SILICONE CONE FDA WHITE D40	4072100110	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	SILICONE CONE FDA WHITE D50	4072100116	1	○
	SILICONE CONE FDA YELLOW D40	4072100109	1	○
	SILICONE CONE FDA YELLOW D50	4072100115	1	○
	SILICONE CONICAL TOOL FDA BLUE D50/20	4072100130	1	○
	SILICONE CONICAL TOOL FDA D50/20	4072100129	1	○
	SILICONE CONICAL TOOL FDA GREEN D50/20	4072100132	1	○
	SILICONE CONICAL TOOL FDA RED D50/20	4072100131	1	○
	SILICONE CONICAL TOOL FDA WHITE D50/20	4072100134	1	○
	SILICONE CONICAL TOOL FDA YELLOW D50/20	4072100133	1	○
Crevice Nozzle				
	FLAT LANCE D40 MM500 PVC	Z7 24014	1	○
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○
	FLAT LANCE D50 MM500 PVC	Z7 24013	1	○



The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○
	FLAT LANCE D70 MM1000 PVC	Z7 24012	1	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○
	FLAT LANCE DIAL D40 FE COMP.DIAL NYLON	Z7 22088	1	○
	FLAT LANCE DIAL D40 FE COMPLETE DIAL	Z7 22024	1	○
	FLAT LANCE DIAL D50 FE COMP.DIAL NYLON	Z7 22089	1	○
	FLAT LANCE DIAL D50 FE COMPLETE DIAL	Z7 22023	1	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○
	SCRAPING SUCKER D40 FE	Z7 22033	1	○
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○
	SCRAPING SUCKER D50 FE	Z7 22034	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○
	SCRAPING SUCKER D70 MM 200	Z7 22090	1	○
	SUCKER RUBBER MM120 GREY	Z7 21030	1	○
Hose and Connection				
	BENT CONNECTION D40 INOX	Z7 21033	1	○
	BENT CONNECTION D40 INOX SS316L	4072100145	1	○
	BENT CONNECTION D50 INOX SS316L	4072100146	1	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○
	CONNECTION JOINT D40 INOX SS316L	4072100140	1	○
	CONNECTION JOINT D50 INOX SS316L	4072100141	1	○
	CONNECTION TUBE D50 SS316L	4072100139	0	○
	G.REDUCER D70/40 INOX COMPLETE	Z7 22235	1	○
	REDUCER D50/40 INOX SS316L	4072100142	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	REDUCER D70/40 INOX	Z7 22224	1	○
	REDUCER D70/40 INOX SS316L	4072100143	1	○
	REDUCER D70/50 INOX	Z7 22225	1	○
	REDUCER D70/50 INOX SS316L	4072100144	1	○
	REG.REDUCER D70/50 INOX COMPLETE	Z7 22236	1	○
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1	○
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1	○
	TIE D40-60	Z8 40040	1	○
	WYE D50/50/50 INOX SS316L	4072100147	1	○
Extension Tube				
	ALUM.EXTENSION D40 MT1 INLET PIN M/F	Z7 22386	1	○
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○
	EXTENS. X FURNACES D40 MT3 AL. COMPLETE	Z7 22036	1	○
	EXTENS. X FURNACES D50 MT3 AL COMPLETE	Z7 22037	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○
	EXTENSION X FURNACES D40 MT1 A COMPLETE	Z7 22270	1	○
	EXTENSION X FURNACES D40 MT2 A COMPLETE	Z7 22267	1	○
	EXTENSION X FURNACES D50 MT1 A COMPLETE	Z7 22271	1	○
	EXTENSION X FURNACES D50 MT2 A COMPLETE	Z7 22268	1	○
	FLAT LANCE D40 SS316L	4072100148	1	○
	FLAT LANCE D50 SS316L	4072100149	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	HANDGRIP D40 AISI316L COMPLETE	4072200596	1	○
	HANDGRIP D40 ALUMINIUM COMPLETE	Z7 22026	1	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○
	HANDGRIP D50 AISI316L COMPLETE	4072200597	1	○
	HANDGRIP D50 ALUMINIUM COMPLETE	Z7 22025	1	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○
Vac Nozzle Wet				
	LIQ. SUCKER D40 MM500 FE COMPLETE	Z7 22168	1	○
	LIQ. SUCKER D50 MM500 FE COMPLETE	Z7 22167	1	○
	LIQUIDS SUCKER D40 MM400 FE COMPLETE	Z7 22028	1	○
	LIQUIDS SUCKER D50 MM400 FE COMPLETE	Z7 22027	1	○
Vac Nozzle Dry				
	AUTOBUS SUCKER D50 200 AL. COMPLETE	Z7 22170	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	BRUSH D40 MM220 30 COMPLETE	Z7 22193	1	○
	BRUSH D40 MM220 90 COMPLETE	Z7 22042	1	○
	BRUSH D40 MM300 30 COMPLETE	Z7 22194	1	○
	BRUSH D40 MM300 90 COMPLETE	Z7 22043	1	○
	BRUSH D40 MM400 30 COMPLETE	Z7 22195	1	○
	BRUSH D40 MM400 90 COMPLETE	Z7 22044	1	○
	BRUSH D50 MM220 30 COMPLETE	Z7 22196	1	○
	BRUSH D50 MM220 90 COMPLETE	Z7 22038	1	○
	BRUSH D50 MM300 30 COMPLE	Z7 22197	1	○
	BRUSH D50 MM300 90 COMPLETE	Z7 22039	1	○
	BRUSH D50 MM400 30 COMPLETE	Z7 22198	1	○
	BRUSH D50 MM400 90 COMPLETE	Z7 22040	1	○



The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	MOB.SUCKER D50 MM500 FE COMPLETE	Z7 22147	1	○
	MOB.SUCKER STRIP D40 MM300 FE COMPLETE	Z7 22174	1	○
	MOB.SUCKER STRIP D40 MM400 FE COMPLETE	Z7 22138	1	○
	MOB.SUCKER STRIP D50 MM300 FE COMPLETE	Z7 22175	1	○
	MOB.SUCKER STRIP D50 MM400 FE COMPLETE	Z7 22137	1	○
	MOB.SUCKER STRIP D50 MM500 FE COMPLETE	Z7 22148	1	○
	MOBILE SUCKER D40 MM300 FE COMPLETE	Z7 22171	1	○
	MOBILE SUCKER D40 MM400 FE COMPLETE	Z7 22030	1	○
	MOBILE SUCKER D50 MM300 FE COMPLETE	Z7 22172	1	○
	MOBILE SUCKER D50 MM400 FE COMPLETE	Z7 22029	1	○
	SUCKER D40 MM400 ALUMINIUM	Z7 22031	1	○
	SUCKER D50 MM400 ALUMINIUM	Z7 22032	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	SUCKER X FURNACES D40 MM400 FE COMPLETE	Z7 22272	1	○
	SUCKER X FURNACES D50 MM400 FE COMPLETE	Z7 22273	1	○
Round Brush Nozzle				
	PAINTBRUSH D50/100 BRISTLES COMPLETE	Z7 22047	1	○
	PAINTBRUSH D50/100 STEEL COMPLETE	Z7 22048	1	○
	ROUND BRUSH FDA BLUE D40	4072400274	1	○
	ROUND BRUSH FDA BLUE D50	4072400279	1	○
	ROUND BRUSH FDA GREEN D40	4072400276	1	○
	ROUND BRUSH FDA GREEN D50	4072400281	1	○
	ROUND BRUSH FDA RED D40	4072400275	1	○
	ROUND BRUSH FDA RED D50	4072400280	1	○
	ROUND BRUSH FDA WHITE D40	4072400278	1	○
	ROUND BRUSH FDA WHITE D50	4072400283	1	○



The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	ROUND BRUSH FDA YELLOW D40	4072400277	1	○
	ROUND BRUSH FDA YELLOW D50	4072400282	1	○
Hose Vacuum Cleaner				
	AIR HOSE D40MT5+SLEEVES	Z7 22362	1	○
	AIR HOSE D50MT5+SLEEVES	Z7 22363	1	○
	AIR HOSE D70MT5+SLEEVES	Z7 22364	1	○
	FLEX HOSE D40MT5+SLEEVES	Z7 22360	1	○
	FLEX HOSE D50MT5+SLEEVES	Z7 22361	1	○
	HIGH TEMPERATURE HOSE D40 BY METER	4072400330	1	○
	HIGH TEMPERATURE HOSE D50 BY METER	4072400331	1	○
	HOSE ANT. ANTIOIL MT3 D50	Z7 24003	1	○
	HOSE FDA D40 3M + SLEEVES	4072400334	1	○
	HOSE FDA D40 5M + SLEEVES	4072400336	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	HOSE FDA D40 10M + SLEEVES	4072400338	1	○
	HOSE FDA D50 3M + SLEEVES	4072400335	1	○
	HOSE FDA D50 5M + SLEEVES	4072400337	1	○
	HOSE FDA D50 10M + SLEEVES	4072400339	1	○
	HOSED40 POLYURETHAN MT3+SLEEVE	Z7 22297	1	○
	METAL TIE FOR HIGH TEMP. HOSE D40/60	4082300068	1	○
	METAL TIE FOR HIGH TEMP. HOSE D50/70	4082300071	1	○
	POL HOSE D40 MT5+SLEEVES	Z7 22365	1	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1	○
	POL HOSE D70 MT5+SLEEVES	Z7 22367	1	○
	SILICONE HOSE FDA WITH SLEEVES 3M D40	4072100135	1	○
	SILICONE HOSE FDA WITH SLEEVES 3M D50	4072100136	1	○
	SILICONE HOSE FDA WITH SLEEVES 5M D40	4072100137	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	SILICONE HOSE FDA WITH SLEEVES 5M D50	4072100138	1	○
	STEEL HOSE D70/D50 MT3 RED. AND FITTING	Z7 22379	1	○
	TUBE D40 AIR MT.3 + SLEEVES COMP.WITH	Z7 22049	1	○
	TUBE D40 FLEX MT.3+SLEEVES	Z7 22150	1	○
	TUBE D40 RUBBER MT.3	Z7 24005	1	○
	TUBE D50 AIR MT3 + SLEEVES	Z7 22062	1	○
	TUBE D50 FLEX MT.3+SLEEVES	Z7 22151	1	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○
	TUBE D70 AIR MT3 + SLEEVES	Z7 22063	1	○
	TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	1	○
	TUBE D70 RUBBER MT.3	Z7 24001	1	○
Pipe Cleaner Nozzle				
	CURVED BRUSH FOR PIPES D40/100 FE COMPL	Z7 22132	1	○



The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	CURVED BRUSH FOR PIPES D50/100 FE COMPL	Z7 22131	1	○
Nozzle				
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○
	MOB. SS NOZZLE+SILICONE FDA YELLOW D40	4072400318	1	○
	MOB. SS NOZZLE+SILICONE FDA YELLOW D50	4072400324	1	○
	MOBILE SS NOZZLE FDA FOR OVENS D40	4072400326	1	○
	MOBILE SS NOZZLE FDA FOR OVENS D50	4072400327	1	○
	MOBILE SS NOZZLE+SILICONE FDA BLUE D40	4072400315	1	○
	MOBILE SS NOZZLE+SILICONE FDA BLUE D50	4072400321	1	○
	MOBILE SS NOZZLE+SILICONE FDA D40	4072400314	1	○
	MOBILE SS NOZZLE+SILICONE FDA D50	4072400320	1	○
	MOBILE SS NOZZLE+SILICONE FDA GREEN D40	4072400317	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	MOBILE SS NOZZLE+SILICONE FDA GREEN D50	4072400323	1	○
	MOBILE SS NOZZLE+SILICONE FDA RED D40	4072400316	1	○
	MOBILE SS NOZZLE+SILICONE FDA RED D50	4072400322	1	○
	MOBILE SS NOZZLE+SILICONE FDA WHITE D40	4072400319	1	○
	MOBILE SS NOZZLE+SILICONE FDA WHITE D50	4072400325	1	○
	PACK10 RUBBERS FIX.NOZZLE MM600-700	Z8 20297	1	○
	PACK 10 STRIP MOBILE S. MM.400	Z8 23040	1	○
	PACK 10 STRIP MOBILE S. MM.500	Z8 23041	1	○
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○
	SILICONE NOZZLE FDA 120MM BLUE D40	4072100118	1	○
	SILICONE NOZZLE FDA 120MM BLUE D50	4072100124	1	○
	SILICONE NOZZLE FDA 120MM D40	4072100117	1	○
	SILICONE NOZZLE FDA 120MM D50	4072100123	1	○
	SILICONE NOZZLE FDA 120MM GREEN D40	4072100120	1	○
	SILICONE NOZZLE FDA 120MM GREEN D50	4072100126	1	○



The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	SILICONE NOZZLE FDA 120MM RED D40	4072100119	1	○
	SILICONE NOZZLE FDA 120MM RED D50	4072100125	1	○
	SILICONE NOZZLE FDA 120MM WHITE D40	4072100122	1	○
	SILICONE NOZZLE FDA 120MM WHITE D50	4072100128	1	○
	SILICONE NOZZLE FDA 120MM YELLOW D40	4072100121	1	○
	SILICONE NOZZLE FDA 120MM YELLOW D50	4072100127	1	○
	SS NOZZLE+COVER FDA BLUE D40	4072400304	1	○
	SS NOZZLE+COVER FDA BLUE D50	4072400309	1	○
	SS NOZZLE+COVER FDA GREEN D40	4072400306	1	○
	SS NOZZLE+COVER FDA GREEN D50	4072400311	1	○
	SS NOZZLE+COVER FDA RED D40	4072400305	1	○
	SS NOZZLE+COVER FDA RED D50	4072400310	1	○



The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	SS NOZZLE+COVER FDA WHITE D40	4072400308	1	○
	SS NOZZLE+COVER FDA WHITE D50	4072400313	1	○
	SS NOZZLE+COVER FDA YELLOW D40	4072400307	1	○
	SS NOZZLE+COVER FDA YELLOW D50	4072400312	1	○
Brush				
	RECTANGULAR BRUSH FDA BLUE D40	4072400294	1	○
	RECTANGULAR BRUSH FDA BLUE D50	4072400299	1	○
	RECTANGULAR BRUSH FDA GREEN D40	4072400296	1	○
	RECTANGULAR BRUSH FDA GREEN D50	4072400301	1	○
	RECTANGULAR BRUSH FDA RED D40	4072400295	1	○
	RECTANGULAR BRUSH FDA RED D50	4072400300	1	○
	RECTANGULAR BRUSH FDA WHITE D40	4072400298	1	○
	RECTANGULAR BRUSH FDA WHITE D50	4072400303	1	○

The most compact, certified and fully configurable threephase 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	CTS22
	RECTANGULAR BRUSH FDA YELLOW D40	4072400297	1	○
	RECTANGULAR BRUSH FDA YELLOW D50	4072400302	1	○
	TRIANGULAR BRUSH FDA BLUE D40	4072400284	1	○
	TRIANGULAR BRUSH FDA BLUE D50	4072400289	1	○
	TRIANGULAR BRUSH FDA GREEN D40	4072400286	1	○
	TRIANGULAR BRUSH FDA GREEN D50	4072400291	1	○
	TRIANGULAR BRUSH FDA RED D40	4072400285	1	○
	TRIANGULAR BRUSH FDA RED D50	4072400290	1	○
	TRIANGULAR BRUSH FDA WHITE D40	4072400288	1	○
	TRIANGULAR BRUSH FDA WHITE D50	4072400293	1	○
	TRIANGULAR BRUSH FDA YELLOW D40	4072400287	1	○
	TRIANGULAR BRUSH FDA YELLOW D50	4072400292	1	○

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93